

Trauma in Pregnancy

Haywood L. Brown, MD *Obstet Gynecol* 2009;114(1)

ACCME Accreditation

The American College of Obstetricians and Gynecologists (ACOG) is accredited by the Accreditation Council for Continuing Medical Education (ACCME) to provide continuing medical education for physicians. (Continuing medical education credit for "Trauma in Pregnancy" will be available through July 2012.)

AMA PRA Category 1 CreditTM and ACOG Cognate Credit The American College of Obstetricians and Gynecologists (ACOG) designates this educational activity for a maximum of 2 AMA PRA Category 1 CreditsTM or up to a maximum of 2 Category 1 ACOG cognate credits. Physicians should only claim credit commensurate with the extent of their participation in the activity.

Disclosure Statement

Current guidelines state that continuing medical education (CME) providers must ensure that CME activities are free from the control of any commercial interest. All authors, reviewers, and contributors have disclosed to ACOG all relevant financial relationships with any commercial interests. The authors, reviewers, and contributors declare that neither they nor any business associate nor any member of their immediate families has financial interest or other relationships with any manufacturer of products or any providers of services discussed in this program. Any conflicts have been resolved through group and outside review of all content.

Before submitting this form, please print a completed copy as confirmation of your program participation.

ACOG Fellows: To obtain credits, complete and return this form by clicking on "Submit" at the bottom of the page. Credit will be automatically recorded upon receipt and online transcripts will be updated twice monthly. ACOG Fellows may check their transcripts online at http://www.acog.org.

Non-ACOG Fellows: To obtain credits, submit the printout of the completed quiz to your accrediting institution. The printout of the completed quiz is documentation for your continuing medical education credits.

- 1. In the United States, major trauma occurs in approximately what percent of pregnancies?
 - A. 0.05%
 - B. 0.5%
 - C. 2%
 - D. 5%
 - E. 12%

- 2. In the United States, the most common cause of injury-related maternal death is:
 - A. Domestic violence
 - B. Homicide
 - C. Motor vehicle accidents
 - D. Household falls
 - E. Recreational (sports-related) injuries
- 3. In the United States, what percent of trauma-associated hospital admissions during pregnancy end in delivery?
 - A. 0.8%
 - B. 8%
 - C. 18%
 - D. 28%
 - E. 38%
- 4. The most common cause of trauma-related fetal death is:
 - A. Direct fetal trauma
 - B. Placental abruption
 - C. Maternal death
 - D. Fetal blood loss
 - E. Preterm birth
- 5. When the homicide rates for white and black women are compared, the rate for black women is:
 - A. Three times lower than for whites
 - B. Half as high as for whites
 - C. The same as for whites
 - D. Twice as high as for whites
 - E. Three times higher than for whites

- 6. When a pregnant women is unrestrained during an automobile accident, the risk of perinatal death is increased approximately:
 - A. 1.5-fold
 - B. Twofold
 - C. Threefold
 - D. Fourfold
 - E. Fivefold
- 7. When the uterus is directly involved with a gunshot injury, the rate of fetal death may be as high as:
 - A. 5%
 - B. 15%
 - C. 30%
 - D. 50%
 - E. 70%
- 8. Gross or microscopic hematuria in a pregnant trauma patient suggests:
 - A. Uterine rupture
 - B. Pelvic fracture
 - C. Placental abruption
 - D. Vasa previa
 - E. Fetal-maternal transfusion
- 9. The recommended minimal time for monitoring fetal status after a traumatic event is:
 - A. 2 hours
 - B. 4 hours
 - C. 6 hours
 - D. 12 hours
 - E. 24 hours

- 10. Fetal outcome from perimortem cesarean delivery as measured by intact survival is best if delivery is accomplished within how many minutes of maternal arrest?
 - A. 5 minutes
 - B. 10 minutes
 - C. 15 minutes
 - D. 20 minutes
 - E. 25 minutes

ACOG ID Number:

Name:

Address:

City/State/Zip:

Actual time spent completing this activity (you may record up to 2 hours):