NOT a part of the patient's Medical Record. Return to the Infection Prevention department.

 $\square$ 

(Patient Label)

Line placed emergently Inserter:

Room/Unit:

Date: \_\_\_\_\_ Observer: \_\_\_\_\_

τv	'nÞ	of	L.	ine	8.	Site	<u>۔</u>
Ιy	'pe	OI.	L	nie	α	SIL	Ξ.

## Vascular Catheter Insertion Checklist

Each person present is required to identify, stop, correct and report any break in aseptic technique before resuming the insertion procedure.

Persons within sterile field must wear mask, cap, sterile gown and gloves. Any person in room/area must, at minimum, wear a mask during line insertion.

	Performed by Inserter			Performed by Assistant			
		Yes	Exception		Yes	Exception	
Prior to Insertion	Asses patient (e.g., history, any invasive device in chest, time of last meal, previous chest x-rays, coagulation tests, APTT)			Sign on door or curtain to prevent entry of nonessential personnel			
	Obtain informed consent			Assistant present before starting procedure			
	Provide patient and/or family education			Patient in Trendelenberg position for subclavian or internal jugular catheter placement, unless contra- indicated			
	Perform Time Out (additional Universal Pro- tocol documentation required per facility)						
	Avoid use of femoral vein whenever possible						
	Avoid use of guidewire replacement technique if site or bloodstream infection suspected						

During Insertion	Perform hand hygiene		Perform hand hygiene	
	Use full barrier precautions: wear mask, cap, sterile gown and gloves and place full-body drape over patient		Wear mask, cap, sterile gloves and gown within sterile field	
	Apply CHG skin prep for 30 seconds using back and forth scrubbing motion (scrub for 2 minutes if moist skin site), unless contraindi- cated (note alternate prep used below)		Label all syringes on sterile field	
	Sterile field maintained throughout procedure		Apply sterile dressing, unless contraindicated (note reason for exception below); document date and time of site dressing	

ر no	Ensure guidewire present and intact; guide- wire count completed		Kit contents accounted for and disposed of properly	
ti fe	Catheter caps placed on all lumens			
Af	Clamps in place on all lumens			
	Document line placement in patient chart			

Document exceptions here:\_\_\_\_

