SDC 3: Effect of prophylactic intravenous administration of 5-HT3 antagonists on hemodynamic variables: use of phenylephrine equivalents (μg).

	5HT3 a	antagon	Control			Mean Difference		Mean Difference	
Study or Subgroup	Mean	SD	Total	Mean	SD	Total	Weight	IV, Random, 95% C	IV, Random, 95% CI
Sahoo 201220	3.85	13.6	26	21.15	25.2	26	33.5%	-17.30 [-28.31, -6.29]	
Wang M 2014 ²³	69.8	79.8	118	107.1	133.1	30	21.7%	-37.30 [-87.06, 12.46]	-
Wang Q 2014 ²⁴	40.6	91.1	33	96.9	109.2	32	22.0%	-56.30 [-105.27, -7.33]	
Eldaba 2015 ²⁶	0	0	100	23.2	55.1	100		Not estimable	
Trabelsi 20157	63.2	96.4	40	160	114.6	40	22.8%	-96.80 [-143.21, -50.39]	
Total (95% CI)			317			228	100.0%	-48.33 [-86.39, -10.28]	•
Heterogeneity: Tau ² = 1092.62; Chi ² = 12.82, df = 3 (P = 0.005); l ² = 77%								-200 -100 0 100 200	
Test for overall effect: $Z = 2.49$ (P = 0.01)								Favors 5HT3 antagonist Favors control	