

Appendix 1. Results from the Adjusted Model Predicting Mortality Among AAPI and White Women

Model	Odds Ratio (95% Confidence Interval)	P-Value
Adjusted* OR (95% Confidence Interval)		
Race		0.01
Asian	1.72 (1.14, 2.59)	
White	1.00 [Reference]	
Age		0.80
40-44	1.16 (0.64, 2.10)	
25-39	0.97 (0.69, 1.37)	
15-24	1.00 [Reference]	
Median Household Income For Patient's Zip Code (percentile)		0.62
76th - 100th	0.93 (0.62, 1.40)	
51st - 75th	0.84 (0.57, 1.25)	
26th - 50th	1.08 (0.76, 1.54)	
0 - 25th	1.00 [Reference]	
Primary Expected Payer		0.003
Other	0.39 (0.11, 1.42)	
No Charge	2.86 (0.42, 19.25)	
Self-pay	0.46 (0.12, 1.70)	
Private Insurance	0.32 (0.12, 0.88)	
Medicaid	0.55 (0.20, 1.51)	
Medicare	1.00 [Reference]	
Bateman Comorbidity Index		< 0.0001
≥ 7	6.21 (2.98, 12.97)	
6	9.59 (4.76, 19.32)	
5	3.33 (1.70, 6.55)	
4	4.52 (2.42, 8.44)	
3	1.66 (0.88, 3.12)	
2	1.40 (0.91, 2.17)	
1	0.89 (0.58, 1.37)	
0	1.00 [Reference]	
Cesarean Delivery	3.93 (2.61, 5.92)	< 0.0001
Postpartum Hemorrhage	10.93 (7.86, 15.20)	< 0.0001