

Supplemental Digital Table 1

Estimated Minimum and Maximum Percentages* of all UK Graduates Participating in Medicine, by Year of Graduation†

Years after graduation	Graduation year	% in the NHS§	Minimum			Maximum		
			% in other UK medicine	% in medicine abroad	Total % in medicine	% in other UK medicine	% in medicine abroad	Total % in medicine
2‡	2002	85.0	0.9	3.6	89.4	2.5	9.7	97.2
	2000	85.1	1.1	3.5	89.6	2.5	8.2	95.7
	1999	88.6	0.8	3.6	93.0	1.6	6.7	96.9
	1996	87.8	1.1	3.5	92.4	1.9	5.9	95.5
	1993	85.6	1.2	4.5	91.4	2.1	7.9	95.7
	1988	85.0	2.2	5.2	92.5	3.0	7.1	95.2
5	2000	85.7	1.2	1.9	88.9	3.4	5.5	94.7
	1999	85.4	1.6	3.9	91.0	3.2	7.6	96.2
	1996	83.9	1.8	4.9	90.6	3.0	8.4	95.3
	1993	83.3	1.5	5.2	90.0	2.4	8.4	94.1
	1988	80.1	2.7	6.9	89.7	3.6	9.4	93.1
	1983	83.3	2.9	4.3	90.5	4.8	6.9	95.0
10	1996	84.9	1.0	2.6	88.5	2.4	6.6	93.8
	1993	85.3	1.8	4.0	91.1	3.2	7.1	95.6
	1988	82.4	2.3	6.4	91.1	3.7	10.1	96.1
	1983	82.0	3.4	6.4	91.8	4.8	8.9	95.7
	1977	81.6	3.0	5.9	90.5	5.1	9.9	96.5
15	1988	80.9	2.1	4.5	87.5	4.9	10.7	96.5
	1983	81.9	3.2	4.3	89.4	6.0	8.0	95.9
	1977	81.2	3.6	5.5	90.3	6.4	9.8	97.4
	1974	78.5	2.7	6.2	87.4	5.9	13.3	97.7
20	1977	77.9	2.2	2.4	82.5	8.3	9.0	95.2
	1974	77.7	3.3	6.1	87.0	7.1	13.0	97.8
25‡	1977	77.5	3.6	3.0	84.1	9.8	8.2	95.5
	1974	76.4	3.2	6.1	85.7	6.8	13.2	96.4

* See Method section of report for details of calculations

† Numbers in cohorts comprise all UK graduates as follows:

2002: 4,224 doctors

2000: 4,237 doctors

1999: 4,003 doctors

1996: 3,678 doctors

1993: 3,482 doctors

1988: 3,536 doctors

1983: 3,631 doctors

1977: 2,909 doctors

1974: 2,313 doctors.

‡ The “2 years after graduation” results for the 1999 and 1996 cohorts were actually closer to year 3, because survey data sources were much more complete by then; also, the “25 years after graduation” results for the 1974 cohort were actually closer to Year 24.

§ NHS = National Health Service of the United Kingdom

Supplemental Digital Table 2

Estimated Minimum and Maximum Percentages* of all Women UK Graduates Participating in Medicine, by Year of Graduation[†]

Years after graduation	Graduation year	% in the NHS [§]	Minimum			Maximum		
			% in other UK medicine	% in medicine abroad	Total % in medicine	% in other UK medicine	% in medicine abroad	Total % in medicine
2 [‡]	2002	91.5	0.6	4.1	96.3	0.9	5.7	98.2
	2000	85.1	0.6	4.2	89.8	1.2	8.9	95.2
	1999	87.2	0.4	4.5	92.1	0.8	8.0	96.0
	1996	89.2	0.8	3.4	93.5	1.2	4.7	95.1
	1993	86.2	0.7	4.8	91.7	1.0	7.3	94.5
	1988	84.5	1.1	6.0	91.6	1.5	7.9	93.9
5	2000	87.0	0.6	2.2	89.7	1.4	5.5	93.8
	1999	84.3	1.2	4.6	90.1	2.1	8.0	94.5
	1996	82.2	1.5	5.8	89.4	2.4	9.2	93.8
	1993	82.6	1.0	5.9	89.5	1.4	8.0	92.0
	1988	79.6	1.2	6.8	87.6	1.6	8.5	89.6
	1983	81.6	1.0	5.2	87.8	1.6	8.3	91.5
10	1996	86.3	0.8	2.6	89.7	1.4	4.4	92.2
	1993	84.5	1.8	4.0	90.3	2.7	6.2	93.5
	1988	81.7	1.7	5.1	88.5	2.8	8.2	92.7
	1983	80.8	2.8	5.4	89.1	3.7	7.1	91.7
	1977	79.6	2.2	5.8	87.7	3.3	8.8	91.7
15	1988	80.2	1.2	3.9	85.3	3.2	9.8	93.2
	1983	80.5	2.5	4.5	87.5	4.2	7.5	92.2
	1977	79.9	3.0	5.5	88.4	5.0	9.2	94.1
	1974	78.7	2.4	5.6	86.8	4.6	10.6	93.9
20	1977	76.6	2.8	2.0	81.4	8.9	6.5	92.1
	1974	79.5	3.2	5.6	88.4	5.7	9.9	95.2
25 [‡]	1977	76.3	4.4	2.8	83.4	10.4	6.6	93.4
	1974	79.5	2.4	5.2	87.1	4.4	9.5	93.5

* See Method section of report for details of calculations

[†] Numbers in cohorts comprise all women UK graduates as follows:

2002: 2,352 doctors
 2000: 2,158 doctors
 1999: 2,087 doctors
 1996: 1,791 doctors
 1993: 1,633 doctors
 1988: 1,610 doctors
 1983: 1,389 doctors
 1977: 942 doctors
 1974: 621 doctors.

[‡]The “2 years after graduation” results for the 1999 and 1996 cohorts were actually closer to year 3, because survey data sources were much more complete by then; also, the “25 years after graduation” results for the 1974 cohort were actually closer to Year 24.

[§] NHS = National Health Service of the United Kingdom

Supplemental Digital Table 3

Estimated Minimum and Maximum Percentages* of all Men UK Graduates Participating in Medicine, by Year of Graduation[†]

Years after graduation	Graduation year	% in the NHS [§]	Minimum			Maximum		
			% in other UK medicine	% in medicine abroad	Total % in medicine	% in other UK medicine	% in medicine abroad	Total % in medicine
2 [‡]	2002	85.4	1.2	2.9	89.5	3.8	8.9	98.0
	2000	84.9	1.6	2.7	89.2	4.2	7.3	96.4
	1999	90.1	1.3	2.6	94.1	2.6	5.2	97.9
	1996	86.0	1.4	3.7	91.0	2.8	7.4	96.1
	1993	85.1	1.7	4.3	91.0	3.4	8.7	97.1
	1988	85.5	3.2	4.6	93.3	4.4	6.4	96.3
5	2000	83.9	1.9	1.7	87.5	6.3	5.7	95.9
	1999	86.5	2.1	3.2	91.8	4.7	7.2	98.4
	1996	85.4	2.1	4.2	91.6	3.8	7.8	97.0
	1993	83.9	1.8	4.6	90.4	3.7	9.2	96.9
	1988	80.1	3.9	7.1	91.0	5.8	10.6	96.4
	1983	84.0	4.1	3.7	91.9	6.9	6.2	97.0
10	1996	83.2	1.1	2.7	87.0	4.1	10.6	97.9
	1993	85.9	1.8	4.0	91.7	3.7	8.4	98.0
	1988	82.7	2.9	7.4	92.9	4.5	11.7	98.9
	1983	82.6	3.8	7.0	93.4	5.6	10.2	98.4
	1977	82.3	3.4	5.9	91.6	6.2	10.7	99.3
15	1988	81.3	2.2	5.1	88.6	5.4	12.2	98.9
	1983	82.5	3.6	4.2	90.3	7.5	8.7	98.6
	1977	81.5	3.9	5.5	91.0	7.2	10.3	99.1
	1974	78.3	2.8	6.4	87.5	6.5	14.6	99.3
20	1977	78.6	1.9	2.5	83.1	8.0	10.5	97.1
	1974	76.9	3.3	6.2	86.4	7.7	14.4	99.0
25 [‡]	1977	78.0	3.3	3.2	84.4	9.5	9.2	96.7
	1974	75.2	3.4	6.5	85.2	7.8	14.7	97.7

* See Method section of report for details of calculations

[†] Numbers in cohorts comprise all men UK graduates as follows:

2002: 1,872 doctors

2000: 2,079 doctors

1999: 1,916 doctors

1996: 1,887 doctors

1993: 1,849 doctors

1988: 1,926 doctors

1983: 2,242 doctors

1977: 1,967 doctors

1974: 1,692 doctors.

[‡]The “2 years after graduation” results for the 1999 and 1996 cohorts were actually closer to year 3, because survey data sources were much more complete by then; also, the “25 years after graduation” results for the 1974 cohort were actually closer to Year 24.

[§] NHS = National Health Service of the United Kingdom

Supplemental Digital Table 4

Estimated Minimum and Maximum Percentages* of all UK Graduates Known to be from Family Homes in the UK Participating in Medicine, by Year of Graduation†

Years after graduation	Graduation year	% in the NHS§	Minimum			Minimum		
			% in other UK medicine	% in medicine abroad	Total % in medicine	% in other UK medicine	% in medicine abroad	Total % in medicine
2‡	2002	92.0	1.3	4.4	97.8	1.5	5.0	98.4
	2000	87.5	1.4	4.5	93.4	2.1	6.9	96.5
	1999	89.6	1.0	4.3	94.9	1.4	6.0	97.0
	1996	89.0	1.3	3.6	94.0	1.8	5.0	95.9
	1993	87.5	1.3	4.7	93.5	1.9	6.6	96.0
	1988	87.2	2.5	5.5	95.1	2.7	5.9	95.8
5	2000	90.0	1.6	2.0	93.6	2.8	3.5	96.3
	1999	86.9	2.0	4.5	93.5	2.9	6.6	96.4
	1996	85.2	2.1	5.3	92.6	2.9	7.6	95.7
	1993	85.4	1.7	5.4	92.5	2.2	7.1	94.7
	1988	84.0	3.0	6.5	93.5	3.1	6.8	93.9
	1983	84.8	3.2	4.0	92.1	4.6	5.8	95.2
10	1996	87.5	1.1	2.7	91.3	2.1	5.3	94.8
	1993	88.0	2.0	4.2	94.2	2.6	5.6	96.2
	1988	87.8	2.8	7.0	97.6	2.7	6.6	97.1
	1983	84.7	3.8	5.8	94.3	4.5	6.9	96.0
	1977	84.7	3.2	5.4	93.3	4.5	7.6	96.7
15	1988	87.4	2.6	4.7	94.7	3.6	6.5	97.5
	1983	84.3	3.5	3.6	91.4	5.7	5.9	96.0
	1977	84.7	3.9	4.9	93.5	5.7	7.2	97.6
	1974	83.1	2.9	5.8	91.8	4.9	9.9	97.9
20	1977	81.5	2.3	2.0	85.8	7.8	6.6	95.8
	1974	81.9	3.6	5.6	91.2	6.3	9.7	97.9
25‡	1977	80.9	3.8	2.6	87.3	9.0	6.3	96.2
	1974	80.6	3.6	5.5	89.7	6.4	9.8	96.8

* See Method section of report for details of calculations

† Numbers in cohorts comprise all UK graduates known to come from family homes in the UK as follows:

2002: 2,637 doctors

2000: 2,766 doctors

1999: 2,783 doctors

1996: 3,103 doctors

1993: 2,921 doctors

1988: 2,529 doctors

1983: 3,183 doctors

1977: 2,502 doctors

1974: 1,982 doctors.

‡The “2 years after graduation” results for the 1999 and 1996 cohorts were actually closer to year 3, because survey data sources were much more complete by then; also, the “25 years after graduation” results for the 1974 cohort were actually closer to Year 24.

§ NHS = National Health Service of the United Kingdom

Supplemental Digital Table 5

Estimated Minimum and Maximum Percentages* of Women UK Graduates Known to be from Family Homes in the UK Participating in Medicine, by Year of Graduation†

Years after graduation	Graduation year	% in the NHS§	Minimum			Maximum		
			% in other UK medicine	% in medicine abroad	Total % in medicine	% in other UK medicine	% in medicine abroad	Total % in medicine
2*	2002	93.5	0.9	4.8	99.2	0.8	4.3	98.6
	2000	87.8	0.7	5.0	93.5	1.0	7.3	96.1
	1999	88.5	0.5	5.0	94.1	0.7	7.0	96.2
	1996	90.1	0.9	3.6	94.6	1.1	4.4	95.6
	1993	87.6	0.7	5.0	93.2	0.9	6.4	94.9
	1988	87.4	1.3	5.9	94.5	1.3	6.1	94.8
5	2000	92.4	0.7	2.3	95.3	1.0	3.2	96.6
	1999	85.7	1.5	5.0	92.2	2.1	7.1	94.9
	1996	83.2	1.7	6.4	91.2	2.3	8.9	94.4
	1993	84.3	1.1	6.1	91.5	1.3	7.0	92.6
	1988	83.4	1.4	6.1	91.0	1.4	5.9	90.7
	1983	83.0	1.0	5.0	89.0	1.5	7.5	92.0
10	1996	88.3	0.9	2.7	92.0	1.3	3.9	93.5
	1993	86.7	1.8	3.9	92.4	2.3	5.1	94.1
	1988	87.5	1.9	5.4	94.8	1.9	5.3	94.6
	1983	83.0	2.8	4.7	90.6	3.4	5.6	92.0
	1977	81.9	2.1	4.9	88.9	3.0	6.8	91.7
15	1988	87.5	2.2	3.8	93.6	2.9	5.2	95.6
	1983	82.0	2.6	3.7	88.3	4.1	5.8	92.0
	1977	82.3	3.1	3.7	89.1	5.2	6.2	93.8
	1974	82.8	2.0	5.8	90.6	3.1	8.9	94.7
20	1977	79.7	2.6	1.3	83.6	8.7	4.4	92.8
	1974	82.8	3.3	5.8	91.8	4.6	8.2	95.6
25‡	1977	79.4	4.0	2.0	85.4	9.7	4.9	94.0
	1974	82.0	2.5	5.3	89.8	3.9	8.1	94.1

* See Method section of report for details of calculations

† Numbers in cohorts comprise women UK graduates known to come from family homes in the UK as follows:

2002: 1,620 doctors

2000: 1,546 doctors

1999: 1,571 doctors

1996: 1,604 doctors

1993: 1,448 doctors

1988: 1,196 doctors

1983: 1,229 doctors

1977: 844 doctors

1974: 551 doctors.

‡ The “2 years after graduation” results for the 1999 and 1996 cohorts were actually closer to year 3, because survey data sources were much more complete by then; also, the “25 years after graduation” results for the 1974 cohort were actually closer to Year 24.

§ NHS = National Health Service of the United Kingdom

Supplemental Digital Table 6

Estimated Minimum and Maximum Percentages* of Men UK Graduates Known to be from Family Homes in the UK Participating in Medicine, by Year of Graduation†

Years after graduation	Graduation year	% in the NHS§	Minimum			Maximum		
			% in other UK medicine	% in medicine abroad	Total % in medicine	% in other UK medicine	% in medicine abroad	Total % in medicine
2‡	2002	89.7	2.0	3.8	95.5	2.9	5.8	98.4
	2000	87.2	2.2	3.8	93.2	3.7	6.3	97.3
	1999	91.0	1.7	3.4	96.0	2.3	4.7	98.0
	1996	87.7	1.7	3.7	93.1	2.8	5.9	96.4
	1993	87.4	2.0	4.3	93.8	3.1	6.8	97.3
	1988	86.9	3.6	5.1	95.6	4.0	5.7	96.7
5	2000	86.9	2.6	1.6	91.1	5.7	3.6	96.2
	1999	88.6	2.7	3.9	95.2	4.1	5.8	98.5
	1996	87.3	2.5	4.2	94.0	3.6	6.2	97.2
	1993	86.5	2.2	4.8	93.6	3.4	7.3	97.1
	1988	84.5	4.4	6.9	95.8	5.0	7.8	97.2
	1983	85.8	4.7	3.4	93.8	6.6	4.8	97.1
10	1996	86.4	1.3	2.7	90.4	3.7	8.1	98.2
	1993	89.3	2.2	4.4	95.9	3.0	6.1	98.4
	1988	88.1	3.7	8.3	100.1	3.4	7.7	99.2
	1983	85.6	4.4	6.5	96.6	5.2	7.8	98.6
	1977	86.0	3.7	5.7	95.4	5.3	8.0	99.3
15	1988	87.2	2.9	5.5	95.6	4.2	7.9	99.3
	1983	85.5	4.0	3.6	93.1	7.0	6.1	98.6
	1977	85.6	4.3	4.9	94.9	6.3	7.1	99.1
	1974	83.2	3.2	5.8	92.2	5.8	10.4	99.4
20	1977	82.4	2.2	2.3	86.9	7.3	7.7	97.4
	1974	81.6	3.8	5.5	90.9	7.1	10.4	99.1
25‡	1977	81.6	3.6	3.0	88.2	8.6	7.0	97.3
	1974	79.9	4.0	5.7	89.6	7.5	10.6	98.0

* See Method section of report for details of calculations

† Numbers in cohorts comprise men UK graduates known to come from family homes in the UK as follows:

2002: 1,017 doctors

2000: 1,220 doctors

1999: 1,212 doctors

1996: 1,449 doctors

1993: 1,473 doctors

1988: 1,333 doctors

1983: 1,909 doctors

1977: 1,658 doctors

1974: 1,431 doctors.

‡ The “2 years after graduation” results for the 1999 and 1996 cohorts were actually closer to year 3, because survey data sources were much more complete by then; also, the “25 years after graduation” results for the 1974 cohort were actually closer to Year 24.

§ NHS = National Health Service of the United Kingdom

Supplemental Digital Table 7

Estimated Minimum and Maximum Percentages* of all UK Graduates Known to be from Family Homes Outside of the UK Participating in Medicine, by Year of Graduation[†]

Years after graduation	Graduation year	% in the NHS [§]	Minimum			Maximum		
			% in other UK medicine	% in medicine abroad	Total % in medicine	% in other UK medicine	% in medicine abroad	Total % in medicine
2 [‡]	2002	84.9	0.0	10.0	94.8	0.0	13.1	97.9
	2000	75.5	0.8	4.2	80.5	2.2	12.3	90.0
	1999	75.8	0.8	13.3	89.8	1.2	19.6	96.5
	1996	67.9	0.0	15.1	83.0	0.0	23.3	91.3
	1993	78.2	1.2	10.6	90.0	1.9	17.0	97.2
	1988	72.8	4.9	17.5	95.1	4.9	17.5	95.1
5	2000	73.2	1.1	6.1	80.5	2.7	14.3	90.2
	1999	71.9	1.6	14.1	87.5	2.6	23.0	97.4
	1996	70.8	0.9	13.2	84.9	1.6	22.7	95.1
	1993	72.9	1.2	10.0	84.1	2.3	19.2	94.4
	1988	68.9	3.9	23.3	96.1	3.8	22.6	95.3
	1983	73.0	2.9	11.3	87.3	4.5	17.2	94.8
10	1996	54.7	0.9	8.5	64.2	3.0	27.2	84.9
	1993	72.9	2.4	10.0	85.3	4.5	19.2	96.6
	1988	63.1	2.9	31.1	97.1	2.8	30.3	96.2
	1983	64.7	2.5	17.6	84.8	3.8	27.0	95.5
	1977	53.0	4.5	20.9	78.4	8.3	38.7	100.0
15	1988	60.2	1.9	25.2	87.4	2.7	34.5	97.3
	1983	62.7	2.9	15.7	81.4	5.6	29.8	98.1
	1977	50.0	3.7	23.9	77.6	6.6	42.1	98.7
	1974	55.3	2.6	18.4	76.3	5.4	37.6	98.2
20	1977	44.8	2.2	9.7	56.7	9.2	39.9	93.9
	1974	59.6	1.8	17.5	78.9	3.7	36.7	100.0
25 [‡]	1977	42.5	2.2	11.2	56.0	7.8	39.2	89.6
	1974	58.8	0.9	18.4	78.1	1.8	37.6	98.2

* See Method section of report for details of calculations. Percentages in individual cohorts have been rounded because of small denominators.

[†] Numbers in cohorts comprise all UK graduates known to come from family homes outside of the UK as follows:

2002: 252 doctors

2000: 261 doctors

1999: 123 doctors

1996: 106 doctors

1993: 170 doctors

1988: 103 doctors

1983: 204 doctors

1977: 134 doctors

1974: 114 doctors.

[‡]The “2 years after graduation” results for the 1999 and 1996 cohorts were actually closer to year 3, because survey data sources were much more complete by then; also, the “25 years after graduation” results for the 1974 cohort were actually closer to Year 24.

[§] NHS = National Health Service of the United Kingdom

Supplemental Digital Table 8

Estimated Minimum and Maximum Percentages* of Women UK Graduates Known to be from Family Homes Outside of the UK Participating in Medicine, by Year of Graduation[†]

Years after graduation	Graduation year	% in the NHS [§]	Minimum		Maximum			
			% in other UK medicine	% in medicine abroad	Total % in medicine	% in other UK medicine	% in medicine abroad	Total % in medicine
2 [‡]	2002	84.8	0.0	9.7	94.5	0.0	12.5	97.3
	2000	70.6	0.0	5.1	75.7	0.0	15.8	86.4
	1999	75.9	0.0	16.5	92.4	0.0	20.8	96.8
	1996	76.7	0.0	7.0	83.7	0.0	10.0	86.7
	1993	82.1	1.3	9.0	92.3	1.8	12.6	96.4
	1988	65.9	2.3	22.7	90.9	2.6	26.2	94.8
5	2000	66.9	0.0	5.1	72.1	0.0	12.9	79.8
	1999	73.4	1.3	15.2	89.9	1.9	22.8	98.1
	1996	79.1	0.0	2.3	81.4	0.0	5.2	84.3
	1993	73.1	1.3	10.3	84.6	2.1	16.6	91.7
	1988	68.2	0.0	25.0	93.2	0.0	23.3	91.5
	1983	74.0	2.7	11.0	87.7	3.3	13.0	90.2
10	1996	51.2	0.0	2.3	53.5	0.0	8.1	59.3
	1993	76.9	3.8	11.5	92.3	4.9	14.8	96.7
	1988	61.4	2.3	29.5	93.2	2.3	29.5	93.2
	1983	65.8	4.1	17.8	87.7	5.1	22.3	93.2
	1977	47.1	5.9	26.5	79.4	9.6	43.3	100.0
15	1988	59.1	2.3	25.0	86.4	3.1	34.6	96.9
	1983	64.4	2.7	17.8	84.9	4.2	27.2	95.8
	1977	50.0	2.9	23.5	76.5	5.0	40.0	95.0
	1974	56.5	13.0	8.7	78.3	21.7	14.5	92.8
20	1977	47.1	8.8	17.6	73.5	15.9	31.8	94.7
	1974	73.9	8.7	8.7	91.3	13.0	13.0	100.0
25 [‡]	1977	38.2	8.8	20.6	67.6	16.8	39.3	94.4
	1974	78.3	4.3	8.7	91.3	5.4	10.9	94.6

* See Method section of report for details of calculations. Percentages in individual cohorts have been rounded because of small denominators.

[†] Numbers in cohorts comprise women UK graduates known to come from family homes outside of the UK as follows:

2002: 146 doctors

2000: 136 doctors

1999: 79 doctors

1996: 43 doctors

1993: 78 doctors

1988: 44 doctors

1983: 73 doctors

1977: 34 doctors

1974: 23 doctors.

[‡]The “2 years after graduation” results for the 1999 and 1996 cohorts were actually closer to year 3, because survey data sources were much more complete by then; also, the “25 years after graduation” results for the 1974 cohort were actually closer to Year 24.

[§] NHS = National Health Service of the United Kingdom

Supplemental Digital Table 9

Estimated Minimum and Maximum Percentages* of Men UK Graduates Known to be from Family Homes Outside of the UK Participating in Medicine, by Year of Graduation[†]

Years after graduation	Graduation year	% in the NHS [§]	Minimum			Maximum		
			% in other UK medicine	% in medicine abroad	Total % in medicine	% in other UK medicine	% in medicine abroad	Total % in medicine
2 [‡]	2002	85.8	0.0	10.4	96.2	0.0	13.0	98.8
	2000	80.8	1.6	3.2	85.6	4.3	8.5	93.6
	1999	77.6	2.0	8.2	87.8	3.7	15.0	96.3
	1996	63.5	0.0	20.6	84.1	0.0	31.6	95.1
	1993	73.9	1.1	12.0	87.0	2.0	22.1	98.0
	1988	76.3	6.8	13.6	96.6	6.3	12.7	95.3
5	2000	79.2	2.4	7.2	88.8	5.2	15.6	100.0
	1999	69.4	2.0	12.2	83.7	3.8	23.0	96.2
	1996	66.7	1.6	20.6	88.9	2.4	31.0	100.0
	1993	71.7	1.1	9.8	82.6	2.6	23.1	97.4
	1988	69.5	6.8	22.0	98.3	6.8	22.0	98.3
	1983	72.5	3.1	11.5	87.0	5.5	20.6	98.6
10	1996	57.1	1.6	12.7	71.4	4.8	38.1	100.0
	1993	69.6	1.1	8.7	79.3	3.0	24.3	97.0
	1988	64.4	3.4	32.2	100.0	3.2	30.7	98.4
	1983	64.1	1.5	17.6	83.2	2.7	30.6	97.3
	1977	55.0	4.0	19.0	78.0	7.8	37.2	100.0
	1974	54.9	0.0	20.9	75.8	0.0	45.1	100.0
15	1988	62.7	1.7	25.4	89.8	2.2	32.9	97.8
	1983	61.8	3.1	14.5	79.4	6.6	31.5	100.0
	1977	50.0	4.0	24.0	78.0	7.1	42.9	100.0
	1974	54.9	0.0	20.9	75.8	0.0	45.1	100.0
20	1977	44.0	0.0	7.0	51.0	0.0	49.0	93.0
	1974	56.0	19.8	0.0	75.8	44.0	0.0	100.0
25 [‡]	1977	44.0	0.0	8.0	52.0	0.0	40.7	84.7
	1974	54.9	0.0	20.9	75.8	0.0	45.1	100.0

* See Method section of report for details of calculations. Percentages in individual cohorts have been rounded because of small denominators.

[†] Numbers in cohorts comprise men UK graduates known to come from family homes outside of the UK as follows:

2002: 106 doctors

2000: 125 doctors

1999: 49 doctors

1996: 63 doctors

1993: 92 doctors

1988: 59 doctors

1983: 131 doctors

1977: 100 doctors

1974: 91 doctors.

[‡]The “2 years after graduation” results for the 1999 and 1996 cohorts were actually closer to year 3, because survey data sources were much more complete by then; also, the “25 years after graduation” results for the 1974 cohort were actually closer to Year 24.

[§] NHS = National Health Service of the United Kingdom