

## Endometrial Cancer

Joel I. Sorosky, MD

Obstet Gynecol 2012;120(2)

---

### ACCME Accreditation

The American College of Obstetricians and Gynecologists (the College) is accredited by the Accreditation Council for Continuing Medical Education (ACCME) to provide continuing medical education for physicians.

### AMA PRA Category 1 Credit(s)<sup>TM</sup>

The American College of Obstetricians and Gynecologists designates this journal-based CME activity for a maximum of 2 AMA PRA Category 1 Credits.<sup>TM</sup> Physicians should claim only the credit commensurate with the extent of their participation in the activity.

### College Cognate Credit(s)

The American College of Obstetricians and Gynecologists designates this journal-based CME activity for a maximum of 2 Category 1 College Cognate Credits. The College has a reciprocity agreement with the AMA that allows AMA PRA Category 1 Credits<sup>TM</sup> to be equivalent to College Cognate Credits.

---

### Disclosure Statement

Current guidelines state that continuing medical education (CME) providers must ensure that CME activities are free from the control of any commercial interest. All authors, reviewers, and contributors have disclosed to the College all relevant financial relationships with any commercial interests. The authors, reviewers, and contributors declare that neither they nor any business associate nor any member of their immediate families has a financial interest or other relationships with any manufacturer of products or any providers of services discussed in this program. Any conflicts have been resolved through group and outside review of all content.

### Submission

Before submitting this form, please print a completed copy as confirmation of your program participation.

**College Fellows:** To obtain credits, complete and return this form by clicking on "Submit" at the bottom of the page. Credit will be automatically recorded upon receipt and online transcripts will be updated twice monthly. College Fellows may check their transcripts online at <http://www.acog.org>.

**Non-College Fellows:** To obtain credits, submit the printout of the completed quiz to your accrediting institution. The printout of the completed quiz is documentation for your continuing medical education credits.

*Continuing medical education credit for "Endometrial Cancer" will be available through August 2015.*

---

1. Which of the following ethnic or racial groups has the poorest stage-for-stage prognosis for endometrial cancer?

- A. African-Americans
- B. Whites
- C. Hispanics
- D. Asians
- E. Northern Europeans

2. Over the past two decades, what has been the trend in deaths due to endometrial cancer?
- A. Decreased by 200%
  - B. Decreased by 100%
  - C. Decreased by 50%
  - D. Unchanged
  - E. Increased by 100%
3. The factor thought to be most closely related to the current trend in endometrial cancer death rates is:
- A. Late stage of diagnosis
  - B. Lack of consistent presenting symptoms
  - C. Co-existing medical comorbidities
  - D. Improved therapeutic options
  - E. Increased use of ultrasonographic staging
4. Approximately what percent of women with endometrial carcinoma are diagnosed before menopause?
- A. 10%
  - B. 20%
  - C. 30%
  - D. 40%
  - E. 50%
5. Approximately what percent of endometrial carcinoma cases are thought to be genetically related?
- A. 10%
  - B. 20%
  - C. 30%
  - D. 40%
  - E. 50%

6. Of the following risk factors, which conveys the greatest risk for the development of endometrial cancer?

- A. Hypertension
- B. Obesity
- C. Oral contraceptive use
- D. Diabetes
- E. African-American race

7. Because of the effects of tamoxifen on the endometrium, current or past users should be followed by:

- A. Annual serum CA 125 measurements
- B. Annual endometrial biopsy
- C. Annual transvaginal ultrasonography
- D. Endometrial biopsy alternating with transvaginal ultrasonography every 6 months
- E. Education about symptoms only

8. The use of intraoperative frozen section diagnosis for atypical endometrial hyperplasia is not recommended because of:

- A. High cost
- B. Poor reproducibility
- C. Poor negative predictive value
- D. Increased risk of spreading the tumor
- E. Increased risk of infection

9. Endometrial intraepithelial neoplasia (EIN) is an alternative classification designed to replace the hyperplasia terminology because of its:

- A. Higher false negative rate
- B. Wider acceptance in the literature
- C. Lower cost
- D. Higher reproducibility
- E. Larger descriptive range

10. The malignancy most closely associated with Lynch syndrome (hereditary nonpolyposis colorectal cancer) is:

- A. Brain
- B. Endometrial
- C. Biliary
- D. Ovarian
- E. Urinary

**College ID Number:**

**Name:**

**Address:**

**City/State/Zip:**

**Actual time spent completing this activity (you may record up to 2 hours)**

**EXPIRED**