

Appendix 2. Acute Safety Outcomes, Their Associated International Classification of Diseases, 9th Revision Codes, and Exclusions

Conditions	ICD-9 Codes	Exclusions
Events in first 3 days		
Allergic reactions (includes anaphylaxis)	692, 692.3, 708, 708.0-.1, 708.1, 708.9, 995.0-.5	Same diagnosis in past 30 days
Cellulitis	680, 680.3, 680.5-.6, 680.9, 682, 682.3, 682.5, 682.8-.9, 684, 686, 686.0, 686.8-.9, 999.3	Same diagnosis in past 30 days
Fever or malaise	780.6-.7, 780.79	Same diagnosis in past 30 days
Limb soreness or swelling	729.1, 729.5, 729.8, 729.81, 782.2-.3	Same diagnosis in past 30 days
Rash	057, 695.1, 695.9, 782.1, 999.0	Same diagnosis in past 30 days
Seizures	345, 345.0-.5, 345.7-.9, 780.3	345 (epilepsy) ever
Altered mental status	780.0, 780.01-.02, 780.09, 780.2	Same diagnosis ever

Events in first 42 days

Nordin JD, Kharbanda EO, Vazquez Benitez G, Nichol K, Lipkind H, Naleway et al. Safety of trivalent inactivated influenza vaccine in pregnant women. *Obstet Gynecol* 2013;121.

The authors provided this information as a supplement to their article.

Autonomic disorders	337, 337.0-.9, 337.20-.29	Same diagnosis ever
	350, 350.1-.2, 350.8, 351, 351.0-	350 (trigeminal disorders)
	.1, 351.8-.9, 352, 352.0-.9,	and 377 (optic neuritis)
Cranial nerve disorders	377.3, 377.30-.39	ever in chart; others same diagnosis in past 30 days
Degeneration of the central nervous system	331, 331.7, 331.89, 331.9, 349.89	Same diagnosis ever
Demyelinating disease	340, 341, 341.0-.1, 341.8-.9	Same diagnosis ever
	356.4, 356.8-.9, 357.1-.9, 646.4,	646.4 (peripheral neuritis
	723.4	of pregnancy) in past 30 days; 723.4 (brachial
Peripheral neuropathy or neuritis		neuritis) in past 6 months; others same diagnosis ever
Guillain-Barré syndrome*	357.0	Same diagnosis ever
	047, 047.0-.1, 047.8-.9, 049,	Same diagnosis in past 30
	049.8-.9, 062, 062.9, 139.0, 321,	days
Meningoencephalitides	321.2, 321.8, 322. 322.0-.1, 322.9, 323, 323.0-.9, 348.3-.5, 349.2, 349.82, 349.9, 781.6	

Nordin JD, Kharbanda EO, Vazquez Benitez G, Nichol K, Lipkind H, Naleway et al. Safety of trivalent inactivated influenza vaccine in pregnant women. *Obstet Gynecol* 2013;121.

The authors provided this information as a supplement to their article.

Movement disorders	333.2, 333.5-.9, 781.0, 781.2-.3	Same diagnosis in past 30 days
Myoneural disorders	358, 358.0-.9	Same diagnosis ever
Paralytic syndromes	342, 342.0-.9, 344, 344.0-.9, 781.4	781.4 (transient paralysis) in past 30 days; others same diagnosis ever
Psychoses	648.4	Same diagnosis in past 30 days
Spinocerebellar disease	334, 334.0-.9, 335, 335.0-.9, 336, 336.0-.9	Same diagnosis ever
Myocarditis/pericarditis	420.9, 420.91, 422.0, 422.9, 422.91, 422.99, 674.5	Same diagnosis in past 30 days
Thrombocytopenia	287.3-.5, 649.3	Same diagnosis in past 30 days

ICD-9, International Classification of Diseases, 9th revision.

*Only inpatient Guillain-Barré syndrome diagnoses included.

Nordin JD, Kharbanda EO, Vazquez Benitez G, Nichol K, Lipkind H, Naleway et al. Safety of trivalent inactivated influenza vaccine in pregnant women. *Obstet Gynecol* 2013;121.

The authors provided this information as a supplement to their article.