


**Appendix 1: Changes in clinical outcomes after three and six months as compared to baseline.** Plot details: white dot, median; box, interquartile range; whiskers, whole range excluding outliers; violin curve, estimated probability density. Abbreviations: NRS, numeric rating scale; SF12, 12-item Short-Form Health Survey, HADS, Hospital Anxiety and Depression Score; FW7, Functional Well-Being.

Meissner K, Schweizer-Arau A, Limmer A, Preibisch C, Popovici RM, Lange I, et al. Psychotherapy with somatosensory stimulation for endometriosis-associated pain: a randomized controlled trial. *Obstet Gynecol* 2016; 128.


The authors provided this information as a supplement to their article.



**Appendix 2: Changes in clinical outcomes at 24-months follow-up as compared to baseline.** Plot details: white dot, median; box, interquartile range; whiskers, whole range excluding outliers; violin curve, estimated probability density. Abbreviations: NRS, numeric rating scale; d, Cohen's effect size; HADS, Hospital Anxiety and Depression Score; FW7, Functional Well-Being.

Meissner K, Schweizer-Arau A, Limmer A, Preibisch C, Popovici RM, Lange I, et al. Psychotherapy with somatosensory stimulation for endometriosis-associated pain: a randomized controlled trial. *Obstet Gynecol* 2016; 128.

The authors provided this information as a supplement to their article.



Meissner K, Schweizer-Arau A, Limmer A, Preibisch C, Popovici RM, Lange I, et al. Psychotherapy with somatosensory stimulation for endometriosis-associated pain: a randomized controlled trial. *Obstet Gynecol* 2016; 128.

The authors provided this information as a supplement to their article.