Appendix 1. Data Sources for Postpartum Hemorrhage Interventions, Billing Codes, and Risk Factors

Factor	Source	Code	Description
Uterotonics (PPH Level 1)	EMR MAR	n/a	Any of the following administered at date and time after the delivery: Methergine, ergonovine, Cytotec, misoprostol, Hemabate, carboprost
Coded PPH (PPH level 2)	ICD-10-CM	O720	Third-stage hemorrhage
		O721	Other immediate postpartum hemorrhage
		O722	Delayed and secondary postpartum hemorrhage
	ICD-9-CM	66600	Third-stage postpartum hemorrhage, unspecified as to episode of care or not applicable
		66602	Third-stage postpartum hemorrhage, delivered, with mention of postpartum complication
		66604	Third-stage postpartum hemorrhage, postpartum condition or complication
		66610	Other immediate postpartum hemorrhage, unspecified as to episode of care or not applicable
		66612	Other immediate postpartum hemorrhage, delivered, with mention of postpartum complication
		66614	Other immediate postpartum hemorrhage, postpartum condition or complication
		66620	Delayed and secondary postpartum hemorrhage, unspecified as to episode of care or not applicable
		66622	Delayed and secondary postpartum hemorrhage, delivered, with mention of postpartum complication
		66624	Delayed and secondary postpartum hemorrhage, postpartum condition or complication
Bakri balloon (PPH level 3)	EMR notes	n/a	Any EMR note that contains the term 'Bakri'

Goffman D, Friedman AM, Sheen JJ, Kessler A, Vawdrey D, Green R, et al. A framework for improving characterization of obstetric hemorrhage using informatics data. *Obstet Gynecol* 2019;134.

The authors provided this information as a supplement to their article.

©2019 American College of Obstetricians and Gynecologists.

Transfused RBC (PPH level 3 and 4)	Blood bank	n/a	Record of RBC transfusion recorded in blood bank (status record as transfused and Universal Service ID in our system set for RBC transfused)
PPH 4 hysterectomy	ICD-10-CM	OUT90Z Z	Resection of uterus
		OUTC0Z Z	Resection of complete cervix
		OUTC7Z Z	Resection of cervix, via natural or artificial opening
		OUBC0Z Z	Resection of partial cervix
		OU590Z Z	Destruction of uterus, open approach
	ICD-9-CM	68.29	Other excision or destruction of lesion of uterus
		68.49	Other and unspecified total abdominal hysterectomy
		68.39	Other and unspecified subtotal abdominal hysterectomy
		68.69	Other and unspecified radical abdominal hysterectomy
Cesarean	MS-DRG	765	Cesarean section with complication or comorbidity or major complication or comorbidity
		766	Cesarean section without complication or comorbidity or major complication or comorbidity
Uterine Rupture	ICD-10-CM	O7102	Rupture of uterus before onset of labor, second trimester
		O7103	Rupture of uterus before onset of labor, third trimester
		O711	Rupture of uterus during labor

Goffman D, Friedman AM, Sheen JJ, Kessler A, Vawdrey D, Green R, et al. A framework for improving characterization of obstetric hemorrhage using informatics data. *Obstet Gynecol* 2019;134.

The authors provided this information as a supplement to their article.

©2019 American College of Obstetricians and Gynecologists.

	ICD-9-CM	66501	Rupture of uterus before onset of labor, delivered, with or without mention of antepartum condition
		66503	Rupture of uterus before onset of labor, antepartum condition or complication
		66511	Rupture of uterus during labor, delivered, with or without mention of antepartum condition
Precipitous labor	ICD-10-CM	O623	Precipitate labor
	ICD-9-CM	66130	Precipitate labor, unspecified as to episode of care or not applicable
		66131	Precipitate labor, delivered, with or without mention of antepartum condition
		66133	Precipitate labor, antepartum condition or complication
Placenta accreta, percreta, increta	ICD-10-CM	O43211	Placenta accreta, first trimester
		O43212	Placenta accreta, second trimester
		O43213	Placenta accreta, third trimester
		O43219	Placenta accreta, unspecified trimester
		O43221	Placenta increta, first trimester
		O43222	Placenta increta, second trimester
		O43223	Placenta increta, third trimester
		O43229	Placenta increta, unspecified trimester
		O43231	Placenta percreta, first trimester
		O43232	Placenta percreta, second trimester
		O43233	Placenta percreta, third trimester
		O43239	Placenta percreta, unspecified trimester

Goffman D, Friedman AM, Sheen JJ, Kessler A, Vawdrey D, Green R, et al. A framework for improving characterization of obstetric hemorrhage using informatics data. *Obstet Gynecol* 2019;134.

The authors provided this information as a supplement to their article.

©2019 American College of Obstetricians and Gynecologists.

ICD-9-CM	66702	Retained placenta without hemorrhage, delivered, with mention of postpartum complication
	66704	Retained placenta without hemorrhage, postpartum condition or complication
	66700	Retained placenta without hemorrhage, unspecified as to episode of care or not applicable
Chorioamnionitis	O41123 0	Chorioamnionitis, third trimester, not applicable or unspecified
	O41123 1	Chorioamnionitis, third trimester, fetus 1
	O41123 2	Chorioamnionitis, third trimester, fetus 2
	O41123 3	Chorioamnionitis, third trimester, fetus 3
	O41123 4	Chorioamnionitis, third trimester, fetus 4
	O41123 5	Chorioamnionitis, third trimester, fetus 5
	O41123 9	Chorioamnionitis, third trimester, other fetus
	O41129 0	Chorioamnionitis, unspecified trimester, not applicable or unspecified
	O41129 1	Chorioamnionitis, unspecified trimester, fetus 1
ICD-10-CM	O41129 2	Chorioamnionitis, unspecified trimester, fetus 2

Goffman D, Friedman AM, Sheen JJ, Kessler A, Vawdrey D, Green R, et al. A framework for improving characterization of obstetric hemorrhage using informatics data. *Obstet Gynecol* 2019;134.

The authors provided this information as a supplement to their article.

©2019 American College of Obstetricians and Gynecologists.

		O41129 3	Chorioamnionitis, unspecified trimester, fetus 3
		O41129 4	Chorioamnionitis, unspecified trimester, fetus 4
		O41129 5	Chorioamnionitis, unspecified trimester, fetus 5
		O41129 9	Chorioamnionitis, unspecified trimester, other fetus
	ICD-9-CM	65840	Infection of amniotic cavity, unspecified as to episode of care or not applicable
Magnesium not given		n/a	
Magnesium (given before versus after delivery)	EMR notes	n/a	Medicines administered record and description field contains administration of 'magnesium sulfate drip'
Magnesium (time from delivery)		n/a	
Parity	EMR notes	n/a	Record of OB living children in EMR
Minutes of oxytocin, pre-delivery	EMR drip documentation	n/a	
Hours arrival to delivery	EMR notes	n/a	Calculated as delivery time minus arrival time
Gestational age in weeks	EMR notes	n/a	

Goffman D, Friedman AM, Sheen JJ, Kessler A, Vawdrey D, Green R, et al. A framework for improving characterization of obstetric hemorrhage using informatics data. Obstet Gynecol 2019;134.

The authors provided this information as a supplement to their article.

©2019 American College of Obstetricians and Gynecologists.

Body mass index (kg/m ²)	EMR notes	n/a	
Average birth weight	EMR notes	n/a	
Maternal age	Billing data	n/a	
Total birth weight (including multiples)	EMR notes	n/a	
Number of live births	ICD-9-CM	V270	Single liveborn
	ICD-9-CM	V272	Twin, both liveborn
	ICD-9-CM	V273	Twin, one liveborn one stillborn
	ICD-9-CM	V275	Other multiple birth, all liveborn (counted as triplets)
	ICD-10-CM	Z370	Single live birth
	ICD-10-CM	Z372	Twins, both liveborn
	ICD-10-CM	Z373	Twins, one liveborn one stillborn
	ICD-10-CM	Z3751	Triplets all liveborn
	ICD-10-CM	Z3752	Quadruplets, all liveborn
	ICD-10-CM	Z3753	Quintuplets, all liveborn
	ICD-10-CM	Z3754	Sextuplets, all liveborn
	ICD-10-CM	Z3759	Other multiple births, all liveborn (counted as septuplets)
	ICD-10-CM	Z3760	Multiple births, unspecified, some liveborn (counted as singleton)
	ICD-10-CM	Z3761	Triplets, some liveborn (counted as singleton)

Goffman D, Friedman AM, Sheen JJ, Kessler A, Vawdrey D, Green R, et al. A framework for improving characterization of obstetric hemorrhage using informatics data. *Obstet Gynecol* 2019;134.

The authors provided this information as a supplement to their article.

©2019 American College of Obstetricians and Gynecologists.

	ICD-10-CM	Z3762	Quadruplets, some liveborn (counted as singleton)
	ICD-10-CM	Z3763	Quintuplets, some liveborn (counted as singleton)
	ICD-10-CM	Z3764	Sextuplets, some liveborn (counted as singleton)
Severity of Illness ≥3	Billing data	n/a	All Patients Refined Diagnosis Related Groups severity of illness score
Hospital of delivery	Billing data	n/a	

PPH, postpartum hemorrhage. *EMR*, electronic medical record. *MAR*, medication administration record. *RBC*, red blood cells. *MS-DRG*, Medicare severity diagnosis related group. *ICD-9-CM*, International Classification of Diseases, Ninth Revision, Clinical Modification. *ICD-10-CM*, International Classification of Diseases, Tenth Revision, Clinical Modification.

Goffman D, Friedman AM, Sheen JJ, Kessler A, Vawdrey D, Green R, et al. A framework for improving characterization of obstetric hemorrhage using informatics data. *Obstet Gynecol* 2019;134.

The authors provided this information as a supplement to their article.

©2019 American College of Obstetricians and Gynecologists.

Appendix 2. Imputation Values for Missing Data

Variable	Imputation method	imputed value	Cases imputed
BMI	mean	29.4	10706 (24.5%)
Parity	median	1	8119 (18.6%)
Birth weight (grams)	mean	3237.3	6293 (14.4%)
Time from arrival to delivery (hours)	median	9	6220 (14.2%)
Gestational age in weeks	median	39	5651 (12.9%)
Live births	median	1	462 (1.1%)

Goffman D, Friedman AM, Sheen JJ, Kessler A, Vawdrey D, Green R, et al. A framework for improving characterization of obstetric hemorrhage using informatics data. Obstet Gynecol 2019;134.

The authors provided this information as a supplement to their article.

©2019 American College of Obstetricians and Gynecologists.

Appendix 3. Conditions Included in Centers for Disease Control and Prevention Severe Maternal Morbidity Composite

Acute Myocardial infarction/aneurysm
Acute renal failure
Adult respiratory distress syndrome
Amniotic fluid embolism
Cardiac arrest/ventricular fibrillation/conversion of cardiac rhythm
Disseminated intravascular coagulation
Eclampsia
Heart failure/arrest during surgery or procedure
Puerperal cerebrovascular disorders
Pulmonary edema / acute heart failure
Severe anesthesia complications
Sepsis
Shock
Sickle cell disease with crisis
Air and thrombotic embolism
Blood products transfusion
Hysterectomy
Temporary tracheostomy/ventilation

Data from Centers for Disease Control and Prevention. Severe Maternal Morbidity Indicators and Corresponding ICD Codes during Delivery Hospitalizations. Available at: <https://www.cdc.gov/reproductivehealth/maternalinfanthealth/smm/severe-morbidity-ICD.htm>. Retrieved September 11, 2019.

Goffman D, Friedman AM, Sheen JJ, Kessler A, Vawdrey D, Green R, et al. A framework for improving characterization of obstetric hemorrhage using informatics data. *Obstet Gynecol* 2019;134.

The authors provided this information as a supplement to their article.

©2019 American College of Obstetricians and Gynecologists.

Appendix 4. Temporal trends in postpartum hemorrhage management. The PPH severity scale with subcomponents of each PPH level. (B-E) PPH levels are shown with prevalence breakdowns of sub-components per month of the study period. Note, PPH2 differs from coded PPH because patients who were coded but received, e.g., a Bakri balloon, were bumped to a higher PPH level (see methods). Time trends are shown with unadjusted p-values for non-zero slope of linear regressions (adjusted p-values follow the same pattern of significance, as reported in Figure 1).

Appendix 5. Multivariable Linear Regression Model for Hematocrit Drop by Study Period

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	11.6513	0.1425	81.778	< 2e-16 **
PPH level	--	--	--	--
No PPH	(reference)			
PPH level 1	3.2815	0.4374	7.502	6.47e-14 **
PPH level 2	7.8817	0.426	18.503	<2e-16 **
PPH level 3	19.0163	0.6089	31.232	<2e-16 **
PPH level 4	17.0445	0.9637	17.686	<2e-16 **
Hospital	--	--	--	--
Hospital 1	(reference)			
Hospital 2	4.4037	0.2385	18.467	<2e-16 **
Hospital 3	0.6461	0.1546	4.18	2.92e-05 **
Hospital 4	1.567	0.1578	9.93	<2e-16 **
Time period	--	--	--	--
Early time period	(reference)			
Late time period	0.1856	0.115	1.613	0.107
PPH level 1*late time period	-0.5691	0.5578	-1.02	0.308
PPH level 2*late time period	0.6663	0.608	1.096	0.273
PPH level 3*late time period	-0.5207	0.7892	-0.66	0.509
PPH level 4*late time period	1.46	1.4025	1.041	0.298

Goffman D, Friedman AM, Sheen JJ, Kessler A, Vawdrey D, Green R, et al. A framework for improving characterization of obstetric hemorrhage using informatics data. Obstet Gynecol 2019;134.

The authors provided this information as a supplement to their article.

©2019 American College of Obstetricians and Gynecologists.

Late time period, represented the second half of the study period (January 2016 to July 2017) with the first half of the study period (July 2014 to January 2016) as a reference.

Formula: Hematocrit_drop ~ PPH_level*time_period + hospital. **p<0.01

Goffman D, Friedman AM, Sheen JJ, Kessler A, Vawdrey D, Green R, et al. A framework for improving characterization of obstetric hemorrhage using informatics data. *Obstet Gynecol* 2019;134.

The authors provided this information as a supplement to their article.

©2019 American College of Obstetricians and Gynecologists.