

```

/PLOT BOXPLOT STEMLEAF HISTOGRAM NPLOT
/COMPARE GROUPS
/STATISTICS DESCRIPTIVES
/CINTERVAL 95
/MISSING LISTWISE
/NOTOTAL.

```

Explore

Notes		
Output Created		23--2021 155835
Comments		
Input	Data	D : \ \ \ \ \ \ \ l o g i s t i c . sav
	Active Dataset	1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	71
Missing Value Handling	Definition of Missing	User-defined missing values for dependent variables are treated as missing.
	Cases Used	Statistics are based on cases with no missing values for any dependent variable or factor used.
Syntax		EXAMINE VARIABLES=Age MBP Prodromal_pain_duration Rash_duration Acute_pain_severity /PLOT BOXPLOT STEMLEAF HISTOGRAM NPLOT /COMPARE GROUPS /STATISTICS DESCRIPTIVES /INTERVAL 95 /MISSING LISTWISE /NOTOTAL.
Resources	Processor Time	00:00:07.672
	Elapsed Time	00:00:08.336

```
[ 1 ] D : \ \ \ \ \ \ \ \ log i s t i c . s a v
```

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Age	71	100.0%	0	.0%	71	100.0%
MBP	71	100.0%	0	.0%	71	100.0%
Prodromal_pain_duration	71	100.0%	0	.0%	71	100.0%
Rash_duration	71	100.0%	0	.0%	71	100.0%
Acute_pain_severity	71	100.0%	0	.0%	71	100.0%

Descriptives

				Statistic	Std. Error
Age	Mean			65.79	1.671
	95% Confidence Interval for Mean	Lower Bound		62.46	
		Upper Bound		69.12	
	5% Trimmed Mean			66.65	
	Median			67.00	
	Variance			198.198	
	Std. Deviation			14.078	
	Minimum			23	
	Maximum			88	
	Range			65	
	Interquartile Range			17	
	Skewness			-.940	.285
	Kurtosis			.969	.563
MBP	Mean			11.69103	.780893
	95% Confidence Interval for Mean	Lower Bound		10.13359	
		Upper Bound		13.24848	
	5% Trimmed Mean			11.22606	
	Median			10.55127	
	Variance			43.295	
	Std. Deviation			6.579921	
	Minimum			1.053	
	Maximum			38.456	
	Range			37.403	
	Interquartile Range			8.572	
	Skewness			1.374	.285
	Kurtosis			3.114	.563

Descriptives

			Statistic	Std. Error
Prodromal_pain_duration	Mean		1.00	.633
	95% Confidence Interval for Mean	Lower Bound	-.26	
		Upper Bound	2.26	
	5% Trimmed Mean		1.25	
	Median		2.00	
	Variance		28.486	
	Std. Deviation		5.337	
	Minimum		-27	
	Maximum		15	
	Range		42	
	Interquartile Range		3	
	Skewness		-2.027	.285
	Kurtosis		11.195	.563
Rash_duration	Mean		17.46	1.050
	95% Confidence Interval for Mean	Lower Bound	15.37	
		Upper Bound	19.56	
	5% Trimmed Mean		16.87	
	Median		15.00	
	Variance		78.224	
	Std. Deviation		8.844	
	Minimum		5	
	Maximum		52	
	Range		47	
	Interquartile Range		10	
	Skewness		1.198	.285
	Kurtosis		2.179	.563
Acute_pain_severity	Mean		5.63	.221
	95% Confidence Interval for Mean	Lower Bound	5.19	
		Upper Bound	6.07	

Descriptives

		Statistic	Std. Error
Acute_pain_severity	5% Trimmed Mean	5.72	
	Median	6.00	
	Variance	3.464	
	Std. Deviation	1.861	
	Minimum	1	
	Maximum	8	
	Range	7	
	Interquartile Range	2	
	Skewness	-.538	.285
	Kurtosis	-.552	.563


Tests of Normality

	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
Age	.087	71	.200	.937	71	.002
MBP	.149	71	.000	.912	71	.000
Prodromal_pain_duration	.229	71	.000	.789	71	.000
Rash_duration	.117	71	.017	.919	71	.000
Acute_pain_severity	.149	71	.000	.922	71	.000

a. Lilliefors Significance Correction

*. This is a lower bound of the true significance.


Age





Age Stem-and-Leaf Plot

Frequency	Stem &	Leaf
5.00	Extremes	(=<34)
.00	4	.
2.00	4	. 5 8
5.00	5	. 2 3 3 3 4
6.00	5	. 5 5 7 7 8 9
13.00	6	. 0 0 0 1 1 1 1 2 3 3 4 4 4
8.00	6	. 5 5 6 7 7 8 9 9
10.00	7	. 0 0 1 1 1 3 3 3 4 4
13.00	7	. 5 5 5 6 6 7 7 8 8 8 9 9 9
5.00	8	. 0 2 2 3 4
4.00	8	. 5 6 8 8


Stem width: 10
Each leaf: 1 case(s)








MBP





MBP Stem-and-Leaf Plot

Frequency	Stem & Leaf
7.00	0 . 1123344
27.00	0 . 55555666666788888999999999
19.00	1 . 0000000001112233444
11.00	1 . 55566677889
3.00	2 . 013
2.00	2 . 55
2.00	Extremes (>=28)


Stem width: 10.000
Each leaf: 1 case(s)








Prodomal_pain_duration





Prodromal_pain_duration Stem-and-Leaf Plot

Frequency	Stem &	Leaf
7.00	Extremes	(= $\leq$ -5)
6.00	- 0	. 2 2 2 2 3 3
1.00	- 0	. 1
20.00	0	. 0 0 0 0 0 0 0 0 0 1 1 1 1 1 1 1 1
24.00	0	. 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 3 3 3 3 3 3
7.00	0	. 4 4 4 4 5 5 5
2.00	0	. 6 7
4.00	Extremes	($\geq$ 10)


Stem width: 10
Each leaf: 1 case(s)








Rash_duration





Rash_duration Stem-and-Leaf Plot

Frequency	Stem &	Leaf
.00	0	.
11.00	0	. 55677777888
22.00	1	. 0000112222223344444444
14.00	1	. 55566677788999
10.00	2	. 0001112233
6.00	2	. 577889
6.00	3	. 001134
2.00	Extremes (>=38)	


Stem width: 10
Each leaf: 1 case(s)







Acute_pain_severity



Acute_pain_severity Stem-and-Leaf Plot

Frequency	Stem &	Leaf
1.00	Extremes	(=<1.0)
4.00	2 .	0000
7.00	3 .	00000000
5.00	4 .	00000
14.00	5 .	0000000000000000
13.00	6 .	000000000000000
14.00	7 .	0000000000000000
13.00	8 .	000000000000000

Stem width: 1
Each leaf: 1 case(s)

