

Supplementary Table 2: Reproductive outcomes after laparoscopic metroplasty for bicorpal uterus: review of the literature.

Report	<i>n</i>	Conception, <i>n</i> (%)	Miscarriage, <i>n</i> (%)	Preterm delivery, <i>n</i> (%)	Term delivery, <i>n</i> (%)	Indication for surgery
Fuxing Hospital (current series)	32	14/18 (77.8)	1/13 (7.7)	3/13 (23.1)	9/13 (69.2)	Two previous first trimester losses, one previous second trimester loss, or one previous preterm delivery
Karthik <i>et al.</i> (2017)	1	1/1 (100)	0/1 (0)	1/1 (100)	0/1 (0)	Six first trimester losses
Alborzi <i>et al.</i> (2015)	22	9/9 (100)	2/9 (22)	0/9 (0)	7/9 (78)	Two previous losses or one previous preterm delivery
Nabeshima <i>et al.</i> (2013)	1					Adolescent girl with Herlyn–Werner– Wunderlich syndrome
Kriplani <i>et al.</i> (2013)	1					Two previous second trimester losses
Alborzi <i>et al.</i> (2009)	2					Two first trimester losses
Pisat <i>et al.</i> (2009)	1					One previous second trimester loss
Sinha <i>et al.</i> (2006)	1					Two previous second trimester losses
Total	61	24/28 (85.7)	3/23 (13.0)	4/23 (17.4)	16/23 (69.6)	