




eFigure 1. Individual Study Estimates of Smoking and Preterm Birth: Relative Risks and Confidence Intervals




eFigure 2. Individual Study Estimates of Environmental Tobacco Smoke, Smokeless Tobacco and Preterm Birth: Relative Risks and Confidence Intervals




eFigure 3. Individual Study Estimates of Alcohol and Preterm Birth: Relative Risks and Confidence Intervals




eFigure 4. Individual Study Estimates of Illicit Drug Use and Preterm Birth: Relative Risks and Confidence Intervals




eFigure 5. Individual Study Estimates of Caffeine and Preterm Birth: Relative Risks and Confidence Intervals




eFigure 6. Individual Study Estimates of Exercise and Preterm Birth: Relative Risks and Confidence Intervals



eFigure 7. Individual Study Estimates of Sexual Activity and Preterm Birth: Relative Risks and Confidence Intervals



eFigure 8. Individual Study Estimates of Employment and Preterm Birth: Relative Risks and Confidence Intervals



References for Electronic Appendix Figures

1. Barros FC, Huttly SR, Victora CG, Kirkwood BR, Vaughan JP. Comparison of the causes and consequences of prematurity and intrauterine growth retardation: a longitudinal study in southern Brazil. *Pediatrics* 1992;90(2 Pt 1):238-44.
2. Kramer MS, McLean FH, Eason EL, Usher RH. Maternal nutrition and spontaneous preterm birth. *Am J Epidemiol* 1992;136(5):574-83.
3. McDonald AD, Armstrong BG, Sloan M. Cigarette, alcohol, and coffee consumption and prematurity. *Am J Public Health* 1992;82(1):87-90.
4. Williams MA, Mittendorf R, Stubblefield PG, Lieberman E, Schoenbaum SC, Monson RR. Cigarettes, coffee, and preterm premature rupture of the membranes. *Am J Epidemiol* 1992;135(8):895-903.
5. Cnattingius S, Forman MR, Berendes HW, Graubard BI, Isotalo L. Effect of age, parity, and smoking on pregnancy outcome: a population-based study. *Am J Obstet Gynecol* 1993;168(1 Pt 1):16-21.
6. Guinn DA, Wigton TR, Owen J, Socol ML, Frederiksen MC. Prediction of preterm birth in nulliparous patients. *Am J Obstet Gynecol* 1994;171(4):1111-5.
7. Sharma R, Synkewecz C, Raggio T, Mattison DR. Intermediate variables as determinants of adverse pregnancy outcome in high-risk inner-city populations. *J Natl Med Assoc* 1994;86(11):857-60.
8. Verkerk PH, Buitendijk SE, Verloove-Vanhorick SP. Differential misclassification of alcohol and cigarette consumption by pregnancy outcome. *Int J Epidemiol* 1994;23(6):1218-25.
9. Verkerk PH, Zaadstra BM, Reerink JD, Herngreen WP, Verloove-Vanhorick SP. Social class, ethnicity and other risk factors for small for gestational age and preterm delivery in The Netherlands. *Eur J Obstet Gynecol Reprod Biol* 1994;53(2):129-34.
10. Adams MM, Sarno AP, Harlass FE, Rawlings JS, Read JA. Risk factors for preterm delivery in a healthy cohort. *Epidemiology* 1995;6(5):525-32.
11. Henriksen TB, Wilcox AJ, Hedegaard M, Secher NJ. Bias in studies of preterm and postterm delivery due to ultrasound assessment of gestational age. *Epidemiology* 1995;6(5):533-7.
12. Meis PJ, Michielutte R, Peters TJ, Wells HB, Sands RE, Coles EC, Johns KA. Factors associated with preterm birth in Cardiff, Wales. II. Indicated and spontaneous preterm birth. *Am J Obstet Gynecol* 1995;173(2):597-602.
13. Olsen P, Laara E, Rantakallio P, Jarvelin MR, Sarpola A, Hartikainen AL. Epidemiology of preterm delivery in two birth cohorts with an interval of 20 years. *Am J Epidemiol* 1995;142(11):1184-93.
14. Harlow BL, Frigoletto FD, Cramer DW, Evans JK, LeFevre ML, Bain RP, McNellis D. Determinants of preterm delivery in low-risk pregnancies. The RADIUS Study Group. *J Clin Epidemiol* 1996;49(4):441-8.
15. Kistin N, Handler A, Davis F, Ferre C. Cocaine and cigarettes: a comparison of risks. *Paediatr Perinat Epidemiol* 1996;10(3):269-78.
16. Nordentoft M, Lou HC, Hansen D, Nim J, Pryds O, Rubin P, Hemmingsen R. Intrauterine growth retardation and premature delivery: the influence of maternal smoking and psychosocial factors. *Am J Public Health* 1996;86(3):347-54.

17. Wisborg K, Henriksen TB, Hedegaard M, Secher NJ. Smoking during pregnancy and preterm birth. *Br J Obstet Gynaecol* 1996;103(8):800-5.
18. Horta BL, Victora CG, Menezes AM, Halpern R, Barros FC. Low birthweight, preterm births and intrauterine growth retardation in relation to maternal smoking. *Paediatr Perinat Epidemiol* 1997;11(2):140-51.
19. Wong PP, Bauman A. How well does epidemiological evidence hold for the relationship between smoking and adverse obstetric outcomes in New South Wales? *Aust N Z J Obstet Gynaecol* 1997;37(2):168-73.
20. Allen SJ, Raiko A, O'Donnell A, Alexander ND, Clegg JB. Causes of preterm delivery and intrauterine growth retardation in a malaria endemic region of Papua New Guinea. *Arch Dis Child Fetal Neonatal Ed* 1998;79(2):F135-40.
21. Kramer MS, Platt R, Yang H, Joseph KS, Wen SW, Morin L, Usher RH. Secular trends in preterm birth: a hospital-based cohort study. *Jama* 1998;280(21):1849-54.
22. Kyrklund-Blomberg NB, Cnattingius S. Preterm birth and maternal smoking: risks related to gestational age and onset of delivery. *Am J Obstet Gynecol* 1998;179(4):1051-5.
23. Wright SP, Mitchell EA, Thompson JM, Clements MS, Ford RP, Stewart AW. Risk factors for preterm birth: a New Zealand study. *N Z Med J* 1998;111(1058):14-6.
24. Wu T, Buck G, Mendola P. Can regular multivitamin/mineral supplementation modify the relation between maternal smoking and select adverse birth outcomes? *Ann Epidemiol* 1998;8(3):175-83.
25. Ancel PY, Saurel-Cubizolles MJ, Di Renzo GC, Papiernik E, Breart G. Very and moderate preterm births: are the risk factors different? *Br J Obstet Gynaecol* 1999;106(11):1162-70.
26. Cnattingius S, Granath F, Petersson G, Harlow BL. The influence of gestational age and smoking habits on the risk of subsequent preterm deliveries. *N Engl J Med* 1999;341(13):943-8.
27. Kolas T, Nakling J, Salvesen KA. Smoking during pregnancy increases the risk of preterm births among parous women. *Acta Obstet Gynecol Scand* 2000;79(8):644-8.
28. Moore ML, Zaccaro DJ. Cigarette smoking, low birth weight, and preterm births in low-income African American women. *J Perinatol* 2000;20(3):176-80.
29. Pollack H, Lantz PM, Frohna JG. Maternal smoking and adverse birth outcomes among singletons and twins. *Am J Public Health* 2000;90(3):395-400.
30. Windham GC, Hopkins B, Fenster L, Swan SH. Prenatal active or passive tobacco smoke exposure and the risk of preterm delivery or low birth weight. *Epidemiology* 2000;11(4):427-33.
31. Savitz DA, Dole N, Terry JW, Jr., Zhou H, Thorp JM, Jr. Smoking and pregnancy outcome among African-American and white women in central North Carolina. *Epidemiology* 2001;12(6):636-42.
32. Tough SC, Svenson LW, Johnston DW, Schopflocher D. Characteristics of preterm delivery and low birthweight among 113,994 infants in Alberta: 1994-1996. *Can J Public Health* 2001;92(4):276-80.
33. Wisborg K, Henriksen TB, Secher NJ. Maternal smoking and gestational age in twin pregnancies. *Acta Obstet Gynecol Scand* 2001;80(10):926-30.

34. Zeitlin JA, Ancel PY, Saurel-Cubizolles MJ, Papiernik E. Are risk factors the same for small for gestational age versus other preterm births? *Am J Obstet Gynecol* 2001;185(1):208-15.
35. Newburn-Cook CV, White D, Svenson LW, Demianczuk NN, Boff N, Edwards J. Where and to what extent is prevention of low birth weight possible? *West J Nurs Res* 2002;24(8):887-904.
36. Ohmi H, Hirooka K, Mochizuki Y. Fetal growth and the timing of exposure to maternal smoking. *Pediatr Int* 2002;44(1):55-9.
37. Ahern J, Pickett KE, Selvin S, Abrams B. Preterm birth among African American and white women: a multilevel analysis of socioeconomic characteristics and cigarette smoking. *J Epidemiol Community Health* 2003;57(8):606-11.
38. England LJ, Levine RJ, Mills JL, Klebanoff MA, Yu KF, Cnattingius S. Adverse pregnancy outcomes in snuff users. *Am J Obstet Gynecol* 2003;189(4):939-43.
39. Fuddy LJ, Prince CB, Tang MC. Perinatal substance use among high risk women in Hawaii: patterns and impact on pregnancy outcomes. *Asian Am Pac Isl J Health* 2003;10(1):50-7.
40. Tough SC, Newburn-Cook CV, White DE, Fraser-Lee NJ, Faber AJ, Frick C, Svenson LW, Sauve R. Do maternal characteristics and past pregnancy experiences predict preterm delivery among women aged 20 to 34? *J Obstet Gynaecol Can* 2003;25(8):656-66.
41. Wang CS, Chou P. Differing risk factors for premature birth in adolescent mothers and adult mothers. *J Chin Med Assoc* 2003;66(9):511-7.
42. Zotti ME, Replogle WH, Sappenfield WM. Prenatal smoking and birth outcomes among Mississippi residents. *J Miss State Med Assoc* 2003;44(1):3-9.
43. Burguet A, Kaminski M, Abraham-Lerat L, Schaal JP, Cambonie G, Fresson J, Grandjean H, Truffert P, Marpeau L, Voyer M, Roze JC, Treisser A, Larroque B. The complex relationship between smoking in pregnancy and very preterm delivery. Results of the Epipage study. *Bjog* 2004;111(3):258-65.
44. Jaakkola JJ, Gissler M. Maternal smoking in pregnancy, fetal development, and childhood asthma. *Am J Public Health* 2004;94(1):136-40.
45. Wenman WM, Joffres MR, Tataryn IV. A prospective cohort study of pregnancy risk factors and birth outcomes in Aboriginal women. *Cmaj* 2004;171(6):585-9.
46. Bada HS, Das A, Bauer CR, Shankaran S, Lester BM, Gard CC, Wright LL, Lagasse L, Higgins R. Low birth weight and preterm births: etiologic fraction attributable to prenatal drug exposure. *J Perinatol* 2005;25(10):631-7.
47. Hammoud AO, Bujold E, Sorokin Y, Schild C, Krapp M, Baumann P. Smoking in pregnancy revisited: findings from a large population-based study. *Am J Obstet Gynecol* 2005;192(6):1856-62; discussion 1862-3.
48. Kyrklund-Blomberg NB, Granath F, Cnattingius S. Maternal smoking and causes of very preterm birth. *Acta Obstet Gynecol Scand* 2005;84(6):572-7.
49. Morken NH, Kallen K, Hagberg H, Jacobsson B. Preterm birth in Sweden 1973-2001: rate, subgroups, and effect of changing patterns in multiple births, maternal age, and smoking. *Acta Obstet Gynecol Scand* 2005;84(6):558-65.
50. Nabet C, Ancel PY, Burguet A, Kaminski M. Smoking during pregnancy and preterm birth according to obstetric history: French national perinatal surveys. *Paediatr Perinat Epidemiol* 2005;19(2):88-96.

51. Gao W, Paterson J, Carter S, Percival T. Risk factors for preterm and small-for-gestational-age babies: a cohort from the Pacific Islands Families Study. *J Paediatr Child Health* 2006;42(12):785-92.
52. Dew PC, Guillory VJ, Okah FA, Cai J, Hoff GL. The effect of health compromising behaviors on preterm births. *Matern Child Health J* 2007;11(3):227-33.
53. Fantuzzi G, Aggazzotti G, Righi E, Facchinetti F, Bertucci E, Kanitz S, Barbone F, Sansebastiano G, Battaglia MA, Leoni V, Fabiani L, Triassi M, Sciacca S. Preterm delivery and exposure to active and passive smoking during pregnancy: a case-control study from Italy. *Paediatr Perinat Epidemiol* 2007;21(3):194-200.
54. Nabst C, Lelong N, Ancel PY, Saurel-Cubizolles MJ, Kaminski M. Smoking during pregnancy according to obstetric complications and parity: results of the EUROPOP study. *Eur J Epidemiol* 2007;22(10):715-21.
55. Nobile CG, Raffaele G, Altomare C, Pavia M. Influence of maternal and social factors as predictors of low birth weight in Italy. *BMC Public Health* 2007;7(147):192.
56. Raatikainen K, Huurainen P, Heinonen S. Smoking in early gestation or through pregnancy: a decision crucial to pregnancy outcome. *Prev Med* 2007;44(1):59-63.
57. Rodrigues T, Barros H. Comparison of risk factors for small-for-gestational-age and preterm in a Portuguese cohort of newborns. *Matern Child Health J* 2007;11(5):417-24.
58. Sokol RJ, Janisse JJ, Louis JM, Bailey BN, Ager J, Jacobson SW, Jacobson JL. Extreme prematurity: an alcohol-related birth effect. *Alcohol Clin Exp Res* 2007;31(6):1031-7.
59. Ahluwalia IB, Grummer-Strawn L, Scanlon KS. Exposure to environmental tobacco smoke and birth outcome: increased effects on pregnant women aged 30 years or older. *Am J Epidemiol* 1997;146(1):42-7.
60. Hanke W, Kalinka J, Florek E, Sobala W. Passive smoking and pregnancy outcome in central Poland. *Hum Exp Toxicol* 1999;18(4):265-71.
61. Jaakkola JJ, Jaakkola N, Zahlsen K. Fetal growth and length of gestation in relation to prenatal exposure to environmental tobacco smoke assessed by hair nicotine concentration. *Environ Health Perspect* 2001;109(6):557-61.
62. Kharrazi M, DeLorenze GN, Kaufman FL, Eskenazi B, Bernert JT, Jr., Graham S, Pearl M, Pirkle J. Environmental tobacco smoke and pregnancy outcome. *Epidemiology* 2004;15(6):660-70.
63. Kim YJ, Lee BE, Park HS, Kang JG, Kim JO, Ha EH. Risk factors for preterm birth in Korea: a multicenter prospective study. *Gynecol Obstet Invest* 2005;60(4):206-12.
64. Gupta PC, Sreevidya S. Smokeless tobacco use, birth weight, and gestational age: population based, prospective cohort study of 1217 women in Mumbai, India. *Bmj* 2004;328(7455):1538.
65. Feldman JG, Minkoff HL, McCalla S, Salwen M. A cohort study of the impact of perinatal drug use on prematurity in an inner-city population. *Am J Public Health* 1992;82(5):726-8.
66. Borges G, Lopez-Cervantes M, Medina-Mora ME, Tapia-Conyer R, Garrido F. Alcohol consumption, low birth weight, and preterm delivery in the National Addiction Survey (Mexico). *Int J Addict* 1993;28(4):355-68.
67. Lazzaroni F, Bonassi S, Magnani M, Calvi A, Repetto E, Serra F, Podesta F, Pearce N. Moderate maternal drinking and outcome of pregnancy. *Eur J Epidemiol* 1993;9(6):599-606.

68. Verkerk PH, van Noord-Zaadstra BM, Florey CD, de Jonge GA, Verloove-Vanhorick SP. The effect of moderate maternal alcohol consumption on birth weight and gestational age in a low risk population. *Early Hum Dev* 1993;32(2-3):121-9.
69. Windham GC, Fenster L, Hopkins B, Swan SH. The association of moderate maternal and paternal alcohol consumption with birthweight and gestational age. *Epidemiology* 1995;6(6):591-7.
70. Lundsberg LS, Bracken MB, Saftlas AF. Low-to-moderate gestational alcohol use and intrauterine growth retardation, low birthweight, and preterm delivery. *Ann Epidemiol* 1997;7(7):498-508.
71. Meis PJ, Goldenberg RL, Mercer BM, Iams JD, Moawad AH, Miodovnik M, Menard MK, Caritis SN, Thurnau GR, Bottoms SF, Das A, Roberts JM, McNellis D. The preterm prediction study: risk factors for indicated preterm births. Maternal-Fetal Medicine Units Network of the National Institute of Child Health and Human Development. *Am J Obstet Gynecol* 1998;178(3):562-7.
72. Kesmodel U, Olsen SF, Secher NJ. Does alcohol increase the risk of preterm delivery? *Epidemiology* 2000;11(5):512-8.
73. Parazzini F, Chatenoud L, Surace M, Tozzi L, Salerio B, Bettoni G, Benzi G. Moderate alcohol drinking and risk of preterm birth. *Eur J Clin Nutr* 2003;57(10):1345-9.
74. Albertsen K, Andersen AM, Olsen J, Gronbaek M. Alcohol consumption during pregnancy and the risk of preterm delivery. *Am J Epidemiol* 2004;159(2):155-61.
75. Jaddoe VW, Bakker R, Hofman A, Mackenbach JP, Moll HA, Steegers EA, Witteman JC. Moderate alcohol consumption during pregnancy and the risk of low birth weight and preterm birth. The generation R study. *Ann Epidemiol* 2007;17(10):834-40.
76. Kliegman RM, Madura D, Kiwi R, Eisenberg I, Yamashita T. Relation of maternal cocaine use to the risks of prematurity and low birth weight. *J Pediatr* 1994;124(5 Pt 1):751-6.
77. Shiono PH, Klebanoff MA, Nugent RP, Cotch MF, Wilkins DG, Rollins DE, Carey JC, Behrman RE. The impact of cocaine and marijuana use on low birth weight and preterm birth: a multicenter study. *Am J Obstet Gynecol* 1995;172(1 Pt 1):19-27.
78. Quinlivan JA, Evans SF. The impact of continuing illegal drug use on teenage pregnancy outcomes--a prospective cohort study. *Bjog* 2002;109(10):1148-53.
79. Burns L, Mattick RP, Cooke M. The use of record linkage to examine illicit drug use in pregnancy. *Addiction* 2006;101(6):873-82.
80. Miller JM, Jr., Boudreaux MC, Regan FA. A case-control study of cocaine use in pregnancy. *Am J Obstet Gynecol* 1995;172(1 Pt 1):180-5.
81. Sprauve ME, Lindsay MK, Herbert S, Graves W. Adverse perinatal outcome in parturients who use crack cocaine. *Obstet Gynecol* 1997;89(5 Pt 1):674-8.
82. Miller JM, Jr., Boudreaux MC. A study of antenatal cocaine use-chaos in action. *Am J Obstet Gynecol* 1999;180(6 Pt 1):1427-31.
83. Savitz DA, Henderson L, Dole N, Herring A, Wilkins DG, Rollins D, Thorp JM, Jr. Indicators of cocaine exposure and preterm birth. *Obstet Gynecol* 2002;99(3):458-65.
84. Kelly RH, Russo J, Holt VL, Danielsen BH, Zatzick DF, Walker E, Katon W. Psychiatric and substance use disorders as risk factors for low birth weight and preterm delivery. *Obstet Gynecol* 2002;100(2):297-304.

85. Kennare R, Heard A, Chan A. Substance use during pregnancy: risk factors and obstetric and perinatal outcomes in South Australia. *Aust N Z J Obstet Gynaecol* 2005;45(3):220-5.
86. Little M, Shah R, Vermeulen MJ, Gorman A, Dzendoletas D, Ray JG. Adverse perinatal outcomes associated with homelessness and substance use in pregnancy. *Cmaj* 2005;173(6):615-8.
87. Fortier I, Marcoux S, Beaulac-Baillargeon L. Relation of caffeine intake during pregnancy to intrauterine growth retardation and preterm birth. *Am J Epidemiol* 1993;137(9):931-40.
88. Pastore LM, Savitz DA. Case-control study of caffeinated beverages and preterm delivery. *Am J Epidemiol* 1995;141(1):61-9.
89. Eskenazi B, Stapleton AL, Kharrazi M, Chee WY. Associations between maternal decaffeinated and caffeinated coffee consumption and fetal growth and gestational duration. *Epidemiology* 1999;10(3):242-9.
90. Bracken MB, Triche EW, Belanger K, Hellenbrand K, Leaderer BP. Association of maternal caffeine consumption with decrements in fetal growth. *Am J Epidemiol* 2003;157(5):456-66.
91. Chiaffarino F, Parazzini F, Chatenoud L, Ricci E, Tozzi L, Chiantera V, Maffioletti C, Fedele L. Coffee drinking and risk of preterm birth. *Eur J Clin Nutr* 2006;60(5):610-3.
92. Magann EF, Evans SF, Newnham JP. Employment, exertion, and pregnancy outcome: assessment by kilocalories expended each day. *Am J Obstet Gynecol* 1996;175(1):182-7.
93. Hatch M, Levin B, Shu XO, Susser M. Maternal leisure-time exercise and timely delivery. *Am J Public Health* 1998;88(10):1528-33.
94. Misra DP, Strobino DM, Stashinko EE, Nagey DA, Nanda J. Effects of physical activity on preterm birth. *Am J Epidemiol* 1998;147(7):628-35.
95. Evenson KR, Siega-Riz AM, Savitz DA, Leiferman JA, Thorp JM, Jr. Vigorous leisure activity and pregnancy outcome. *Epidemiology* 2002;13(6):653-9.
96. Leiferman JA, Evenson KR. The effect of regular leisure physical activity on birth outcomes. *Matern Child Health J* 2003;7(1):59-64.
97. Hegaard HK, Hedegaard M, Damm P, Ottesen B, Petersson K, Henriksen TB. Leisure time physical activity is associated with a reduced risk of preterm delivery. *Am J Obstet Gynecol* 2008;198(2):180 e1-5.
98. Ekwo EE, Gosselink CA, Woolson R, Moawad A, Long CR. Coitus late in pregnancy: risk of preterm rupture of amniotic sac membranes. *Am J Obstet Gynecol* 1993;168(1 Pt 1):22-31.
99. Read JS, Klebanoff MA. Sexual intercourse during pregnancy and preterm delivery: effects of vaginal microorganisms. The Vaginal Infections and Prematurity Study Group. *Am J Obstet Gynecol* 1993;168(2):514-9.
100. Sayle AE, Savitz DA, Thorp JM, Jr., Hertz-Picciotto I, Wilcox AJ. Sexual activity during late pregnancy and risk of preterm delivery. *Obstet Gynecol* 2001;97(2):283-9.
101. Henriksen TB, Savitz DA, Hedegaard M, Secher NJ. Employment during pregnancy in relation to risk factors and pregnancy outcome. *Br J Obstet Gynaecol* 1994;101(10):858-65.
102. Seneviratne SR, Fernando DN. Influence of work on pregnancy outcome. *Int J Gynaecol Obstet* 1994;45(1):35-40.

103. Xu X, Ding M, Li B, Christiani DC. Association of rotating shiftwork with preterm births and low birth weight among never smoking women textile workers in China. *Occup Environ Med* 1994;51(7):470-4.
104. Fortier I, Marcoux S, Brisson J. Maternal work during pregnancy and the risks of delivering a small-for-gestational-age or preterm infant. *Scand J Work Environ Health* 1995;21(6):412-8.
105. Luke B, Mamelle N, Keith L, Munoz F, Minogue J, Papiernik E, Johnson TR. The association between occupational factors and preterm birth: a United States nurses' study. Research Committee of the Association of Women's Health, Obstetric, and Neonatal Nurses. *Am J Obstet Gynecol* 1995;173(3 Pt 1):849-62.
106. Mercer BM, Goldenberg RL, Das A, Moawad AH, Iams JD, Meis PJ, Copper RL, Johnson F, Thom E, McNellis D, Miodovnik M, Menard MK, Caritis SN, Thurnau GR, Bottoms SF, Roberts J. The preterm prediction study: a clinical risk assessment system. *Am J Obstet Gynecol* 1996;174(6):1885-93; discussion 1893-5.
107. Savitz DA, Olshan AF, Gallagher K. Maternal occupation and pregnancy outcome. *Epidemiology* 1996;7(3):269-74.
108. Brett KM, Strogatz DS, Savitz DA. Employment, job strain, and preterm delivery among women in North Carolina. *Am J Public Health* 1997;87(2):199-204.
109. Savitz DA, Brett KM, Dole N, Tse CK. Male and female occupation in relation to miscarriage and preterm delivery in central North Carolina. *Ann Epidemiol* 1997;7(7):509-16.
110. Tuntiseranee P, Geater A, Chongsuvivatwong V, Kor-anantakul O. The effect of heavy maternal workload on fetal growth retardation and preterm delivery. A study among southern Thai women. *J Occup Environ Med* 1998;40(11):1013-21.
111. Bodin L, Axelsson G, Ahlborg G, Jr. The association of shift work and nitrous oxide exposure in pregnancy with birth weight and gestational age. *Epidemiology* 1999;10(4):429-36.
112. Hanke W, Saurel-Cubizolles MJ, Sobala W, Kalinka J. Employment status of pregnant women in central Poland and the risk of preterm delivery and small-for-gestational-age infants. *Eur J Public Health* 2001;11(1):23-8.
113. Nguyen N, Savitz DA, Thorp JM. Risk factors for preterm birth in Vietnam. *Int J Gynaecol Obstet* 2004;86(1):70-8.
114. Saurel-Cubizolles MJ, Zeitlin J, Lelong N, Papiernik E, Di Renzo GC, Breart G. Employment, working conditions, and preterm birth: results from the Europop case-control survey. *J Epidemiol Community Health* 2004;58(5):395-401.
115. Zhu JL, Hjollund NH, Olsen J. Shift work, duration of pregnancy, and birth weight: the National Birth Cohort in Denmark. *Am J Obstet Gynecol* 2004;191(1):285-91.
116. Magann EF, Evans SF, Chauhan SP, Nolan TE, Henderson J, Klausen JH, Newnham JP, Morrison JC. The effects of standing, lifting and noise exposure on preterm birth, growth restriction, and perinatal death in healthy low-risk working military women. *J Matern Fetal Neonatal Med* 2005;18(3):155-62.
117. Pompeii LA, Savitz DA, Evenson KR, Rogers B, McMahon M. Physical exertion at work and the risk of preterm delivery and small-for-gestational-age birth. *Obstet Gynecol* 2005;106(6):1279-88.
118. Al-Dabbagh SA, Al-Tae WY. Risk factors for pre-term birth in Iraq: a case-control study. *BMC Pregnancy Childbirth* 2006;6:13.

119. Arafa MA, Amine T, Abdel Fattah M. Association of maternal work with adverse perinatal outcome. *Can J Public Health* 2007;98(3):217-21.
120. Bell JF, Zimmerman FJ, Diehr PK. Maternal Work and Birth Outcome Disparities. *Matern Child Health J* 2007.
121. Meyer JD, Warren N, Reisine S. Job control, substantive complexity, and risk for low birth weight and preterm delivery: an analysis from a state birth registry. *Am J Ind Med* 2007;50(9):664-75.