TABLE S2. The structure of the data extraction form (DEF) used, (I, intervention; C, control; p, p-value)

			1. STUDY DETAILS																										
Author	Yea	ır	Stud	ly ID	Co	omparis	on	Type of publicat		Туре	f study	Co	ountr	у	Numbe cente		Туре	of ce		Recrui per			Auth	or's co	onclu	sions	Cor	nment	ts
2. PARTICIPAL	NTS		2.1 Parti	cipants	Numb	ers																							
Number of participants (enrolled)			lled)	No. of participants excluded/lost to follow-up					Number of participants included					Number of participants led analyzed					nts NO	Т									
Inclusion criteria	Exclusi criteri		Entire study	I			С	Entire study	I			С	Ent		I		С		Entire study	I			С		1	asons for pouts		iments	;
2.2 Participants	Character	istics																											ļ
Age (years, m		SEX (m:	ale/fema	le)	ASA o	classifica	ation	antico	eopera agulai	nts and	reque	e time to st for an	alge	t	Other por recovery used (suc	scores	s, if oR-	Patie	ent satis	faction	n·		Hosp LO				PACU	LOS	
Entire study I C	Eı	ntire	С	E	entire	I		Entire	I	Ср	Entire study		C		Entire	C	1	Entir	e	С	E	ntire tudy	I		С	Enti	re	С	р
Juay 1	- p st			1 1 1 5	.uuj	<u>· , , , , , , , , , , , , , , , , , , ,</u>	<u>- 15</u>	staaj	-	1 C 1 P	otaaj	1-		1 1 1 .	raay 1		I P I	otaaj		<u>, , , , , , , , , , , , , , , , , , , </u>	PIS	uuj				p State	<i>)</i>		<u> 1 P</u>
3. BLOCK, Blo	ck charact	eristics																											
Type of surgical intervention/location of			Timing the block (preo hnique posto		lock op,	ock (QLB, posterior		Used local anesthetic per side			Used adjuvant medications			Duration form inj local anesthetic sensory bloc			g S		/ block level matome) Ser			ensory block duration			Block	compl	icatio	ns	
Entire study I	Ср	I	С	I	С	I	С	I	С	Entire study	I	С		Entire study	I	С	Ent o stud		I	C		ntire udy	I	С	p	Entire study	Ι	Cl	p

4. OUTCOMES, 4.1. PONV							
Nausea (if not per h) I C p	4 h 1 C p	6 h I C p I	12 h C p I	24 h C P I	48 h Vom	Adverse eff Entire C p study I	fects of block C p
4.2. Cumulative consump	otion of opiates (postoperation	vely)					
	4 h	6 h		12 h	24 h	48	h
Used opiate I	С р	I C p	I C	С	I C p	I C	р
			4.3. Pain grade p	ostoperatively (such as V	AS or NRS) at rest		
0 h	2 h	4 h	6 h			24 h	48 h
I Cl P			p I C	p I	C p I C		Ср
		4.4 Pana		h as VAS or NSR) while	coughing /moving (dynamic VAS		
0 h	2 h	4.4. Talle	6 h	8 h	12 h	24 h	48 h
I C p	I C p	I C p I	C p I	С р	I C p I	C p I	С р