

Supplementary TABLE 1. Cervical cancer knowledge of participants in Japan and odds ratios of high CC knowledge compared with low/moderate CC knowledge using univariate and multivariate analyses

Characteristic	Low (0-1)	Moderate (2-4)	High (5-6)	OR (95% CI)	<i>p</i>	Adjusted OR (95% CI)	<i>p</i>
Age group (years)							
16-17	0	0	4	NA		NA	
18-21	0	8	21	1.00		1.00	
22-25	0	12	33	1.05 (0.37-2.99)	0.758	0.86 (0.25-2.93)	0.573
26-30	0	17	58	1.30 (0.49-3.45)		0.87 (0.26-2.89)	
31-35	1	28	61	0.80 (0.32-2.02)		0.52 (0.16-1.63)	
Education level							
<high school graduation	0	0	5	NA		NA	
high school graduation	0	15	32	1.00	0.923	1.00	0.928
>high school graduation	1	50	139	1.28 (0.64-2.55)		1.34 (0.57-3.16)	
Country of Birth							
Japan	1	64	171	1.00	0.449	1.00	0.434
Other	0	1	6	2.28 (0.27-19.31)		2.57 (0.24-27.30)	
Age at first vaginal intercourse							
Never/age not specified	1	17	34	1.00		1.00	
12-15	0	2	12	3.18 (0.64-15.77)	0.292	3.01 (0.57-15.97)	0.269
16-18	0	18	53	1.56 (0.71-3.41)		1.88 (0.76-4.68)	
19-24	0	24	74	1.63 (0.78-3.40)		2.15 (0.90-5.10)	
25-30	0	4	4	0.53 (0.12-2.37)		0.68 (0.13-3.66)	
Chlamydia awareness							
No	0	7	10	1.00	0.185	1.00	0.408
Yes	1	58	167	1.98 (0.72-5.44)		1.69 (0.49-5.83)	
Awareness of HPV vaccines							
No	0	17	30	1.00	0.256	1.00	0.274
Yes	1	46	147	1.77 (0.90-3.50)		1.84 (0.88-3.88)	
Self-reported HPV vaccination status							
No	0	57	149	1.00	0.904	1.00	0.932
Yes	1	6	23	1.26 (0.51-3.09)		1.08 (0.38-3.10)	

OR; odds ratios, NA; not applicable