

**Supplementary Table 1.** Diarrhoeal Death Information Among Hospitalized Children Aged <5 years at 7 Sentinel Hospitals in Bangladesh, July 2012-June 2015.

Location	No. of children hospitalized	No. of Deaths	No. of Diarrhoeal Deaths	No. of children screened	No. of children enrolled in RV surveillance <sup>a</sup>	Unable to screen	Reason for not screening	
							Death off duty <sup>b</sup>	Critical condition and quick death
Rajshahi	46,546	3,613	31	12	5	19	17	2
Dhaka	14,702	740	18	6	2	12	7	5
Sylhet	23,984	1,191	45	10	0	35	18	17
Rangpur	6,920	386	1	1	1	0	0	0
Chittagong	4,286	140	1	1	0	0	0	0
Khulna	10,806	480	5	0	0	5	3	2
Barisal	21,912	1,716	3	2	0	1	1	0
All	129,156	8,266 (6)	104 (1)	32 (31) <sup>c</sup>	8 (25)	72 (69)	46 (64)	26 (36)

Note: Data are no. (%) of children, unless otherwise indicated

<sup>a</sup>Every 4<sup>th</sup> child is enrolled in surveillance. Surveillance period: Rajshahi, Dhaka and Sylhet (July 2012 to June 2015, 3.6 years); Rangpur and Chittagong (February 2013 to June 2015, 2.11 years); Khulna and Barisal (August 2013 to June 2015, 2.5 years)

<sup>b</sup>Admission and death during the night (ie, during off duty hours; 4.00 pm to 8.30 am) and/or during weekends or holidays

<sup>c</sup>Nine of the 32 screened children did not fulfill surveillance inclusion criteria