Supplemental Table 2: Serious Adverse Event Summary

| Serious Adverse Event | RV5 _{mp} | | RV5 | |
|---|-------------------|-------|---------|-------|
| (reported for the duration of the | (N=509) | | (N=505) | |
| study) | n | (%) | n | (%) |
| Anal abscess | 1 | (0.2) | 1 | (0.2) |
| Bronchiolitis | 3 | (0.6) | 1 | (0.2) |
| Bronchitis | 0 | 0.0 | 1 | (0.2) |
| Cellulitis | 1 | (0.2) | 0 | 0.0 |
| Gastroenteritis viral | 0 | 0.0 | 1 | (0.2) |
| Head injury | 0 | 0.0 | 1 | (0.2) |
| Hypersomnia | 1 | (0.2) | 0 | 0.0 |
| Intussusception | 2 | (0.4) | 0 | 0.0 |
| Laryngitis | 1 | (0.2) | 0 | 0.0 |
| Loss of consciousness | 1 | (0.2) | 0 | 0.0 |
| Parainfluenzae virus infection | 1 | (0.2) | 0 | 0.0 |
| Pneumonia | 2 | (0.4) | 0 | 0.0 |
| Pyelonephritis | 1 | (0.2) | 1 | (0.2) |
| Pyelonephritis acute | 0 | 0.0 | 1 | (0.2) |
| Pyrexia | 1 | (0.2) | 0 | 0.0 |
| Respiratory syncytial virus bronchiolitis | 1 | (0.2) | 0 | 0.0 |
| Respiratory tract infection viral | 0 | 0.0 | 1 | (0.2) |
| Restlessness | 0 | 0.0 | 1 | (0.2) |
| Septic shock | 1 | (0.2) | 0 | 0.0 |
| Subcutaneous haematoma | 0 | 0.0 | 1 | (0.2) |
| Umbilical hernia | 0 | 0.0 | 1 | (0.2) |
| Upper respiratory tract infection | 1 | (0.2) | 0 | 0.0 |
| Urinary tract infection | 1 | (0.2) | 1 | (0.2) |
| Viral infection | 1 | (0.2) | 1 | (0.2) |

N = Number of subjects in population with follow-up

Every subject is counted a single time for each applicable row and column

n = Number of subjects in each category