

## APPENDIX E-1: List of Identified Randomized Trials

1. Abbaszadegan H, Conradi P, Jonsson U. Fixation not needed for undisplaced Colles' fracture. *Acta Orthop Scand.* 1989;60:60-2.
2. Abbaszadegan H, Jonsson U. External fixation or plaster cast for severely displaced Colles' fractures? Prospective 1-year study of 46 patients. *Acta Orthop Scand.* 1990;61:528-30.
3. Ahl T, Dalen N, Holmberg S, Selvik G. Early weight bearing of displaced ankle fractures. *Acta Orthop Scand.* 1987;58:535-8.
4. Ahl T, Dalen N, Holmberg S, Selvik G. Early weight bearing of malleolar fractures. *Acta Orthop Scand.* 1986;57:526-9.
5. Ahl T, Dalen N, Lundberg A, Wykman A. Biodegradable fixation of ankle fractures. A roentgen stereophotogrammetric study of 32 cases. *Acta Orthop Scand.* 1994;65:166-70.
6. Ahl T, Dalen N, Selvik G. Ankle fractures. A clinical and roentgenographic stereophotogrammetric study. *Clin Orthop.* 1989;245:246-55.
7. Ahl T, Dalen N, Selvik G. Mobilization after operation of ankle fractures. Good results of early motion and weight bearing. *Acta Orthop Scand.* 1988;59:302-6.
8. Alberts KA, Jaerveus J, Zyro K. Nail versus screw fixation of femoral neck fractures. A 2-year radiological and clinical prospective study. *Ann Chir Gynaecol.* 1989;78:298-303.
9. Alho A, Austdal S, Benterud JG, Blikra G, Lerud P, Raugstad TS. Biases in a randomized comparison of three types of screw fixation in displaced femoral neck fractures. *Acta Orthop Scand.* 1998;69:463-8.
10. Alho A, Moen O, Husby T, Ronningen H, Skjeldal S. Slotted versus non-slotted locked intramedullary nailing for femoral shaft fractures. *Arch Orthop Trauma Surg.* 1992;111:91-5.
11. Allain J, le Guilloux P, Le Mouel S, Goutallier D. Trans-styloid fixation of fractures of the distal radius. A prospective randomized comparison between 6- and 1-week postoperative immobilization in 60 fractures. *Acta Orthop Scand.* 1999;70:119-23.
12. Andersen K, Jensen PO, Lauritzen J. Treatment of clavicular fractures. Figure-of-eight bandage versus a simple sling. *Acta Orthop Scand.* 1987;58:71-4.
13. Antich Adrover P, Marti-Garin D, Murias-Alvarez J, Puente-Alonso C. External fixation and secondary intramedullary nailing of open tibial fractures. A randomised, prospective trial. *J Bone Joint Surg Br.* 1997;79:433-7.
14. Atkin DM, Bohay DR, Slabaugh P, Smith BW. Treatment of ulnar shaft fractures: a prospective, randomized study. *Orthopedics.* 1995;18:543-7.
15. Aune AK, Ekeland A, Odegaard B, Groggaard B, Alho A. Gamma nail vs compression screw for trochanteric femoral fractures. 15 reoperations in a prospective, randomized study of 378 patients. *Acta Orthop Scand.* 1994;65:127-30.
16. Bach AW, Hansen ST Jr. Plates versus external fixation in severe open tibial shaft fractures. A randomized trial. *Clin Orthop.* 1989;241:89-94.
17. Bannister GC, Gibson AG, Ackroyd CE, Newman JH. The fixation and prognosis of trochanteric fractures. A randomized prospective controlled trial. *Clin Orthop.* 1990;254:242-6.
18. Bar-On E, Sagiv S, Porat S. External fixation or flexible intramedullary nailing for femoral shaft fractures in children. A prospective, randomised study. *J Bone Joint Surg Br.* 1997;79:975-8.
19. Barrios C, Walheim G, Brostrom LA, Olsson E, Stark A. Walking ability after internal fixation of trochanteric hip fractures with Ender nails or sliding screw plate. A comparative study of gait. *Clin Orthop.* 1993;294:187-92.
20. Bauer M, Bergstrom B, Hemborg A, Sandegard J. Malleolar fractures: non-operative versus operative treatment. A controlled study. *Clin Orthop.* 1985;199:17-27.
21. Baumgaertner MR, Curtin SL, Lindskog DM. Intramedullary versus extramedullary fixation for the treatment of intertrochanteric hip fractures. *Clin Orthop.* 1998;348:87-94.
22. Benterud JG, Husby T, Nordsletten L, Alho A. Fixation of displaced femoral neck fractures with a sliding screw plate and a cancellous screw or two Olmed screws. A prospective, randomized study of 225 elderly patients with a 3-year follow-up. *Ann Chir Gynaecol.* 1997;86:338-42.
23. Bertoft ES, Lundh I, Ringqvist I. Physiotherapy after fracture of the proximal end of the humerus. Comparison between two methods. *Scand J Rehabil Med.* 1984;16:11-6.
24. Blachut PA, O'Brien PJ, Meek RN, Broekhuysen HM. Interlocking intramedullary nailing with and without reaming for the treatment of closed fractures of the tibial shaft. A prospective, randomized study. *J Bone Joint Surg Am.* 1997;79:640-6.
25. Blumberg KD, Foster WC, Blumberg JF, Adelaar RS, Deblois ME, Hussey RW, Loughran TP, Cardea JA. A comparison of the Brooker-Wills and Russell-Taylor nails for treatment of patients who have fractures of the femoral shaft. *J Bone Joint Surg Am.* 1990;72:1019-24.
26. Bone LB, Johnson KD, Weigelt J, Scheinberg R. Early versus delayed stabilization of femoral fractures. A prospective randomized study. *J Bone Joint Surg Am.* 1989;71:336-40.
27. Bostman O, Vainionpaa S, Hirvensalo E, Makela A, Vihtonen K, Tormala P, Rokkanen P. Biodegradable internal fixation for malleolar fractures. A prospective randomised trial. *J Bone Joint Surg Br.* 1987;69:615-9.
28. Braakman M, Oderwald EE, Haentjens MH. Functional taping of fractures of the 5th metacarpal results in a quicker recovery. *Injury.* 1998;29:5-9.
29. Bridle SH, Patel AD, Bircher M, Calvert PT. Fixation of intertrochanteric fractures of the femur. A randomised prospective comparison of the gamma nail and the dynamic hip screw. *J Bone Joint Surg Br.* 1991;73:330-4.
30. Brostrom LA, Barrios C, Kronberg M, Stark A, Walheim G. Clinical features and walking ability in the early postoperative period after treatment of trochanteric hip fractures. Results with special reference to fracture type and surgical treatment. *Ann Chir Gynaecol.* 1992;81:66-71.
31. Bucholz RW, Carlton A, Holmes R. Interporous hydroxyapatite as a bone graft substitute in tibial plateau fractures. *Clin Orthop.* 1989;240:53-62.
32. Bucholz RW, Henry S, Henley MB. Fixation with bioabsorbable screws for the treatment of fractures of the ankle. *J Bone Joint Surg Am.* 1994;76:319-24.
33. Buciuto R, Hammer R, Herder A. Spontaneous subcapital femoral neck fracture after healed trochanteric fracture. *Clin Orthop.* 1997;342:156-63.
34. Buciuto R, Uhlin B, Hammerby S, Hammer R. RAB-plate vs Richards CHS plate for unstable trochanteric hip fractures. A randomized study of 233 patients with 1-year follow-up. *Acta Orthop Scand.* 1998;69:25-8.
35. Bunger C, Solund K, Rasmussen P. Early results after Colles' fracture: functional bracing in supination vs dorsal plaster immobilization. *Arch Orthop Trauma Surg.* 1984;103:251-6.
36. Butt MS, Krikler SJ, Ali MS. Displaced fractures of the distal femur in elderly patients. Operative versus non-operative treatment. *J Bone Joint Surg Br.* 1996;78:110-4.
37. Butt MS, Krikler SJ, Nafie S, Ali MS. Comparison of dynamic hip screw and gamma nail: a prospective, randomized, controlled trial. *Injury.* 1995;26:615-8.
38. Calder SJ, Anderson GH, Harper WM, Jagger C, Gregg PJ. A subjective health indicator for follow-up. A randomised trial after treatment of displaced intracapsular hip fractures. *J Bone Joint Surg Br.* 1995;77:494-6.
39. Calder SJ, Barnes MR, Harper WM. Reduction of temperatures generated by the triple reamer within the femoral head. *Injury.* 1995;26:183-5.
40. Cameron CD, Meek RN, Blachut PA, O'Brien PJ, Pate GC. Intramedullary nailing of the femoral shaft: a prospective, randomized study. *J Orthop Trauma.* 1992;6:448-51.
41. Cameron ID, Lyle DM, Quine S. Accelerated rehabilitation after proximal femoral fracture: a randomized controlled trial. *Disabil Rehabil.* 1993;15:29-34.
42. Casteleyn PP, Handelberg F, Haentjens P. Biodegradable rods versus Kirschner wire fixation of wrist fractures. A randomised trial. *J Bone Joint Surg Br.* 1992;74:858-61.
43. Chapman MW, Bowman WE, Csongradi JJ, Day LJ, Trafton PG, Bovill EG Jr. The use of Ender's pins in extracapsular fractures of the hip. *J Bone Joint Surg Am.* 1981;63:14-28.
44. Chapman MW, Bucholz R, Cornell C. Treatment of acute fractures with a collagen-calcium phosphate graft material. A randomized clinical trial. *J Bone Joint Surg Am.* 1997;79:495-502.
45. Chen A, Hou C, Bao J, Guo S. Comparison of biodegradable and metallic tension-band fixation for patella fractures. 38 patients followed for 2 years. *Acta Orthop Scand.* 1998;69:39-42.
46. Chiu FY, Chen CM, Lin CF, Lo WH, Huang YL, Chen TH. Closed humeral shaft fractures: a prospective evaluation of surgical treatment. *J Trauma.* 1997;43:947-51.
47. Chiu FY, Lo WH, Chen CM, Chen TH, Huang CK. Treatment of unstable tibial fractures with interlocking nail versus Ender nail: a prospective evaluation. *Zhonghua Yi Xue Za Zhi (Taipei).* 1996;57:124-33.
48. Chiu FY, Lo WH, Chen CM, Chen TH, Huang CK. Unstable closed tibial shaft fractures: a prospective evaluation of surgical treatment. *J Trauma.*

- 1996;40:987-91.
49. Christie J, Howie CR, Armour PC. Fixation of displaced subcapital femoral fractures. Compression screw fixation versus double divergent pins. *J Bone Joint Surg Br*. 1988;70:199-201.
50. Clatworthy MG, Clark DI, Gray DH, Hardy AE. Reamed versus unreamed femoral nails. A randomised, prospective trial. *J Bone Joint Surg Br*. 1998;80:485-9.
51. Clay NR, Dias JJ, Costigan PS, Gregg PJ, Barton NJ. Need the thumb be immobilised in scaphoid fractures? A randomised prospective trial. *J Bone Joint Surg Br*. 1991;73:828-32.
52. Cohen MS, Frillman T. Distal radius fractures: a prospective randomized comparison of fibreglass tape with QuickCast. *Injury*. 1997;28:305-9.
53. Cook SD, Ryaby JP, McCabe J, Frey JJ, Heckman JD, Kristiansen TK. Acceleration of tibia and distal radius fracture healing in patients who smoke. *Clin Orthop*. 1997;337:198-207.
54. Cornell CN, Lane JM, Chapman M, Merkow R, Seligson D, Henry S, Gustilo R, Vincent K. Multicenter trial of Collagraft as bone graft substitute. *J Orthop Trauma*. 1991;5:1-8.
55. Court-Brown CM, Will E, Christie J, McQueen MM. Reamed or unreamed nailing for closed tibial fractures. A prospective study in Tscherne C1 fractures. *J Bone Joint Surg Br*. 1996;78:580-3.
56. Dalen N, Jacobsson B, Eriksson PA. A comparison of nail-plate fixation and Ender's nailing in peritrochanteric fractures. *J Trauma*. 1988;28:405-6.
57. Davis TR, Sher JL, Checketts RG, Porter BB. Intertrochanteric fractures of the femur: a prospective study comparing the use of the Kuntscher-Y nail and a sliding hip screw. *Injury*. 1988;19:421-6.
58. Deshmukh RG, Lou KK, Neo CB, Yew KS, Rozman I, George J. A technique to obtain correct rotational alignment during closed locked intramedullary nailing of the femur. *Injury*. 1998;29:207-10.
59. Desjardins AL, Roy A, Paiment G, Newman N, Pedlow F, Desloges D, Turcotte RE. Unstable intertrochanteric fracture of the femur. A prospective randomised study comparing anatomical reduction and medial displacement osteotomy. *J Bone Joint Surg Br*. 1993;75:445-7.
60. Dias JJ, Wray CC, Jones JM, Gregg PJ. The value of early mobilisation in the treatment of Colles' fractures. *J Bone Joint Surg Br*. 1987;69:463-7.
61. Dijkema AR, van der Elst M, Breederveld RS, Verspui G, Patka P, Haarman HJ. Surgical treatment of fracture-dislocations of the ankle joint with biodegradable implants: a prospective randomized study. *J Trauma*. 1993;34:82-4.
62. af Ekenstam F, Jakobsson OP, Wadin K. Repair of the triangular ligament in Colles' fracture. No effect in a prospective randomized study. *Acta Orthop Scand*. 1989;60:393-6.
63. Elmerson S, Andersson GB, Iristam L, Zetterberg C. Internal fixation of femoral neck fracture. No difference between the Rydell four-flanged nail and Gouffon's pins. *Acta Orthop Scand*. 1988;59:372-6.
64. Elmerson S, Sjostedt A, Zetterberg C. Fixation of femoral neck fracture. A randomized 2-year follow-up study of hook pins and sliding screw plate in 222 patients. *Acta Orthop Scand*. 1995;66:507-10.
65. Emami A, Petren-Mallmin M, Larsson S. No effect of low-intensity ultrasound on healing time of intramedullary fixed tibial fractures. *J Orthop Trauma*. 1999;13:252-7.
66. Erdmann MW, Richardson J, Templeton J. Os calcis fractures: a randomized trial comparing conservative treatment with impulse compression of the foot. *Injury*. 1992;23:305-7.
67. Esser MP, Kassab JY, Jones DH. Trochanteric fractures of the femur. A randomised prospective trial comparing the Jewett nail-plate with the dynamic hip screw. *J Bone Joint Surg Br*. 1986;68:557-60.
68. Esses SI, Botsford DJ, Kostuik JP. Evaluation of surgical treatment for burst fractures. *Spine*. 1990;15:667-73.
69. Finsen V, Benum P. Osteopenia after ankle fractures. The influence of early weight bearing and muscle activity. *Clin Orthop*. 1989;245:261-8.
70. Finsen V, Saetermo R, Kibsgaard L, Farran K, Engebretsen L, Bolz KD, Benum P. Early postoperative weight-bearing and muscle activity in patients who have a fracture of the ankle. *J Bone Joint Surg Am*. 1989;71:23-7.
71. Fourie JA, Bowerbank P. Stimulation of bone healing in new fractures of the tibial shaft using interferential currents. *Physiother Res Int*. 1997;2:255-68.
72. Frandsen PA. Osteosynthesis of displaced fractures of the femoral neck. A comparison between Smith-Petersen Osteosynthesis and sliding-nail-plate osteosynthesis—a radiological study. *Acta Orthop Scand*. 1979;50:443-9.
73. Fritz T, Hiersemann K, Kriegstein C, Friedl W. Prospective randomized comparison of gliding nail and gamma nail in the therapy of trochanteric fractures. *Arch Orthop Trauma Surg*. 1999;119:1-6.
74. Galanakis IA, Steriopoulos KA, Dretakis EK. Correct placement of the screw or nail in trochanteric fractures. Effect of the initial placement in the migration. *Clin Orthop*. 1995;313:206-13.
75. Galvard H, Samuelsson SM. Orthopedic or geriatric rehabilitation of hip fracture patients: a prospective, randomized, clinically controlled study in Malmö, Sweden. *Aging (Milano)*. 1995;7:11-6.
76. Gargan MF, Gundl R, Simpson AH. How effective are osteotomies for unstable intertrochanteric fractures? *J Bone Joint Surg Br*. 1994;76:789-92.
77. Gebuhr P, Holmich P, Ornses T, Soelberg M, Krasheninnikoff M, Kjersgaard AG. Isolated ulnar shaft fractures. Comparison of treatment by a functional brace and long-arm cast. *J Bone Joint Surg Br*. 1992;74:757-9.
78. Gellman H, Caputo RJ, Carter V, Aboulafia A, McKay M. Comparison of short and long thumb-spica casts for non-displaced fractures of the carpal scaphoid. *J Bone Joint Surg Am*. 1989;71:345-57.
79. Gibbons CL, Woods DA, Pailthorpe C, Carr AJ, Worlock P. The management of isolated distal radius fractures in children. *J Pediatr Orthop*. 1994;14:207-10.
80. Goldhagen PR, O'Connor DR, Schwarze D, Schwartz E. A prospective comparative study of the compression hip screw and the gamma nail. *J Orthop Trauma*. 1994;8:367-72.
81. Graham J. Early or delayed weight-bearing after internal fixation of transcervical fracture of the femur. A clinical trial. *J Bone Joint Surg Br*. 1968;50:562-9.
82. Gunal I, Taymaz A, Kose N, Gokturk E, Seber S. Patellectomy with vastus medialis obliquus advancement for comminuted patellar fractures: a prospective randomised trial. *J Bone Joint Surg Br*. 1997;79:13-6.
83. Gupta A. The treatment of Colles' fracture. Immobilisation with the wrist dorsiflexed. *J Bone Joint Surg Br*. 1991;73:312-5.
84. Hamblidge JE, Desai VV, Schranz PJ, Compson JP, Davis TR, Barton NJ. Acute fractures of the scaphoid. Treatment by cast immobilisation with the wrist in flexion or extension? *J Bone Joint Surg Br*. 1999;81:91-2.
85. Hansen PB, Hansen TB. The treatment of fractures of the ring and little metacarpal necks. A prospective randomized study of three different types of treatment. *J Hand Surg [Br]*. 1998;23:245-7.
86. Hardy DC, Descamps PY, Krallis P, Fabeck L, Smets P, Bertens CL, Delince PE. Use of an intramedullary hip-screw compared with a compression hip-screw with a plate for intertrochanteric femoral fractures. A prospective, randomized study of one hundred patients. *J Bone Joint Surg Am*. 1998;80:618-30.
87. Heckman JD, Ryaby JP, McCabe J, Frey JJ, Kilcoyne RF. Acceleration of tibial fracture-healing by non-invasive, low-intensity pulsed ultrasound. *J Bone Joint Surg Am*. 1994;76:26-34.
88. Hedstrom M, Ahl T, Dalen N. Early postoperative ankle exercise. A study of postoperative lateral malleolar fractures. *Clin Orthop*. 1994;300:193-6.
89. Herngren B, Mork-Petersen F, Bauer M. Uppsala screws or Hansson pins for internal fixation of femoral neck fractures? A prospective study of 180 cases. *Acta Orthop Scand*. 1992;63:41-6.
90. Hoffman CW, Lynskey TG. Intertrochanteric fractures of the femur: a randomized prospective comparison of the Gamma nail and the Ambi hip screw. *Aust N Z J Surg*. 1996;66:151-5.
91. Hofmann GO, Gonschorek O, Buhren V. Segment transport employing intramedullary devices in tibial bone defects following trauma and infection. *J Orthop Trauma*. 1999;13:170-7.
92. Holbrook JL, Swiontkowski MF, Sanders R. Treatment of open fractures of the tibial shaft: Ender nailing versus external fixation. A randomized, prospective comparison. *J Bone Joint Surg Am*. 1989;71:1231-8.
93. Holmberg S, Mattsson P, Dahlborn M, Ersmark H. Fixation of 220 femoral neck fractures. A prospective comparison of the Rydell nail and the LIH hook pins. *Acta Orthop Scand*. 1990;61:154-7.
94. Hooper GJ, Keddel RG, Penny ID. Conservative management or closed nailing for tibial shaft fractures. A randomised prospective trial. *J Bone Joint Surg Br*. 1991;73:83-5.
95. Hope PG, Williamson DM, Coates CJ, Cole WG. Biodegradable pin fixation of elbow fractures in children. A randomised trial. *J Bone Joint Surg Br*. 1991;73:965-8.
96. Hornby R, Evans JG, Vardon V. Operative or conservative treatment for trochanteric fractures of the femur. A randomised epidemiological trial in elderly patients. *J Bone Joint Surg Br*. 1989;71:619-23.
97. Horne JG, Devane P, Purdie G. A prospective randomized trial of external fixation and plaster cast immobilization in the treatment of distal radial fractures. *J Orthop Trauma*. 1990;4:30-4.
98. Howard PW, Stewart HD, Hind RE, Burke FD. External fixation or plaster for severely displaced comminuted Colles' fractures? A prospective study of ana-

- tomical and functional results. *J Bone Joint Surg Br.* 1989;71:68-71.
99. Hume MC, Wiss DA. Olecranon fractures. A clinical and radiographic comparison of tension band wiring and plate fixation. *Clin Orthop.* 1992;285:229-35.
  100. Hutchinson DT, Strenz GO, Cautilli RA. Pins and plaster vs external fixation in the treatment of unstable distal radial fractures. A randomized prospective study. *J Hand Surg [Br].* 1995;20:365-72.
  101. Jonsson B, Sembo I, Carlsson A, Fredin H, Johnell O. Social function after cervical hip fracture. A comparison of hook-pins and total hip replacement in 47 patients. *Acta Orthop Scand.* 1996;67:431-4.
  102. Juhn A, Krimerman J, Mendes DG. Intertrochanteric fracture of the hip. Comparison of nail-plate fixation and Ender's nailing. *Arch Orthop Trauma Surg.* 1988;107:136-9.
  103. Juutilainen T, Patiala H, Rokkanen P, Tormala P. Biodegradable wire fixation in olecranon and patella fractures combined with biodegradable screws or plugs and compared with metallic fixation. *Arch Orthop Trauma Surg.* 1995;114:319-23.
  104. Kankare J, Hirvensalo E, Rokkanen P. Malleolar fractures in alcoholics treated with biodegradable internal fixation. 6/16 reoperations in a randomized study. *Acta Orthop Scand.* 1995;66:524-8.
  105. Kankare J, Partio EK, Hirvensalo E, Bostman O, Rokkanen P. Biodegradable self-reinforced polyglycolide screws and rods in the fixation of displaced malleolar fractures in the elderly. A comparison with metallic implants. *Ann Chir Gynaecol.* 1996;85:263-70.
  106. Keating JF, O'Brien PJ, Blachut PA, Meek RN, Broekhuysen HM. Locking intramedullary nailing with and without reaming for open fractures of the tibial shaft. A prospective, randomized study. *J Bone Joint Surg Am.* 1997;79:334-41.
  107. Kennie DC, Reid J, Richardson IR, Kiamari AA, Kelt C. Effectiveness of geriatric rehabilitative care after fractures of the proximal femur in elderly women: a randomised clinical trial. *BMJ.* 1988;297:1083-6.
  108. Kneifel T, Buckley R. A comparison of one versus two distal locking screws in tibial fractures treated with unreamed tibial nails: a prospective randomized clinical trial. *Injury.* 1996;27:271-3.
  109. Konradsen L, Nielsen PT, Albrecht-Beste E. Functional treatment of metacarpal fractures 100 randomized cases with or without fixation. *Acta Orthop Scand.* 1990;61:531-4.
  110. Kopylov P, Runnqvist K, Jonsson K, Aspenberg P. Norian SRS versus external fixation in redisplaced distal radial fractures. A randomized study in 40 patients. *Acta Orthop Scand.* 1999;70:1-5.
  111. Kristiansen B, Kofoed H. Transcutaneous reduction and external fixation of displaced fractures of the proximal humerus. A controlled clinical trial. *J Bone Joint Surg Br.* 1988;70:821-4.
  112. Kristiansen TK, Ryaby JP, McCabe J, Frey JJ, Roe LR. Accelerated healing of distal radial fractures with the use of specific, low-intensity ultrasound. A multicenter, prospective, randomized, double-blind, placebo-controlled study. *J Bone Joint Surg Am.* 1997;79:961-73.
  113. Kumar MM, Sudhakar GM, Shah DD, Pathak RH. A study of the role of osteotomy in unstable intertrochanteric fractures. *J Postgrad Med.* 1996;42:4-6.
  114. Kuokkanen H, Korkala O, Antti-Poika I, Tolonen J, Lehtimaki MY, Silvenoinen T. Three cancellous bone screws versus a screw-angle plate in the treatment of Garden I and II fractures of the femoral neck. *Acta Orthop Belg.* 1991;57:53-7.
  115. Lagerby M, Asplund S, Ringqvist I. Cannulated screws for fixation of femoral neck fractures. No difference between Uppsala screws and Richards screws in a randomized prospective study of 268 cases. *Acta Orthop Scand.* 1998;69:387-91.
  116. Lagerstrom C, Nordgren B, Rahme H. Recovery of isometric grip strength after Colles' fracture: a prospective two-year study. *Scand J Rehabil Med.* 1999;31:55-62.
  117. Ledington WM, Wytch R, Goring CC, Mathieson AB, Wardlaw D. On immediate functional bracing of Colles' fracture. *Injury.* 1991;22:197-201.
  118. Leung KS, So WS, Shen WY, Hui PW. Gamma nails and dynamic hip screws for peritrochanteric fractures. A randomised prospective study in elderly patients. *J Bone Joint Surg Br.* 1992;74:345-51.
  119. Linde F, Andersen E, Hvass I, Madsen F, Pallesen R. Avascular femoral head necrosis following fracture fixation. *Injury.* 1986;17:159-63.
  120. Lindequist S, Malmqvist B, Ulmark G. Fixation of femoral neck fracture. Prospective comparison of von Bahr screws, Gouffon screws, and Hessel pins. *Acta Orthop Scand.* 1989;60:293-8.
  121. Lindstrom T, Gullichsen E, Lertola K, Niinikoski J. Leg tissue perfusion in simple tibial shaft fractures treated with unreamed and reamed nailing. *J Trauma.* 1997;43:636-9.
  122. Livesley PJ, Mugglestone A, Whitton J. Electrotherapy and the management of minimally displaced fracture of the neck of the humerus. *Injury.* 1992;23:323-7.
  123. Lozman J, Deno DC, Feustel PJ, Newell JC, Stratton HH, Sedransk N, Dutton R, Fortune JB, Shah DM. Pulmonary and cardiovascular consequences of immediate fixation or conservative management of long-bone fractures. *Arch Surg.* 1986;121:992-9.
  124. Ludvigsen TC, Johansen S, Svenningsen S, Saetermo R. External fixation versus percutaneous pinning for unstable Colles' fracture. Equal outcome in a randomized study of 60 patients. *Acta Orthop Scand.* 1997;68:255-8.
  125. Lungberg BJ, Svennungson-Hartwig E, Wikmark R. Independent exercises versus physiotherapy in nondisplaced proximal humeral fractures. *Scand J Rehabil Med.* 1979;11:133-6.
  126. Madsen F, Linde F, Andersen E, Birke H, Hvass I, Poulsen TD. Fixation of displaced femoral neck fractures. A comparison between sliding screw plate and four cancellous bone screws. *Acta Orthop Scand.* 1987;58:212-6.
  127. Madsen JE, Naess L, Aune AK, Alho A, Ekeland A, Stromsoe K. Dynamic hip screw with trochanteric stabilizing plate in the treatment of unstable proximal femoral fractures: a comparative study with the Gamma nail and compression hip screw. *J Orthop Trauma.* 1998;12:241-8.
  128. Mahaisavariya B, Laupattarakasem W. Ultrasound or image intensifier for closed femoral nailing. *J Bone Joint Surg Br.* 1993;75:66-8.
  129. McLaren CA, Buckley JR, Rowley DI. Intertrochanteric fractures of the femur: a randomized prospective trial comparing the Pugh nail with the dynamic hip screw. *Injury.* 1991;22:193-6.
  130. McMahon PJ, Woods DA, Burge PD. Initial treatment of closed metacarpal fractures. A controlled comparison of compression glove and splintage. *J Hand Surg [Br].* 1994;19:597-600.
  131. McQueen MM, Hajducka C, Court-Brown CM. Redisplaced unstable fractures of the distal radius: a prospective randomised comparison of four methods of treatment. *J Bone Joint Surg Br.* 1996;78:404-9.
  132. McQueen MM. Redisplaced unstable fractures of the distal radius. A randomised, prospective study of bridging versus non-bridging external fixation. *J Bone Joint Surg Br.* 1998;80:665-9.
  133. Merchan EC, Breton AF, Galindo E, Peinado JF, Beltran J. Plaster cast versus Clyburn external fixation for fractures of the distal radius in patients under 45 years of age. *Orthop Rev.* 1992;21:1203-9.
  134. Moir JS, Murali SR, Ashcroft GP, Wardlaw D, Matheson AB. A new functional brace for the treatment of Colles' fractures. *Injury.* 1995;26:587-93.
  135. Neander G, Adolphson P, von Sivers K, Dahlborn M, Dalen N. Bone and muscle mass after femoral neck fracture. A controlled quantitative computed tomography study of osteosynthesis versus primary total hip arthroplasty. *Arch Orthop Trauma Surg.* 1997;116:470-4.
  136. Nordkild P, Sonne-Holm S, Jensen JS. Femoral neck fracture: sliding screw plate versus sliding nail plate - a randomized trial. *Injury.* 1985;16:449-54.
  137. Nungu S, Olerud C, Rehnberg L. Treatment of intertrochanteric fractures: comparison of Ender nails and sliding screw plates. *J Orthop Trauma.* 1991;5:452-7.
  138. O'Brien PJ, Meek RN, Blachut PA, Broekhuysen HM, Sabharwal S. Fixation of intertrochanteric hip fractures: gamma nail versus dynamic hip screw. A randomized, prospective study. *Can J Surg.* 1995;38:516-20.
  139. Olerud C, Rehnberg L, Hellquist E. Internal fixation of femoral neck fractures. Two methods compared. *J Bone Joint Surg Br.* 1991;73:16-9.
  140. Park SR, Kang JS, Kim HS, Lee WH, Kim YH. Treatment of intertrochanteric fracture with the Gamma AP locking nail or by a compression hip screw—a randomised prospective trial. *Int Orthop.* 1998;22:157-60.
  141. Parmar HV, Triffitt PD, Gregg PJ. Intra-articular fractures of the calcaneum treated operatively or conservatively. A prospective study. *J Bone Joint Surg Br.* 1993;75:932-7.
  142. Paus A, Gjengedal E, Hareide A, Jorgensen JJ. Dislocated fractures of the femoral neck treated with von Bahr screws or hip compression screw. Results of a prospective, randomized study. *J Oslo City Hosp.* 1986;36:55-61.
  143. Phillips WA, Schwartz HS, Keller CS, Woodward HR, Rudd WS, Spiegel PG, Laros GS. A prospective, randomized study of the management of selected ankle fractures. *J Bone Joint Surg Am.* 1985;67:67-78.
  144. Pitsaer E, Samuel AW. Functional outcome after intertrochanteric fractures of the femur: does the implant matter? A prospective study of 100 consecutive cases. *Injury.* 1993;24:35-6.
  145. Pritchett JW. Rush rods versus plate osteosyntheses for unstable ankle fractures in the elderly. *Orthop Rev.* 1993;22:691-6.
  146. Radford PJ, Needoff M, Webb JK. A prospective randomized comparison of

- the dynamic hip screw and the gamma locking nail. *J Bone Joint Surg Br.* 1993;75:789-93.
147. **Rehnberg L, Olerud C.** Fixation of femoral neck fractures. Comparison of the Uppsala and von Bahr screws. *Acta Orthop Scand.* 1989;60:579-84.
  148. **Reid J, Kennie DC.** Geriatric rehabilitative care after fractures of the proximal femur: one year follow up of a randomised clinical trial. *BMJ.* 1989;299:25-6.
  149. **Rizzolo SJ, Piazza MR, Cotler JM, Hume EL, Cautilli G, O'Neill DK.** The effect of torque pressure on halo pin complication rates. A randomized prospective study. *Spine.* 1993;18:2163-6.
  150. **Rodriguez-Merchan EC.** Compression plating versus hackethal nailing in closed humeral shaft fractures failing nonoperative reduction. *J Orthop Trauma.* 1995;9:194-7.
  151. **Rodriguez-Merchan EC.** Plaster cast versus percutaneous pin fixation for comminuted fractures of the distal radius in patients between 46 and 65 years of age. *J Orthop Trauma.* 1997;11:212-7.
  152. **Rokkanen P, Bostman O, Vainionpaa S, Vihtonen K, Tormala P, Laiho J, Kilpikari J, Tamminimaki M.** Biodegradable implants in fracture fixation: early results of treatment of fractures of the ankle. *Lancet.* 1985;1:1422-4.
  153. **Rosetzsky A.** Colles' fractures treated by plaster and polyurethane braces: a controlled clinical study. *J Trauma.* 1982;22:910-3.
  154. **Roumen RM, Hesp WL, Bruggink ED.** Unstable Colles' fractures in elderly patients. A randomised trial of external fixation for redisplacement. *J Bone Joint Surg Br.* 1991;73:307-11.
  155. **Rowley DI, Norris SH, Duckworth T.** A prospective trial comparing operative and manipulative treatment of ankle fractures. *J Bone Joint Surg Br.* 1986;68:610-3.
  156. **Schmalholz A.** Bone cement for redislocated Colles' fracture. A prospective comparison with closed treatment. *Acta Orthop Scand.* 1989;60:212-7.
  157. **Schmalholz A.** External skeletal fixation versus cement fixation in the treatment of redislocated Colles' fracture. *Clin Orthop.* 1990;254:236-41.
  158. **Sernbo I, Johnell O, Baath L, Nilsson JA.** Internal fixation of 410 cervical hip fractures. A randomized comparison of a single nail versus two hook-pins. *Acta Orthop Scand.* 1990;61:411-4.
  159. **Sernbo I, Johnell O, Gardsell A.** Locking and compression of the lag screw in trochanteric fractures is not beneficial. A prospective, randomized study of 153 cases. *Acta Orthop Scand.* 1994;65:24-6.
  160. **Sernbo I, Johnell O, Gentz CF, Nilsson JA.** Unstable intertrochanteric fractures of the hip. Treatment with Ender pins compared with a compression hip-screw. *J Bone Joint Surg Am.* 1988;70:1297-303.
  161. **Shankar NS, Craxford AD.** Comminuted Colles' fractures: a prospective trial of management. *J R Coll Surg Edinb.* 1992;37:199-202.
  162. **Sikorski JM, Barrington R.** Internal fixation versus hemiarthroplasty for the displaced subcapital fracture of the femur. A prospective randomised study. *J Bone Joint Surg Br.* 1981;63:357-61.
  163. **Sjolin SU, Andersen JC.** Clinical fracture of the carpal scaphoid—supportive bandage or plaster cast immobilization? *J Hand Surg [Br].* 1988;13:75-6.
  164. **Skinner P, Riley D, Ellery J, Beaumont A, Coumine R, Shafiqian B.** Displaced subcapital fractures of the femur: a prospective randomized comparison of internal fixation, hemiarthroplasty and total hip replacement. *Injury.* 1989;20:291-3.
  165. **Sommerkamp TG, Seeman M, Silliman J, Jones A, Patterson S, Walker J, Semmler M, Browne R, Ezaki M.** Dynamic external fixation of unstable fractures of the distal part of the radius. A prospective, randomized comparison with static external fixation. *J Bone Joint Surg Am.* 1994;76:1149-61.
  166. **Sondena K, Hoigaard U, Smith D, Alho A.** Immobilization of operated ankle fractures. *Acta Orthop Scand.* 1986;57:59-61.
  167. **Soreide O, Molster A, Raugstad TS.** Internal fixation versus primary prosthetic replacement in acute femoral neck fractures: a prospective, randomized clinical study. *Br J Surg.* 1979;66:56-60.
  168. **Sorensen JL, Varmarken JE, Bomler J.** Internal fixation of femoral neck fractures. Dynamic Hip and Gouffon screws compared in 73 patients. *Acta Orthop Scand.* 1992;63:288-92.
  169. **Sorensen JS, Freund KG, Kejla G.** Functional fracture bracing in metacarpal fractures: the Galveston metacarpal brace versus a plaster-of-Paris bandage in a prospective study. *J Hand Ther.* 1993;16:263-5.
  170. **Stappaerts KH, Deldycke J, Broos PL, Staes FF, Rommens PM, Claes P.** Treatment of unstable peritrochanteric fractures in elderly patients with a compression hip screw or with the Vandeputte (VDP) endoprosthesis: a prospective randomized study. *J Orthop Trauma.* 1995;9:292-7.
  171. **Stark A, Brostrom LA, Barrios C, Walheim G, Olsson E.** A prospective randomized study of the use of sliding hip screws and Ender nails for trochanteric fractures of the femur. *Int Orthop.* 1992;16:359-62.
  172. **Stoffelen DV, Broos PL.** Closed reduction versus Kapandji-pinning for extra-articular distal radial fractures. *J Hand Surg [Br].* 1999;24:89-91.
  173. **Stoffelen DV, Broos PL.** Kapandji pinning or closed reduction for extra-articular distal radius fractures. *J Trauma.* 1998;45:753-7.
  174. **Stromqvist B, Hansson LI, Palmer J, Ceder L, Thorngren KG.** Scintimetric evaluation of nailed femoral neck fractures with special reference to type of osteosynthesis. *Acta Orthop Scand.* 1983;54:340-7.
  175. **Stromsoe K, Hoegvold HE, Skjeldal S, Alho A.** The repair of a ruptured deltoid ligament is not necessary in ankle fractures. *J Bone Joint Surg Br.* 1995;77:920-1.
  176. **Stuart PR, Brumby C, Smith SR.** Comparative study of functional bracing and plaster cast treatment of stable lateral malleolar fractures. *Injury.* 1989;20:323-6.
  177. **Svensson PJ, Janarv PM, Hirsch G.** Internal fixation with biodegradable rods in pediatric fractures: one-year follow-up of fifty patients. *J Pediatr Orthop.* 1994;14:220-4.
  178. **Thordarson DB, Krieger LE.** Operative vs. nonoperative treatment of intra-articular fractures of the calcaneus: a prospective randomized trial. *Foot Ankle Int.* 1996;17:2-9.
  179. **Tornetta P 3rd, Bergman M, Watnik N, Berkowitz G, Steuer J.** Treatment of grade-IIIb open tibial fractures. A prospective randomised comparison of external fixation and non-reamed locked nailing. *J Bone Joint Surg Br.* 1994;76:13-9.
  180. **Tornetta P 3rd, Tiburzi D.** The treatment of femoral shaft fractures using intramedullary interlocked nails with and without intramedullary reaming: a preliminary report. *J Orthop Trauma.* 1997;11:89-92.
  181. **Tropp H, Norlin R.** Ankle performance after ankle fracture: a randomized study of early mobilization. *Foot Ankle Int.* 1995;16:79-83.
  182. **Tu YK, Lin CH, Su JI, Hsu DT, Chen RJ.** Unreamed interlocking nail versus external fixator for open type III tibia fractures. *J Trauma.* 1995;39:361-7.
  183. **Unsworth-White J, Koka R, Churchill M, D'Arcy JC, James SE.** The non-operative management of radial head fractures: a randomized trial of three treatments. *Injury.* 1994;25:165-7.
  184. **van der Linden W, Larsson K.** Plate fixation versus conservative treatment of tibial shaft fractures. A randomized trial. *J Bone Joint Surg Am.* 1979;61:873-8.
  185. **van Vugt AB, Oosterwijk WM, Goris RJ.** Osteosynthesis versus endoprosthesis in the treatment of unstable intracapsular hip fractures in the elderly. A randomised clinical trial. *Arch Orthop Trauma Surg.* 1993;113:39-45.
  186. **Vornanen MJ, Bostman OM, Myllynen PJ.** Reduction of bone retropulsed into the spinal canal in thoracolumbar vertebral body compression burst fractures. A prospective randomized comparative study between Harrington rods and two transpedicular devices. *Spine.* 1995;20:1699-703.
  187. **Wahlstrom O.** Treatment of Colles's fracture. A prospective comparison of three different positions of immobilization. *Acta Orthop Scand.* 1982;53:225-8.
  188. **Waikakul S, Sakkarnkosol S, Vanadurongwan V.** Vascular injuries in compound fractures of the leg with initially adequate circulation. *J Bone Joint Surg Br.* 1998;80:254-8.
  189. **Watson JT, Moed BR, Cramer KE, Karges DE.** Comparison of the compression hip screw with the Medoff sliding plate for intertrochanteric fractures. *Clin Orthop.* 1998;348:79-86.
  190. **Wiener BD, Linder JF, Giattini JF.** Treatment of fractures of the fifth metatarsal: a prospective study. *Foot Ankle Int.* 1997;18:267-9.
  191. **Wihlborg O.** Fixation of femoral neck fractures. A four-flanged nail versus threaded pins in 200 cases. *Acta Orthop Scand.* 1990;61:415-8.
  192. **Williams MM, Askins V, Hinckes EW, Zych GA.** Primary reamed intramedullary nailing of open femoral shaft fractures. *Clin Orthop.* 1995;318:182-90.
  193. **Wilson C, Venner RM.** Colles' fracture. Immobilisation in pronation or supination? *J R Coll Surg Edinb.* 1984;29:109-11.
  194. **Wyrtsch B, McFerran MA, McAndrew M, Limbird TJ, Harper MC, Johnson KD, Schwartz HS.** Operative treatment of fractures of the tibial plafond. A randomized, prospective study. *J Bone Joint Surg Am.* 1996;78:1646-57.
  195. **Zoega B, Karrholm J, Lind B.** One-level cervical spine fusion. A randomized study, with or without plate fixation, using radiostereometry in 27 patients. *Acta Orthop Scand.* 1998;69:363-8.
  196. **Zyto K, Ahrengart L, Sperber A, Tornkvist H.** Treatment of displaced proximal humeral fractures in elderly patients. *J Bone Joint Surg Br.* 1997;79:412-7.