

TABLE E-1 Life-Table Analysis for 139 Consecutive PFC Total Knee Prostheses.

Follow-up interval (years)	Number at start	Number revised	Number withdrawn	Number Lost to follow-up	Number at risk	Annual failure rate (%)	Annual success rate (%)	Survival rate (%)	95% CI*	Worst-case survival rate (%)
0 to 1	139	0	1	1	138.5	0	100	100	97 to 100	99.3
1 to 2	138	0	2	1	137	0	100	100	97 to 100	98.6
2 to 3	136	0	4	0	134	0	100	100	97 to 100	98.6
3 to 4	132	0	6	0	129	0	100	100	97 to 100	98.6
4 to 5	126	0	6	0	123	0	100	100	97 to 100	98.6
5 to 6	120	0	6	0	117	0	100	100	97 to 100	98.6
6 to 7	114	0	4	0	112	0	100	100	97 to 100	98.6
7 to 8	110	0	6	0	107	0	100	100	97 to 100	98.6
8 to 9	104	0	4	0	102	0	100	100	97 to 100	98.6
9 to 10	100	1	6	0	97	1	99	99	94 to 100	97.6
10 to 11	93	1	1	0	92.5	1.1	98.9	97.9	93 to 100	96.5
11 to 12	91	1	4	0	89	1.1	98.9	96.8	91 to 99	95.4
12 to 13	86	1	8	0	82	1.2	98.8	95.6	89 to 99	94.2
13 to 14	77	0	6	0	74	0	100	95.6	88 to 99	94.2
14 to 15	71	1	6	0	68	1.4	98.6	94.2	88 to 99	92.6

*Confidence interval (CI) calculated according to Rothman's method⁹.