

TABLE E-1 Patient Demographic Data

Variable	Group 1, N = 37	Group 2, N = 85	Group 3, N = 41	P Value
Age* (yr)	28.6 ± 9.1	30.4 ± 11.1	30.4 ± 11.6	0.684
Sex†				0.818
M	28 (76)	62 (73)	32 (78)	
F	9 (24)	23 (27)	9 (22)	
Side†				0.075
L	23 (62)	34 (40)	18 (44)	
R	14 (38)	51 (60)	23 (56)	
Involved limb†				0.212
Dominant	15 (41)	49 (58)	23 (56)	
Nondominant	22 (59)	36 (42)	18 (44)	
Time from injury to operation* (mo)	26.4 ± 33.1	33.0 ± 50.5	22.5 ± 34.6	0.409
Additional diagnosis†				0.524
Y	26 (70)	52 (61)	24 (59)	
N	11 (30)	33 (39)	17 (41)	
Beighton score†				0.748
0	20 (54)	48 (56)	19 (46)	
1	7 (19)	22 (26)	11 (27)	
2	5 (14)	9 (11)	7 (17)	
3	5 (14)	6 (7)	4 (10)	
Hyperextension of the index knee†	5 (14)	9 (11)	6 (15)	0.774
Hyperextension of the contralateral knee†	5 (14)	10 (12)	7 (17)	0.653

*The values are given as the mean and the standard deviation. †The values are given as the number, with the percentage in parentheses.