

TABLE E-1 Accuracy of Individual RSA Measurements*

| Component | Translation (mm) | | | Rotation (deg) | | | Maximum Total Point Motion (mm) |
|------------------|------------------|--------------|----------|----------------|--------------|----------|---------------------------------|
| | Transverse | Longitudinal | Sagittal | Transverse | Longitudinal | Sagittal | |
| Tibial (n = 50) | ±0.06 | ±0.07 | ±0.18 | ±0.27 | ±0.40 | ±0.12 | ±0.45 |
| Femoral (n = 25) | ±0.16 | ±0.08 | ±0.17 | ±0.23 | ±0.35 | ±0.14 | ±0.50 |

*Transverse indicates the x-axis, longitudinal indicates the y-axis, and sagittal indicates the z-axis. The ± symbol indicates the limits of the 95% prediction interval.

TABLE E-2 Analysis of Maximum Total Point Motion (MPTM) of the Tibial and Femoral Components During Five Years of Follow-up

| Outcome | Total Knee Prosthesis* | | | | P Value | | |
|-----------------------------|------------------------|----------------|--------------|--------------|--------------|---------------------------|-------------------------|
| | LPS-Flex Mobile | LPS-Flex Fixed | LPS Mobile | LPS Fixed | Main Effect† | Group × Time Interaction‡ | Prespecified Time Point |
| Tibial component logMTPMS§ | | | | | | | |
| Five-year period | -0.61 ± 0.15 | -0.52 ± 0.14 | -0.83 ± 0.15 | -0.49 ± 0.14 | 0.373 | 0.672 | |
| Week 6 | -1.08 ± 0.26 | -0.92 ± 0.13 | -1.48 ± 0.15 | -0.68 ± 0.17 | | | |
| Week 12 | -0.80 ± 0.18 | -0.75 ± 0.13 | -1.32 ± 0.10 | -0.67 ± 0.11 | | | |
| Week 26 | -0.81 ± 0.20 | -0.79 ± 0.10 | -1.11 ± 0.18 | -0.50 ± 0.20 | | | |
| Year 1 | -0.49 ± 0.20 | -0.54 ± 0.12 | -0.81 ± 0.15 | -0.41 ± 0.16 | | | |
| Year 2 | -0.53 ± 0.24 | -0.40 ± 0.11 | -0.65 ± 0.13 | -0.33 ± 0.16 | | 0.565 | |
| Year 3 | -0.61 ± 0.29 | -0.50 ± 0.15 | -0.68 ± 0.16 | -0.45 ± 0.15 | | | |
| Year 4 | -0.68 ± 0.28 | -0.45 ± 0.21 | -0.53 ± 0.17 | -0.39 ± 0.12 | | | |
| Year 5 | -0.65 ± 0.22 | -0.31 ± 0.22 | -0.58 ± 0.15 | -0.44 ± 0.16 | | 0.604 | |
| Femoral component logMTPMS§ | | | | | | | |
| Five-year period | -0.13 ± 0.25 | -0.11 ± 0.22 | -0.28 ± 0.24 | -0.10 ± 0.24 | 0.949 | 0.139 | |
| Week 6 | -0.52 ± 0.21 | -0.32 ± 0.20 | -0.92 ± 0.11 | -0.49 ± 0.24 | | | |
| Week 12 | -0.52 ± 0.33 | -0.31 ± 0.21 | -0.89 ± 0.32 | -0.03 ± 0.25 | | | |
| Week 26 | -0.64 ± 0.34 | -0.26 ± 0.20 | -0.45 ± 0.21 | 0.08 ± 0.17 | | | |
| Year 1 | -0.29 ± 0.22 | -0.14 ± 0.20 | -0.37 ± 0.31 | -0.05 ± 0.17 | | | |
| Year 2 | -0.45 ± 0.30 | -0.10 ± 0.23 | -0.15 ± 0.29 | -0.10 ± 0.25 | | 0.971 | |
| Year 3 | -0.37 ± 0.25 | 0.48 ± 0.28 | -0.62 ± 0.06 | -0.09 ± 0.28 | | | |
| Year 4 | -0.61 ± 0.11 | 0.06 ± 0.29 | 0.22 ± 0.31 | -0.03 ± 0.30 | | | |
| Year 5 | -0.59 ± 0.22 | 0.14 ± 0.28 | 0.06 ± 0.30 | -0.06 ± 0.28 | | 0.443 | |

*The values are given as the mean and the standard error in log(millimeters). †This category assumes no interaction with time and indicates testing for the overall, between-group mean difference over the entire postoperative follow-up period. ‡This category indicates testing for overall changing treatment effects with time over the entire postoperative follow-up period. §logMTPM = log-transformed maximum total point motion.

TABLE E-3 Analysis of Functional Outcome During Five Years of Follow-up

| Outcome | Total Knee Prosthesis* | | | | P Value | | |
|------------------------------|------------------------|----------------|-------------|-------------|--------------|---------------------------|-------------------------|
| | LPS-Flex Mobile | LPS-Flex Fixed | LPS Mobile | LPS Fixed | Main Effect† | Group × Time Interaction‡ | Prespecified Time Point |
| Flexion (deg) | | | | | | | |
| Five-year period | 113.9 ± 2.6 | 114.0 ± 2.4 | 111.8 ± 2.9 | 113.3 ± 2.5 | 0.923 | 0.680 | |
| Week 6 | 110.0 ± 4.0 | 99.4 ± 4.7 | 102.5 ± 4.3 | 102.9 ± 3.2 | | | |
| Week 12 | 115.0 ± 2.7 | 108.8 ± 3.2 | 103.2 ± 3.2 | 112.1 ± 2.3 | | | |
| Week 26 | 117.5 ± 2.8 | 116.9 ± 4.0 | 106.9 ± 3.9 | 112.7 ± 3.3 | | | |
| Year 1 | 120.8 ± 2.7 | 114.4 ± 2.8 | 109.4 ± 4.0 | 113.8 ± 2.8 | | | |
| Year 2 | 119.7 ± 2.6 | 115.8 ± 4.0 | 110.4 ± 4.2 | 114.3 ± 2.9 | | 0.321 | |
| Year 3 | 122.9 ± 2.3 | 121.3 ± 4.9 | 115.8 ± 2.7 | 118.2 ± 2.8 | | | |
| Year 4 | 123.9 ± 2.7 | 117.5 ± 4.7 | 110.4 ± 4.1 | 119.3 ± 3.2 | | | |
| Year 5 | 118.9 ± 3.4 | 118.1 ± 3.4 | 113.7 ± 4.5 | 118.3 ± 3.6 | | | 0.757 |
| Extension (deg) | | | | | | | |
| Five-year period | -1.6 ± 0.7 | -1.8 ± 0.7 | -2.1 ± 0.8 | -1.5 ± 0.7 | 0.891 | 0.821 | |
| Week 6 | -3.0 ± 1.5 | -5.6 ± 1.6 | -3.3 ± 1.3 | -2.8 ± 1.7 | | | |
| Week 12 | -3.4 ± 1.4 | -3.9 ± 1.5 | -1.1 ± 1.1 | -5.6 ± 1.7 | | | |
| Week 26 | -1.9 ± 1.1 | -2.8 ± 1.4 | 0.9 ± 0.9 | -3.4 ± 1.5 | | | |
| Year 1 | 0.8 ± 0.6 | -0.3 ± 1.5 | -1.3 ± 1.0 | -1.2 ± 1.5 | | | |
| Year 2 | -0.8 ± 0.6 | -0.3 ± 1.6 | -1.4 ± 0.8 | -0.7 ± 1.0 | | 0.908 | |
| Year 3 | 0.5 ± 0.9 | 0.0 ± 1.5 | 0.8 ± 2.0 | -0.3 ± 1.4 | | | |
| Year 4 | 0.0 ± 0.5 | -0.5 ± 1.1 | -2.3 ± 1.6 | 1.0 ± 0.7 | | | |
| Year 5 | -0.7 ± 0.5 | -1.1 ± 1.1 | 0.0 ± 0.6 | 0.7 ± 0.7 | | | 0.480 |
| KSS (points) | | | | | | | |
| Five-year period | 78.0 ± 2.0 | 78.1 ± 1.9 | 76.0 ± 2.3 | 79.0 ± 1.9 | 0.743 | 0.781 | |
| Week 6 | 75.9 ± 3.2 | 69.6 ± 3.5 | 74.2 ± 3.0 | 75.5 ± 3.0 | | | |
| Week 12 | 80.5 ± 2.5 | 78.3 ± 2.5 | 74.9 ± 3.3 | 79.6 ± 1.6 | | | |
| Week 26 | 79.6 ± 2.8 | 82.3 ± 2.2 | 75.9 ± 3.6 | 79.3 ± 3.2 | | | |
| Year 1 | 82.9 ± 2.3 | 82.9 ± 2.1 | 77.7 ± 3.5 | 81.8 ± 1.9 | | | |
| Year 2 | 81.2 ± 3.2 | 82.9 ± 2.0 | 77.7 ± 3.5 | 79.9 ± 2.7 | | 0.647 | |
| Year 3 | 80.7 ± 3.9 | 79.1 ± 3.5 | 77.7 ± 3.3 | 80.2 ± 3.2 | | | |
| Year 4 | 84.5 ± 2.9 | 77.6 ± 4.4 | 77.8 ± 3.3 | 83.7 ± 1.4 | | | |
| Year 5 | 81.9 ± 3.4 | 82.8 ± 3.2 | 84.1 ± 1.4 | 83.6 ± 1.6 | | | 0.929 |
| KSS function (points) | | | | | | | |
| Five-year period | 62.8 ± 6.1 | 68.4 ± 5.8 | 60.9 ± 7.0 | 53.4 ± 6.0 | 0.318 | 0.732 | |
| Week 6 | 75.9 ± 3.2 | 69.6 ± 3.5 | 74.2 ± 3.0 | 75.5 ± 3.0 | | | |
| Week 12 | 80.5 ± 2.5 | 78.3 ± 2.5 | 74.9 ± 3.3 | 79.6 ± 1.6 | | | |
| Week 26 | 79.6 ± 2.8 | 82.3 ± 2.2 | 75.9 ± 3.6 | 79.3 ± 3.2 | | | |
| Year 1 | 82.9 ± 2.3 | 82.9 ± 2.1 | 77.7 ± 3.5 | 81.8 ± 1.9 | | | |
| Year 2 | 81.2 ± 3.2 | 82.9 ± 2.0 | 77.7 ± 3.5 | 79.9 ± 2.7 | | 0.530 | |
| Year 3 | 80.7 ± 3.9 | 79.1 ± 3.5 | 77.7 ± 3.3 | 80.2 ± 3.2 | | | |
| Year 4 | 84.5 ± 2.9 | 77.6 ± 4.4 | 77.8 ± 3.3 | 83.7 ± 1.4 | | | |
| Year 5 | 81.9 ± 3.4 | 82.8 ± 3.2 | 84.1 ± 1.4 | 83.6 ± 1.6 | | | 0.336 |

*The values are given as the mean and the standard error. †This category assumes no interaction with time and indicates testing for the overall, between-group mean difference over the entire postoperative follow-up period. ‡This category indicates testing for overall changing treatment effects with time over the entire postoperative follow-up period.

TABLE E-4 Analysis of Tibial Component Migration During Five Years of Follow-Up

| Migration | Total Knee Prosthesis* | | | | P Value | | |
|--|------------------------|----------------|--------------|--------------|--------------|---------------------------|-------------------------|
| | LPS-Flex Mobile | LPS-Flex Fixed | LPS Mobile | LPS Fixed | Main Effect† | Group × Time Interaction‡ | Prespecified Time Point |
| Medial-lateral translation (mm) | | | | | | | |
| Five-year period | 0.05 ± 0.04 | 0.05 ± 0.04 | -0.02 ± 0.04 | 0.08 ± 0.04 | 0.299 | 0.410 | |
| Week 6 | -0.01 ± 0.04 | 0.02 ± 0.03 | -0.02 ± 0.02 | 0.02 ± 0.03 | | | |
| Week 12 | -0.00 ± 0.04 | 0.02 ± 0.03 | -0.01 ± 0.02 | 0.02 ± 0.03 | | | |
| Week 26 | 0.01 ± 0.05 | 0.05 ± 0.03 | -0.03 ± 0.02 | 0.09 ± 0.04 | | | |
| Year 1 | 0.04 ± 0.05 | 0.07 ± 0.04 | -0.02 ± 0.03 | 0.11 ± 0.05 | | | |
| Year 2 | 0.07 ± 0.05 | 0.07 ± 0.04 | -0.00 ± 0.04 | 0.09 ± 0.06 | | 0.549 | |
| Year 3 | 0.09 ± 0.07 | 0.08 ± 0.05 | -0.03 ± 0.04 | 0.10 ± 0.04 | | | |
| Year 4 | 0.05 ± 0.06 | 0.09 ± 0.05 | -0.08 ± 0.06 | 0.12 ± 0.04 | | | |
| Year 5 | 0.00 ± 0.03 | 0.07 ± 0.05 | -0.06 ± 0.05 | 0.07 ± 0.04 | | | 0.096 |
| Cranial-caudal translation (mm) | | | | | | | |
| Five-year period | 0.07 ± 0.04 | 0.07 ± 0.04 | 0.10 ± 0.04 | 0.06 ± 0.04 | 0.884 | 0.133 | |
| Week 6 | 0.06 ± 0.03 | 0.06 ± 0.02 | 0.03 ± 0.02 | 0.03 ± 0.03 | | | |
| Week 12 | 0.06 ± 0.04 | 0.08 ± 0.02 | 0.05 ± 0.02 | 0.05 ± 0.02 | | | |
| Week 26 | 0.02 ± 0.05 | 0.07 ± 0.03 | 0.11 ± 0.03 | -0.00 ± 0.05 | | | |
| Year 1 | 0.02 ± 0.06 | 0.13 ± 0.03 | 0.12 ± 0.04 | 0.04 ± 0.05 | | | |
| Year 2 | -0.07 ± 0.10 | 0.13 ± 0.04 | 0.14 ± 0.04 | 0.05 ± 0.04 | | 0.080 | |
| Year 3 | 0.04 ± 0.09 | 0.16 ± 0.04 | 0.15 ± 0.05 | 0.10 ± 0.04 | | | |
| Year 4 | 0.02 ± 0.09 | 0.05 ± 0.09 | 0.14 ± 0.05 | 0.09 ± 0.04 | | | |
| Year 5 | 0.03 ± 0.09 | 0.03 ± 0.09 | 0.11 ± 0.04 | 0.08 ± 0.04 | | | 0.564 |
| Anterior-posterior translation (mm) | | | | | | | |
| Five-year period | 0.16 ± 0.09 | -0.06 ± 0.09 | 0.09 ± 0.10 | 0.08 ± 0.09 | 0.388 | 0.670 | |
| Week 6 | 0.10 ± 0.07 | -0.05 ± 0.04 | 0.03 ± 0.04 | -0.11 ± 0.07 | | | |
| Week 12 | 0.11 ± 0.10 | -0.07 ± 0.04 | 0.04 ± 0.03 | -0.01 ± 0.05 | | | |
| Week 26 | 0.14 ± 0.14 | -0.06 ± 0.05 | 0.09 ± 0.05 | 0.10 ± 0.13 | | | |
| Year 1 | 0.11 ± 0.14 | -0.12 ± 0.07 | 0.08 ± 0.06 | 0.13 ± 0.18 | | | |
| Year 2 | 0.25 ± 0.17 | -0.16 ± 0.07 | 0.13 ± 0.05 | 0.18 ± 0.22 | | 0.251 | |
| Year 3 | 0.26 ± 0.22 | -0.07 ± 0.07 | 0.11 ± 0.04 | -0.04 ± 0.07 | | | |
| Year 4 | 0.32 ± 0.26 | -0.13 ± 0.11 | 0.15 ± 0.08 | 0.00 ± 0.07 | | | |
| Year 5 | 0.09 ± 0.07 | -0.22 ± 0.12 | 0.13 ± 0.07 | 0.02 ± 0.08 | | | 0.039 |
| Transverse rotation (deg) | | | | | | | |
| Five-year period | 0.33 ± 0.21 | -0.02 ± 0.22 | 0.10 ± 0.23 | 0.05 ± 0.21 | 0.658 | 0.134 | |
| Week 6 | 0.09 ± 0.16 | -0.09 ± 0.05 | 0.05 ± 0.12 | -0.08 ± 0.11 | | | |
| Week 12 | 0.18 ± 0.24 | -0.18 ± 0.10 | -0.08 ± 0.07 | 0.02 ± 0.11 | | | |
| Week 26 | 0.28 ± 0.30 | -0.00 ± 0.11 | 0.10 ± 0.15 | 0.10 ± 0.23 | | | |
| Year 1 | 0.19 ± 0.32 | 0.04 ± 0.13 | 0.14 ± 0.16 | 0.38 ± 0.26 | | | |
| Year 2 | 0.40 ± 0.40 | -0.04 ± 0.16 | 0.17 ± 0.15 | 0.24 ± 0.33 | | 0.780 | |
| Year 3 | 0.60 ± 0.45 | -0.14 ± 0.18 | 0.08 ± 0.11 | -0.05 ± 0.14 | | | |
| Year 4 | 0.57 ± 0.55 | -0.26 ± 0.27 | 0.27 ± 0.21 | -0.20 ± 0.16 | | | |
| Year 5 | 0.15 ± 0.12 | -0.50 ± 0.27 | 0.25 ± 0.17 | -0.13 ± 0.16 | | | 0.031 |

TABLE E-4 (continued)

| Migration | Total Knee Prosthesis* | | | | P Value | | |
|-----------------------------|------------------------|-------------------|--------------|--------------|-----------------|------------------------------|----------------------------|
| | LPS-Flex Mobile | LPS-Flex Fixed | LPS Mobile | LPS Fixed | Main Effect† | Group × Time Interaction‡ | Prespecified Time Point |
| Longitudinal rotation (deg) | | | | | | | |
| Five-year period | -0.01 ± 0.13 | -0.13 ± 0.13 | 0.04 ± 0.14 | -0.14 ± 0.13 | 0.713 | 0.142 | |
| Week 6 | -0.04 ± 0.10 | -0.10 ± 0.11 | -0.08 ± 0.05 | -0.01 ± 0.15 | | | |
| Week 12 | -0.06 ± 0.09 | 0.05 ± 0.14 | -0.09 ± 0.05 | 0.11 ± 0.13 | | | |
| Week 26 | -0.09 ± 0.14 | -0.02 ± 0.09 | 0.00 ± 0.07 | -0.15 ± 0.20 | | | |
| Year 1 | -0.02 ± 0.15 | -0.19 ± 0.12 | 0.05 ± 0.07 | -0.18 ± 0.20 | | | |
| Year 2 | -0.05 ± 0.16 | -0.20 ± 0.13 | 0.08 ± 0.06 | -0.22 ± 0.22 | | | 0.553 |
| Year 3 | -0.21 ± 0.25 | -0.17 ± 0.13 | -0.05 ± 0.11 | 0.18 ± 0.17 | | | |
| Year 4 | -0.09 ± 0.25 | -0.07 ± 0.28 | 0.05 ± 0.10 | -0.07 ± 0.13 | | | |
| Year 5 | 0.09 ± 0.15 | -0.14 ± 0.25 | 0.10 ± 0.10 | 0.15 ± 0.15 | | | 0.621 |
| Sagittal rotation (deg) | | | | | | | |
| Five-year period | -0.22 ± 0.12 | -0.10 ± 0.12 | 0.08 ± 0.13 | -0.19 ± 0.12 | 0.305 | 0.153 | |
| Week 6 | -0.03 ± 0.08 | -0.05 ± 0.03 | 0.04 ± 0.05 | -0.03 ± 0.05 | | | |
| Week 12 | -0.04 ± 0.11 | -0.04 ± 0.04 | -0.01 ± 0.03 | -0.06 ± 0.06 | | | |
| Week 26 | -0.15 ± 0.13 | -0.03 ± 0.04 | 0.07 ± 0.07 | -0.12 ± 0.08 | | | |
| Year 1 | -0.25 ± 0.15 | -0.07 ± 0.05 | 0.07 ± 0.09 | -0.14 ± 0.09 | | | |
| Year 2 | -0.48 ± 0.21 | -0.15 ± 0.06 | 0.03 ± 0.10 | -0.15 ± 0.10 | | | 0.070 |
| Year 3 | -0.43 ± 0.24 | -0.14 ± 0.07 | -0.00 ± 0.12 | -0.21 ± 0.10 | | | |
| Year 4 | -0.17 ± 0.19 | -0.23 ± 0.16 | 0.19 ± 0.16 | -0.23 ± 0.11 | | | |
| Year 5 | -0.11 ± 0.12 | -0.24 ± 0.13 | 0.15 ± 0.12 | -0.19 ± 0.12 | | | 0.136 |

*The values are given as the mean and the standard error. †This category assumes no interaction with time and indicates testing for the overall between-group mean difference over the entire postoperative follow-up period. ‡This category indicates testing for overall changing treatment effects with time over the entire postoperative follow-up period.

TABLE E-5 Analysis of Femoral Component Migration During Five Years of Follow-up

| Migration | Total Knee Prosthesis* | | | | P Value | | |
|--|------------------------|----------------|--------------|--------------|--------------|---------------------------|-------------------------|
| | LPS-Flex Mobile | LPS-Flex Fixed | LPS Mobile | LPS Fixed | Main Effect† | Group × Time Interaction‡ | Prespecified Time Point |
| Medial-lateral translation (mm) | | | | | | | |
| Five-year period | 0.11 ± 0.11 | -0.01 ± 0.09 | 0.04 ± 0.10 | 0.09 ± 0.10 | 0.795 | 0.109 | |
| Week 6 | -0.01 ± 0.05 | -0.01 ± 0.12 | -0.02 ± 0.05 | 0.07 ± 0.09 | | | |
| Week 12 | 0.15 ± 0.07 | -0.04 ± 0.12 | 0.04 ± 0.04 | 0.07 ± 0.09 | | | |
| Week 26 | 0.10 ± 0.09 | 0.08 ± 0.11 | 0.05 ± 0.03 | 0.09 ± 0.05 | | | |
| Year 1 | 0.21 ± 0.12 | -0.02 ± 0.15 | 0.01 ± 0.08 | 0.04 ± 0.05 | | | |
| Year 2 | 0.26 ± 0.14 | -0.07 ± 0.17 | 0.01 ± 0.06 | 0.10 ± 0.06 | | 0.323 | |
| Year 3 | 0.21 ± 0.15 | -0.12 ± 0.32 | -0.17 ± 0.02 | 0.06 ± 0.05 | | | |
| Year 4 | 0.21 ± 0.13 | 0.03 ± 0.29 | 0.12 ± 0.14 | 0.14 ± 0.08 | | | |
| Year 5 | 0.02 ± 0.12 | -0.18 ± 0.23 | 0.01 ± 0.12 | 0.13 ± 0.08 | | | 0.481 |
| Cranial-caudal translation (mm) | | | | | | | |
| Five-year period | 0.03 ± 0.10 | 0.20 ± 0.09 | 0.03 ± 0.10 | 0.27 ± 0.10 | 0.229 | 0.071 (0.336§) | |
| Week 6 | 0.12 ± 0.05 | 0.14 ± 0.07 | 0.05 ± 0.03 | 0.12 ± 0.05 | | | |
| Week 12 | 0.10 ± 0.08 | 0.18 ± 0.07 | 0.07 ± 0.03 | 0.28 ± 0.13 | | | |
| Week 26 | 0.08 ± 0.10 | 0.03 ± 0.04 | 0.03 ± 0.05 | 0.31 ± 0.14 | | | |
| Year 1 | -0.13 ± 0.19 | 0.18 ± 0.08 | -0.05 ± 0.14 | 0.29 ± 0.12 | | | |
| Year 2 | -0.10 ± 0.22 | 0.20 ± 0.08 | -0.02 ± 0.14 | 0.32 ± 0.15 | | 0.190 | |
| Year 3 | -0.14 ± 0.30 | 0.28 ± 0.16 | 0.10 ± 0.05 | 0.32 ± 0.19 | | | |
| Year 4 | -0.19 ± 0.26 | 0.41 ± 0.13 | -0.05 ± 0.19 | 0.35 ± 0.19 | | | |
| Year 5 | 0.09 ± 0.03 | 0.37 ± 0.16 | -0.05 ± 0.15 | 0.34 ± 0.18 | | | 0.221 |
| Anterior-posterior translation (mm) | | | | | | | |
| Five-year period | 0.32 ± 0.24 | 0.15 ± 0.20 | 0.29 ± 0.22 | 0.08 ± 0.22 | 0.843 | 0.297 | |
| Week 6 | -0.11 ± 0.11 | 0.03 ± 0.15 | 0.07 ± 0.06 | 0.08 ± 0.11 | | | |
| Week 12 | 0.04 ± 0.24 | 0.03 ± 0.16 | 0.16 ± 0.10 | 0.28 ± 0.20 | | | |
| Week 26 | 0.10 ± 0.28 | 0.15 ± 0.17 | 0.30 ± 0.10 | 0.10 ± 0.23 | | | |
| Year 1 | 0.64 ± 0.60 | 0.18 ± 0.16 | 0.46 ± 0.30 | 0.11 ± 0.16 | | | |
| Year 2 | 0.65 ± 0.70 | 0.12 ± 0.20 | 0.37 ± 0.26 | 0.14 ± 0.17 | | 0.722 | |
| Year 3 | 0.95 ± 0.89 | 0.31 ± 0.39 | 0.18 ± 0.10 | 0.12 ± 0.16 | | | |
| Year 4 | 1.00 ± 0.80 | 0.18 ± 0.22 | 0.48 ± 0.37 | -0.12 ± 0.20 | | | |
| Year 5 | 0.19 ± 0.11 | 0.03 ± 0.33 | 0.50 ± 0.31 | -0.21 ± 0.15 | | | 0.221 |
| Transverse rotation (deg) | | | | | | | |
| Five-year period | -0.12 ± 0.34 | 0.17 ± 0.28 | -0.14 ± 0.32 | 0.50 ± 0.29 | 0.414 | 0.149 | |
| Week 6 | 0.30 ± 0.16 | 0.18 ± 0.15 | -0.05 ± 0.14 | 0.16 ± 0.21 | | | |
| Week 12 | 0.12 ± 0.39 | 0.22 ± 0.16 | -0.02 ± 0.07 | 0.17 ± 0.33 | | | |
| Week 26 | 0.22 ± 0.45 | -0.05 ± 0.16 | -0.10 ± 0.17 | 0.41 ± 0.28 | | | |
| Year 1 | -0.66 ± 0.89 | 0.13 ± 0.15 | -0.52 ± 0.47 | 0.48 ± 0.14 | | | |
| Year 2 | -0.58 ± 1.07 | 0.20 ± 0.20 | -0.22 ± 0.41 | 0.49 ± 0.22 | | 0.478 | |
| Year 3 | -0.87 ± 1.18 | 0.25 ± 0.41 | 0.10 ± 0.24 | 0.59 ± 0.30 | | | |
| Year 4 | -1.17 ± 1.17 | 0.43 ± 0.21 | -0.26 ± 0.50 | 0.89 ± 0.39 | | | |
| Year 5 | 0.06 ± 0.01 | 0.36 ± 0.29 | -0.34 ± 0.41 | 1.00 ± 0.35 | | | 0.087 |

TABLE E-5 (continued)

| Migration | Total Knee Prosthesis* | | | | P Value | | |
|-----------------------------|------------------------|----------------|--------------|--------------|--------------|---------------------------|-------------------------|
| | LPS-Flex Mobile | LPS-Flex Fixed | LPS Mobile | LPS Fixed | Main Effect† | Group × Time Interaction‡ | Prespecified Time Point |
| Longitudinal rotation (deg) | | | | | | | |
| Five-year period | -0.54 ± 0.31 | -0.09 ± 0.25 | -0.51 ± 0.29 | -0.11 ± 0.27 | 0.510 | 0.575 | |
| Week 6 | 0.06 ± 0.17 | -0.13 ± 0.13 | -0.05 ± 0.05 | -0.00 ± 0.19 | | | |
| Week 12 | -0.35 ± 0.17 | 0.05 ± 0.18 | -0.41 ± 0.32 | 0.02 ± 0.27 | | | |
| Week 26 | -0.29 ± 0.33 | 0.09 ± 0.19 | -0.40 ± 0.25 | 0.10 ± 0.19 | | | |
| Year 1 | -0.79 ± 0.86 | 0.11 ± 0.20 | -0.22 ± 0.15 | 0.05 ± 0.10 | | | |
| Year 2 | -1.17 ± 1.13 | 0.20 ± 0.22 | -0.58 ± 0.23 | -0.03 ± 0.16 | | 0.233 | |
| Year 3 | -1.12 ± 1.15 | 0.22 ± 0.45 | -0.30 ± 0.33 | -0.00 ± 0.15 | | | |
| Year 4 | -1.62 ± 1.24 | -0.35 ± 0.09 | -0.82 ± 0.29 | -0.28 ± 0.19 | | | |
| Year 5 | -0.46 ± 0.02 | -0.06 ± 0.22 | -0.56 ± 0.14 | -0.14 ± 0.19 | | | 0.198 |
| Sagittal rotation (deg) | | | | | | | |
| Five-year period | -0.03 ± 0.18 | 0.19 ± 0.15 | -0.21 ± 0.17 | 0.11 ± 0.16 | 0.353 | 0.927 | |
| Week 6 | -0.02 ± 0.13 | 0.05 ± 0.10 | -0.12 ± 0.09 | 0.12 ± 0.13 | | | |
| Week 12 | 0.03 ± 0.17 | 0.09 ± 0.04 | -0.18 ± 0.15 | 0.06 ± 0.20 | | | |
| Week 26 | 0.02 ± 0.14 | 0.20 ± 0.12 | -0.13 ± 0.12 | 0.14 ± 0.20 | | | |
| Year 1 | 0.07 ± 0.21 | 0.22 ± 0.11 | -0.00 ± 0.12 | 0.07 ± 0.23 | | | |
| Year 2 | 0.05 ± 0.28 | 0.24 ± 0.14 | -0.19 ± 0.15 | 0.05 ± 0.27 | | 0.562 | |
| Year 3 | -0.1 ± 0.25 | 0.44 ± 0.27 | -0.22 ± 0.02 | -0.20 ± 0.31 | | | |
| Year 4 | -0.24 ± 0.28 | 0.57 ± 0.35 | -0.32 ± 0.23 | 0.26 ± 0.19 | | | |
| Year 5 | -0.09 ± 0.34 | 0.47 ± 0.41 | -0.28 ± 0.18 | 0.24 ± 0.16 | | | 0.151 |

*The values are given as the mean and the standard error. †This category assumes no interaction with time and indicates testing for the overall, between-group mean difference over the entire postoperative follow-up period. ‡This category indicates testing for the overall changing treatment effects with time over the entire postoperative follow-up period. §This is the p value from the analysis without the influential outliers and was tested because of the borderline significance of the primary analysis.