

TABLE E-1 Interobserver Agreement According to Country of Origin

Question	North America					
	2-D (N = 19)			3-D (N = 34)		
	κ	95% CI	Agreement	κ	95% CI	Agreement
Split humeral head	0.30	0.04, 0.55	Fair	0.36	0.23, 0.49	Fair
Displaced greater tuberosity	0.42	0.38, 0.46	Moderate	0.33	0.31, 0.35	Fair
Compromised arterial supply	0.26	0.15, 0.37	Fair	0.22	0.20, 0.23	Fair
Dislocated glenohumeral joint	0.17	-0.31, 0.66	Slight	0.08	-0.15, 0.32	Slight
AO classification	0.23	0.21, 0.25	Fair	0.18	0.17, 0.19	Slight
Preferred treatment	0.34	0.23, 0.45	Fair	0.28	0.21, 0.36	Fair

TABLE E-1 (continued)

Europe						Other					
2-D (N = 13)			3-D (N = 15)			2-D (N = 14)			3-D (N = 12)		
κ	95% CI	Agreement									
0.42	0.09, 0.75	Moderate	0.31	0.14, 0.47	Fair	0.10	-0.08, 0.28	Slight	0.17	-0.02, 0.35	Slight
0.30	0.24, 0.36	Fair	0.24	0.16, 0.32	Fair	0.33	0.27, 0.39	Fair	0.17	0.05, 0.30	Slight
0.12	0.04, 0.20	Slight	0.25	0.20, 0.31	Fair	0.15	0.05, 0.25	Slight	0.18	0.09, 0.27	Slight
0.04	-0.60, 0.70	Slight	0.16	-0.15, 0.46	Slight	0.15	-0.13, 0.42	Slight	0.12	-0.11, 0.35	Slight
0.14	0.11, 0.16	Slight	0.14	0.12, 0.17	Slight	0.16	0.14, 0.18	Slight	0.15	0.12, 0.17	Slight
0.24	0.12, 0.37	Fair	0.25	0.15, 0.35	Fair	0.14	0.01, 0.28	Slight	0.10	-0.02, 0.23	Slight

TABLE E-2 Interobserver Agreement According to Years in Independent Practice

Question	Years in Independent Practice						
	0–10			3-D (N = 29)			
	2-D (N = 16)	κ	95% CI	Agreement	κ	95% CI	Agreement
Split humeral head	0.31		0.08, 0.55	Fair	0.37	0.20, 0.54	Fair
Displaced greater tuberosity	0.36		0.31, 0.41	Fair	0.27	0.22, 0.31	Fair
Compromised arterial supply	0.22		0.09, 0.35	Fair	0.24	0.21, 0.27	Fair
Dislocated glenohumeral joint	0.17		−0.35, 0.69	Slight	0.09	−0.15, 0.33	Slight
AO classification	0.14		0.12, 0.16	Slight	0.17	0.16, 0.18	Slight
Preferred treatment	0.31		0.18, 0.44	Fair	0.31	0.21, 0.40	Fair

TABLE E-2 (continued)

Years in Independent Practice											
11–20						>20					
2-D (N = 17)			3-D (N = 19)			2-D (N = 13)			3-D (N = 13)		
κ	95% CI	Agreement	κ	95% CI	Agreement	κ	95% CI	Agreement	κ	95% CI	Agreement
0.13	−0.06, 0.33	Slight	0.33	0.14, 0.53	Fair	0.36	0.01, 0.71	Fair	0.22	0.03, 0.42	Fair
0.30	0.25, 0.35	Fair	0.31	0.26, 0.37	Fair	0.41	0.35, 0.47	Moderate	0.26	0.18, 0.34	Fair
0.18	0.12, 0.24	Slight	0.19	0.14, 0.23	Slight	0.15	0.02, 0.27	Slight	0.21	0.14, 0.29	Fair
0.08	−0.23, 0.38	Slight	0.10	−0.41, 0.60	Slight	0.10	−0.42, 0.61	Slight	0.06	−0.23, 0.35	Slight
0.20	0.19, 0.22	Slight	0.19	0.17, 0.21	Slight	0.18	0.15, 0.21	Slight	0.15	0.13, 0.18	Slight
0.16	0.05, 0.27	Slight	0.23	0.13, 0.33	Fair	0.28	0.16, 0.40	Fair	0.10	−0.04, 0.24	Slight

TABLE E-3 Interobserver Agreement According to Specialization

Question	Orthopaedic Traumatology					
	2-D (N = 22)			3-D (N = 25)		
	κ	95% CI	Agreement	κ	95% CI	Agreement
Split humeral head	0.37	0.09, 0.64	Fair	0.28	0.13, 0.43	Fair
Displaced greater tuberosity	0.39	0.35, 0.42	Fair	0.27	0.22, 0.33	Fair
Compromised arterial supply	0.17	0.11, 0.24	Slight	0.25	0.22, 0.29	Fair
Dislocated glenohumeral joint	0.12	-0.23, 0.46	Slight	0.10	-0.14, 0.35	Slight
AO classification	0.20	0.18, 0.21	Slight	0.16	0.15, 0.18	Slight
Preferred treatment	0.23	0.14, 0.33	Fair	0.23	0.13, 0.33	Fair

TABLE E-3 (continued)

Shoulder and Elbow						Other					
2-D (N = 14)			3-D (N = 12)			2-D (N = 10)			3-D (N = 24)		
κ	95% CI	Agreement	κ	95% CI	Agreement	κ	95% CI	Agreement	κ	95% CI	Agreement
0.31	-0.02, 0.64	Fair	'	0.03, 0.76	Fair	0.13	-0.01, 0.26	Slight	0.32	0.16, 0.48	Fair
0.43	0.35, 0.50	Moderate	0.43	0.36, 0.49	Moderate	0.20	0.11, 0.30	Slight	0.25	0.20, 0.29	Fair
0.23	0.06, 0.41	Fair	0.22	0.10, 0.35	Fair	0.18	0.08, 0.27	Slight	0.19	0.14, 0.23	Slight
0.15	-0.46, 0.76	Slight	0.01	-0.69, 0.71	Slight	0.04	-0.32, 0.41	Slight	0.07	-0.20, 0.34	Slight
0.24	0.21, 0.27	Fair	0.18	0.15, 0.21	Slight	0.09	0.06, 0.12	Slight	0.17	0.15, 0.18	Slight
0.35	0.21, 0.48	Fair	0.28	0.12, 0.44	Fair	0.18	0.03, 0.33	Slight	0.22	0.13, 0.31	Fair