

TABLE E-1 Age, Sex, Location, and Type of Treatment Performed for Nonrecurring Chondroblastomas

Case	Age (yr)	Sex	Location*	Treatment				Aneurysmal Component at Histology	Duration of Follow-up (mo)	Radiographic grade of Springfield et al. ⁷ at Diagnosis
				Curettage and Cement Filling	Curettage and Grafting	Simple Curettage	En Bloc Resection			
1	15	M	DF	N	Y	N	N	N	48	Latent
2	12	M	PH	N	N	Y	N	N	60	Active
3	1.5	F	PT	N	N	Y	N	N	24	Latent
4	15	F	PT	N	Y	N	N	N	101	Active
5	12	M	PH	N	Y	N	N	Y	106	Active
6	13	F	PH	N	Y	N	N	N	108	Active
7	11	F	PF	N	Y	N	N	Y	120	Latent
8	17	M	Pelvic	N	Y	N	N	Y	132	Aggressive
9	2.5	F	PF	N	N	Y	N	N	144	Latent
10	13	M	PT	N	N	N	Y	N	156	Aggressive
11	13	F	PF	N	Y	N	N	N	162	Latent
12	11	M	PT	N	Y	N	N	Y	30	Active
13	14.5	M	PT	N	N	Y	N	N	24	Active
14	13	M	PF	N	Y	N	N	N	27	Active
15	16	M	PT	N	N	Y	N	N	29	Latent
16	11	F	PT	Y	N	N	N	N	30	Active
17	15	M	DF	N	Y	N	N	N	24	Aggressive
18	14	F	DT	N	N	N	Y	Y	24	Aggressive
19	16	M	Patella	N	Y	N	N	Y	24	Active
20	16	M	PF	N	N	N	Y	Y	24	Active
21	12.5	F	PH	N	Y	N	N	Y	30	Active
22	17	M	PT	N	Y	N	N	N	30	Active
23	16	M	DF	N	Y	N	N	Y	30	Latent
24	13	M	PH	N	N	Y	N	N	30	Active
25	14.5	M	PH	N	Y	N	N	N	300	Latent
26	2	F	DF	N	N	Y	N	N	34	Latent
27	11.5	F	DF	N	Y	N	N	N	36	Active
28	12	M	DF	N	N	Y	N	Y	36	Active
29	14.5	M	PH	N	Y	N	N	N	37	Active

30	12	F	PT	N	Y	N	N	N	42	Active
31	11.5	F	PT	N	Y	N	N	N	48	Active
32	14	F	DR	N	N	Y	N	N	48	Active
33	13.5	F	PT	N	Y	N	N	N	52	Active
34	11	F	PF	N	N	Y	N	N	54	Latent
35	17	M	PF	N	Y	N	N	Y	60	Latent
36	11.5	F	PH	N	Y	N	N	N	61	Active
37	16	M	PT	N	Y	N	N	Y	62	Active
38	13	F	DT	N	Y	N	N	N	66	Active
39	11	F	PH	N	Y	N	N	N	72	Active
40	13	M	PF	N	N	Y	N	Y	78	Latent
41	6.5	M	PT	N	N	N	Y	N	80	Latent
42	12	F	PH	N	N	Y	N	N	84	Latent
43	15	F	DF	N	Y	N	N	N	84	Active
44	14	M	PT	N	Y	N	N	N	84	Active
45	15	F	Scapula	N	Y	N	N	Y	84	Active
46	10.5	F	PT	N	Y	N	N	N	84	Latent
47	13	M	PH	N	N	Y	N	Y	86	Aggressive
48	14	M	PF	N	Y	N	N	N	90	Active
49	11	M	PF	N	Y	N	N	N	96	Latent
50	16	M	PH	N	N	Y	N	N	96	Active
51	10.5	M	PF	N	N	N	Y	N	96	Aggressive
52	10	M	PF	N	Y	N	N	N	144	Latent

*DF = distal part of femur, PH = proximal part of humerus, PT = proximal part of tibia, PF = proximal part of femur, DT = distal part of tibia, DR = distal part of radius.

TABLE E-2 Age, Sex, Location, and Type of Treatment Performed for Recurring Chondroblastoma

Case	Age (yr)	Sex	Location*	Treatment				Time to Recurrence (mo)	Aneurysmal Component at Histology	Duration of Follow-up (mo)	Radiographic grade of Springfield et al. ⁷ at Diagnosis
				Curettage and Cement Filling	Curettage and Grafting	Simple Curettage	En Bloc Resection				
53	16	M	DF	N	N	Y	N	11	N	26	Latent
54	13.5	F	DT	N	N	Y	N	18	N	48	Active
55	12	F	PF	N	Y	N	N	9	Y	25	Active
56	11	F	PF	N	Y	N	N	5	Y	84	Active
57	15	M	PF	N	Y	N	N	4	N	82	Latent
58	12	M	PF	N	Y	N	N	12	N	60	Active
59	6	F	PF	N	Y	N	N	24	N	66	Latent
60	14	M	PF	N	Y	N	N	18	N	60	Active
61	12	M	PF	N	N	Y	N	6	Y	300	Active
62	9	M	PFi	N	N	Y	N	17	Y	49	Active
63	13	F	PH	N	Y	N	N	7	N	60	Aggressive
64	14	F	PH	N	Y	N	N	12	N	99	Active
65	14	F	PH	N	Y	N	N	7	N	72	Latent
66	13	M	PH	Y	N	N	N	6	N	27	Active
67	11	M	PH	N	Y	N	N	13	N	29	Active

68	14	F	PT	Y	N	N	N	3	Y	30	Active
69	16	M	PT	N	Y	N	N	15	N	43	Active
70	14	M	PT	N	N	Y	N	14	N	60	Active
71	13	M	PT	N	N	Y	N	4	Y	84	Active
72	15	M	PT	N	Y	N	N	11	N	60	Active
73	14.5	M	T	N	N	Y	N	5	Y	33	Aggressive
74	11	M	T	N	Y	N	N	20	N	66	Aggressive
75	4.5	M	T	N	N	Y	N	12	N	84	Active
76	15	M	T	N	N	Y	N	12	N	30	Aggressive

*DF = distal part of femur, DT = distal part of tibia, PF = proximal part of femur, PF_i = proximal part of fibula, PH = proximal part of humerus, PT = proximal part of tibia, T = tarsal bone.

TABLE E-3 Summary of Most Important Case Series of Chondroblastoma Reported in the Literature*

First Author	Year of Publication	No. of Cases	Most Frequent Location	Second Most Frequent Location	Male:Female Ratio
Dahlin ⁴	1972	125	Proximal part of tibia	Distal part of femur	81:42
Salzer ²⁸	1968	182	Proximal part of humerus	Distal part of femur	116:48
Schajowicz ⁶	1970	69	Proximal part of femur	Proximal part of tibia	44:25
Fink ¹⁷	1997	332	Distal part of femur	Proximal part of femur	245:87
Schuppers ¹⁵	1998	116	Distal part of femur	Proximal part of humerus	72:44
Springfield ⁷	1985	70	Proximal part of humerus	Distal part of femur	45:25
Ramappa ⁸	2000	47	Proximal part of tibia	Proximal part of humerus	29:18
de Silva ¹⁰	2003	42	Proximal part of femur	Distal part of femur, proximal part of tibia	28:14
Bloem ²⁹	1985	104	Proximal part of humerus	Distal part of femur, proximal part of tibia	1.86:1
Kurt ¹⁶	1989	495	Proximal part of tibia	Distal part of femur	325:167
Turcotte ¹⁹	1993	70	Proximal part of tibia	Proximal part of humerus	44:26
Suneja ¹¹	2005	53	Proximal part of humerus	Proximal part of tibia	40:13
Campanacci ³⁰	1999	215	Proximal part of humerus	Distal femur	3:1

*In terms of the number of cases. For each publication, the two most represented locations are given.