

TABLE E1 Data on the Twenty-four Patients (Twenty-five Limbs) Who Required Operative Excision of Symptomatic Heterotopic Ossification Lesions

Case	Mechanism of Injury	Amputation Level	Severity of Heterotopic Ossification	Time From Injury to Excision (mo)	Radiation Therapy	NSAIDS*	Postoperative Complications
1R	Land mine	Transfemoral	Moderate	6	Y	Y	None
1L	Land mine	Transtibial	Mild	9	N	N	None
2	Improvised explosive device	Transtibial	Mild	6	Y	Y	None
3	Improvised explosive device	Transfemoral	Severe	4	Y	Y	None
4	Motor-vehicle crash	Transfemoral	Severe	8	Y	Y	None
5	Improvised explosive device	Transfemoral	Moderate	5	Y	Y	Infection/minimal recurrence
6	Improvised explosive device	Transtibial	Moderate	7	Y	Y	Minimal recurrence
7	Improvised explosive device	Transfemoral	Severe	11	Y	Y	Infection
8	Rocket-propelled grenade	Hip disarticulation	Severe	9	Y	Y	None
9	Improvised explosive device	Transtibial	Severe	5	Y	Y	Hematoma
10	Improvised explosive device	Shoulder disarticulation	Moderate	6	N	N	None
11	Rocket-propelled grenade	Transradial	Mild	9	N	N	None
12	Improvised explosive device	Transfemoral	Moderate	6	Y	Y	Hematoma
13	Motor-vehicle collision	Hip disarticulation	Severe	4	Y	N	None
14	Nonspecified blast	Transradial	Moderate	6	Y	N	None
15	Improvised explosive device	Transradial	Moderate	3	Y	N	None
16	Land mine	Transfemoral	Mild	21	Y	N	None
17	Improvised explosive device	Transfemoral	Moderate	5	Y	N	None
18	Land mine	Transtibial	Mild	24	Y	N	None
19	Improvised explosive device	Transtibial	Mild	3	Y	N	None
20	Electrocution	Transtibial	Severe	22	Y	N	Wound dehiscence
21	Improvised explosive device	Transhumeral	Moderate	5	Y	Y	None
22	Improvised explosive device	Knee disarticulation	Moderate	11	N	Y	None
23	Boating accident	Transfemoral	Mild	6	Y	Y	Infection
24	Improvised explosive device	Transtibial	Severe	3	N	N	None

\*NSAIDS = nonsteroidal anti-inflammatory drugs.