

Table E-1 Postoperative Three-Dimensionally Reconstructed Computed Tomography (3DCT) and Functional Outcomes

Case	Age (year)	Gender	Fragment size (%)	Glenoid bone loss (%)	Postoperative 3DCT		Duration of Follow-up	Rowe*	UCLA**	Sports return
					Fragment position	Osseous union				
1	16	Female	9.9	30.0	fair	excellent	54	75	31	Limited
2	26	Male	11.2	32.4	good	excellent	24	95	35	Complete
3	26	Male	8.4	30.0	good	excellent	50	90	31	Limited
4	22	Male	14.2	25.7	good	excellent	45	100	35	Complete
5	36	Male	11.0	22.7	excellent	excellent	44	100	35	Complete
6	18	Male	16.5	33.3	fair	excellent	44	100	33	Complete
7	22	Male	2.8	25.0	good	excellent	24	100	35	Complete
8	28	Male	5.1	34.1	good	excellent	31	100	35	Complete
9	16	Male	20.9	27.3	excellent	excellent	31	95	35	Limited
10	33	Female	10.5	27.3	excellent	excellent	24	100	35	Complete
11	26	Male	16.9	31.8	good	excellent	27	100	35	Complete
12	18	Male	9.5	29.5	good	excellent	25	100	35	Complete
Average	23.9		11.4	29.1			35.3	96.3	34.2	

*The Rowe rating scale. **University of California at Los Angeles score.