COPYRIGHT © BY THE JOURNAL OF BONE AND JOINT SURGERY, INCORPORATED JAIN ET AL. PREDICTION OF COMPLICATIONS, READMISSION AND REVISION SURGERY BASED ON DURATION OF PREOPERATIVE OPIOID USE. ANALYSIS OF MAJOR JOINT REPLACEMENT AND LUMBAR FUSION http://dx.doi.org/10.2106/JBJS.18.00502

Page 1

Appendix

TABLE E-1 Codes (and Definitions) in Humana Database Used for Study Inclusion and Exclusion of Patients Who Underwent TKA, THA, or 1 to 2-Level PLF

Inclusion	
ТКА	
ICD-9-P-8154	Total knee replacement
ICD-9-D-71596	Osteoarthrosis, unspecified whether generalized or localized, lower leg
ICD-9-D-71536	Osteoarthrosis, localized, not specified whether primary or secondary, lower leg
ICD-9-D-71516	Osteoarthrosis, localized, primary, lower leg
ICD-9-D-71590	Osteoarthrosis, unspecified whether generalized or localized, site unspecified
CPT-27447	Arthroplasty, knee, condyle and plateau; medial AND lateral compartments with
	or without patella resurfacing (total knee arthroplasty)
ТНА	
ICD-9-P-8151	Hip joint replacement
ICD-9-D-71595	Osteoarthrosis, unspecified whether generalized or localized, pelvic region and
	thigh
ICD-9-D-71535	Osteoarthrosis, localized, not specified whether primary or secondary, pelvic
	region and thigh
ICD-9-D-71515	Osteoarthrosis, localized, primary, pelvic region and thigh
ICD-9-D-71590	Osteoarthrosis, unspecified whether generalized or localized, site unspecified
CPT-27130	Arthroplasty, acetabular and proximal femoral prosthetic replacement (total hip
	arthroplasty), with or without autograft or allograft
PLF	
ICD-9-P-8107	Lumbar and lumbosacral fusion of the posterior column, posterior technique
ICD-9-P-8108	Lumbar and lumbosacral fusion of the anterior column, posterior technique
ICD-9-P-8162	Fusion or refusion of 2-3 vertebrae
ICD-9-D-72402	Spinal stenosis, lumbar region, without neurogenic claudication
ICD-9-D-7384	Acquired spondylolisthesis
ICD-9-D-72252	Degeneration of lumbar or lumbosacral intervertebral disc
ICD-9-D-72210	Displacement of lumbar intervertebral disc without myelopathy
ICD-9-D-7213	Lumbosacral spondylosis without myelopathy
ICD-9-D-7244	Thoracic or lumbosacral neuritis or radiculitis, unspecified
ICD-9-D-75612	Spondylolisthesis
ICD-9-D-72403	Spinal stenosis, lumbar region, with neurogenic claudication
Exclusion	
TKA/THA/PLF: coexisting or	
prior diagnoses/procedures	
ICD-9-D-8208	Closed fracture of unspecified part of neck of femur
ICD-9-D-71695	Arthropathy, unspecified, pelvic region and thigh
ICD-9-D-7140	Rheumatoid arthritis
ICD-9-D-82009	Other closed transcervical fracture of neck of femur
ICD-9-D-9596	Hip and thigh injury
ICD-9-D-E8859	Fall from other slipping, tripping, or stumbling
ICD-9-D-75563	Other congenital deformity of hip (joint)
ICD-9-D-82021	Closed fracture of intertrochanteric section of neck of femur
ICD-9-D-82100	Closed fracture of unspecified part of femur
ICD-9-D-82000	Closed fracture of intracapsular section of neck of femur, unspecified
ICD-9-D-82003	Closed fracture of base of neck of femur
ICD-9-D-73314	Pathologic fracture of neck of femur
ICD-9-D-9053	Late effect of fracture of neck of femur
ICD-9-D-82020	Closed fracture of trochanteric section of neck of femur
ICD-9-D-8080	Closed fracture of acetabulum
ICD-9-D-8080	Open fracture of unspecified part of neck of femur
ICD-9-D-8088	Closed unspecified fracture of pelvis
ICD-9-D-8088	Closed fracture of shaft of femur
100-7-0-04101	CIUSEU II ACLUI E UI SIIAIL UI IEIIIUI

PREDICTION OF COMPLICATIONS, READMISSION AND REVISION SURGERY BASED ON DURATION OF PREOPERATIVE OPIOID USE. ANALYSIS OF MAJOR JOINT REPLACEMENT AND LUMBAR FUSION

http://dx.doi.org/10.2106/JBJS.18.00502 Page 2

ge 2	
ICD-9-D-99644	Peri-prosthetic fracture around prosthetic joint
ICD-9-P-7935	Open reduction of fracture with internal fixation, femur
ICD-9-P-7915	Closed reduction of fracture with internal fixation, femur
ICD-9-P-0080	Revision of knee replacement, total (all components)
ICD-9-P-0074	Hip bearing surface, metal-on-polyethylene
ICD-9-P-0077	Hip bearing surface, ceramic-on-polyethylene
ICD-9-P-0075	Hip bearing surface, metal-on-metal
ICD-9-P-8152	Partial hip replacement
ICD-9-P-8086	Other local excision or destruction of lesion of joint, knee
ICD-9-P-0070	Revision of hip replacement, both acetabular and femoral components
ICD-9-P-7865	Removal of implanted devices from bone, femur
ICD-9-P-0081	Revision of knee replacement, tibial component
ICD-9-P-8456	Insertion or replacement of (cement) spacer
ICD-9-P-8006	Arthrotomy for removal of prosthesis without replacement, knee
ICD-9-P-7855	Internal fixation of bone without fracture reduction, femur
ICD-9-P-0082	Revision of knee replacement, femoral component
ICD-9-P-0071	Revision of hip replacement, acetabular component
ICD-9-P-8005	Arthrotomy for removal of prosthesis without replacement, hip
ICD-9-P-0073	Revision of hip replacement, acetabular liner and/or femoral head only
ICD-9-P-0083	Revision of knee replacement, patellar component
ICD-9-P-0084	Revision of total knee replacement, tibial insert (liner)
ICD-9-P-0076	Hip bearing surface, ceramic-on-ceramic
ICD-9-P-0072	Revision of hip replacement, femoral component
ICD-9-D-3241	Intraspinal abscess
ICD-9-D-34400	Quadriplegia, unspecified
ICD-9-D-3441	Paraplegia
ICD-9-D-34460	Cauda equina syndrome without mention of neurogenic bladder
ICD-9-D-34461	Cauda equina syndrome with neurogenic bladder
ICD-9-D-7210	Cervical spondylosis without myelopathy
ICD-9-D-7211	Cervical spondylosis with myelopathy
ICD-9-D-72141	Spondylosis with myelopathy, thoracic region
ICD-9-D-7220	Displacement of cervical intervertebral disc without myelopathy
ICD-9-D-72211	Displacement of thoracic intervertebral disc without myelopathy
ICD-9-D-72271	Intervertebral disc disorder with myelopathy, cervical region
ICD-9-D-72272	Intervertebral disc disorder with myelopathy, thoracic region
ICD-9-D-72283	Postlaminectomy syndrome, lumbar region
ICD-9-D-7230	Spinal stenosis in cervical region
ICD-9-D-72401	Spinal stenosis, thoracic region
ICD-9-D-73028	Unspecified osteomyelitis, other specified sites
ICD-9-D-73730	Scoliosis [and kyphoscoliosis], idiopathic
ICD-9-D-73739	Other kyphoscoliosis and scoliosis
	Closed fracture of dorsal [thoracic] vertebra without mention of spinal cord
ICD-9-D-8052	injury
ICD-9-D-8054	Closed fracture of lumbar vertebra without mention of spinal cord injury
ICD-9-D-V454	Arthrodesis status
ICD-9-P-8102	Other cervical fusion of the anterior column anterior technique
ICD-9-P-8103	Other cervical fusion of the posterior column posterior technique
ICD-9-P-8104	Dorsal and dorsolumbar fusion of the anterior column anterior technique
ICD-9-P-8105	Dorsal and dorsolumbar fusion of the posterior column, posterior technique
ICD-9-P-8106	Lumbar and lumbosacral fusion of the anterior column, posterior technique
ICD-9-P-8163	Fusion or refusion of 4-8 vertebrae
ICD-9-P-8164	Fusion or refusion of 9 or more vertebrae

Copyright $\ensuremath{\mathbb O}$ by The Journal of Bone and Joint Surgery, Incorporated JAIN ET AL.

PREDICTION OF COMPLICATIONS, READMISSION AND REVISION SURGERY BASED ON DURATION OF PREOPERATIVE OPIOID USE. ANALYSIS OF MAJOR JOINT REPLACEMENT AND LUMBAR FUSION

http://dx.doi.org/10.2106/JBJS.18.00502

Page 3

	and CPT Codes Used to Identify Primary Outcome Measures in Humana Database
Code	Definition

) and CPT Codes Used to Identify Primary Outcome Measures in Humana Database
Code	Definition
ED visits	
CPT-99281	Emergency department visit for the evaluation and management of a patient which requires these 3 key components: a problem focused history; a problem focused examination; and straightforward medical decision making. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually the presenting problem(s) are self-limited or minor.
CPT-99282	Emergency department visit for the evaluation and management of a patient which requires these 3 key components: an expanded problem focused history; an expanded problem focused examination; and medical decision making of low complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually the presenting problem(s) are of low to moderate severity.
CPT-99283	Emergency department visit for the evaluation and management of a patient which requires these 3 key components: an expanded problem focused history; an expanded problem focused examination; and medical decision making of moderate complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually the presenting problem(s) are of moderate severity.
CPT-99284	Emergency department visit for the evaluation and management of a patient which requires these 3 key components: a detailed history; a detailed examination; and medical decision making of moderate complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually the presenting problem(s) are of high severity and require urgent evaluation by the physician but do not pose an immediate significant threat to life or physiologic function.
CPT-99285	Emergency department visit for the evaluation and management of a patient which requires these 3 key components within the constraints imposed by the urgency of the patient's clinical condition and/or mental status: a comprehensive history; a comprehensive examination; and medical decision making of high complexity. Counseling and/or coordination of care with other providers or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually the presenting problem(s) are of high severity and pose an immediate significant threat to life or physiologic function.
Pain diagnosis on ED encounter	
ТКА	
ICD-10-D-G8918	Other acute postprocedural pain
ICD-10-D- M25561	Pain in right knee
ICD-10-D- M25562	Pain in left knee
ICD-10-D- M25569	Pain in unspecified knee
ICD-10-D- M79609	Pain in unspecified limb
ICD-10-D-R52	Pain unspecified
ICD-9-D-33818	Other acute postoperative pain
ICD-9-D-71946	Pain in joint lower leg
ICD-9-D-7295	Pain in limb
ICD-9-D-78096	Generalized pain
THA	
ICD-10-D-G8918	Other acute postprocedural pain
ICD-10-D-	Pain in right hip
M25551	

PREDICTION OF COMPLICATIONS, READMISSION AND REVISION SURGERY BASED ON DURATION OF PREOPERATIVE OPIOID USE. ANALYSIS OF MAJOR JOINT REPLACEMENT AND LUMBAR FUSION

http://dx.doi.org/10.2106/JBJ	5.18.00502
Page 4	

Page 4	
ICD-10-D-	Pain in unspecified hip
M25559	
ICD-10-D- M79609	Pain in unspecified limb
ICD-10-D-R52	Pain unspecified
ICD-9-D-33818	Other acute postoperative pain
ICD-9-D-33819	Other acute pain
ICD-9-D-71945	Pain in joint pelvic region and thigh
ICD-9-D-7295	Pain in limb
PLF	
ICD-10-D-G8918	Other acute postprocedural pain
ICD-10-D-M5410	Radiculopathy site unspecified
ICD-10-D-M5416	Radiculopathy lumbar region
ICD-10-D-M5417	Radiculopathy lumboa region
ICD-10-D-M5430	Sciatica unspecified side
ICD-10-D-M545	Low back pain
	Neuralgia and neuritis unspecified
ICD-10-D-M792 ICD-10-D-	
M79609	Pain in unspecified limb
ICD-10-D-M961	Postlaminectomy syndrome not elsewhere classified
ICD-10-D-R52	Pain unspecified
ICD-9-D-33818	Other acute postoperative pain
ICD-9-D-33819	Other acute pain
ICD-9-D-72283	Postlaminectomy syndrome lumbar region
ICD-9-D-7242	Lumbago
ICD-9-D-7243	Sciatica
ICD-9-D-7244	Thoracic or lumbosacral neuritis or radiculitis unspecified
ICD-9-D-7245	Backache unspecified
ICD-9-D-7292	Neuralgia neuritis and radiculitis unspecified
ICD-9-D-7295	Pain in limb
ICD-9-D-72989	Other musculoskeletal symptoms referable to limbs
Fall	
ICD-10-D-	
W19XXXA	Unspecified fall, initial encounter
ICD-10-D-Z9181	History of falling
ICD-9-D-E8889	Unspecified fall
ICD-9-D-V1588	History of fall
DVT/PE	
ICD-10-D-I2699	Other pulmonary embolism without acute cor pulmonale
ICD-10-D-I82409	Acute embolism and thrombosis of unspecified deep veins of unspecified lower extremity
ICD-10-D-102403	Embolism due to internal orthopaedic prosthetic devices implants and grafts initial encounter
ICD-9-D-41511	latrogenic pulmonary embolism and infarction
ICD-9-D-41511 ICD-9-D-41519	Other pulmonary embolism and infarction
	Acute venous embolism and thrombosis of unspecified deep vessels of lower extremity
ICD-9-D-45340 ICD-9-D-45341	Acute venous embolism and thrombosis of unspecified deep vessels of lower extremity
ICD-9-D-45341 ICD-9-D-45342	Acute venous embolism and thrombosis of deep vessels of proxima lower extremity
ICD-9-D-4539	Other venous embolism and thrombosis of usep vessels of distal lower extremity
Wound dehiscence	
and infection	
ТКА	
ICD-10-D-	Unspecified open wound unspecified knee initial encounter
S81009A	onspectied open would unspectied knee initial encounter
ICD-10-D-	Disruption of external operation (surgical) wound not elsewhere classified initial encounter
T8131XA	bisi upuon oi externai operation (surgicar) wound not eisewhere classified initial encounter
ICD-10-D-	Infection following a procedure initial encounter
	intection following a procedure initial encounter
T814XXA	

PREDICTION OF COMPLICATIONS, READMISSION AND REVISION SURGERY BASED ON DURATION OF PREOPERATIVE OPIOID USE. ANALYSIS OF MAJOR JOINT REPLACEMENT AND LUMBAR FUSION

http://dx.doi.org/10.2106/JBJS.18.00502 Page 5

Page 5	
ICD-10-D- T8189XA	Other complications of procedures not elsewhere classified initial encounter
ICD-10-D- T8450XA	Infection and inflammatory reaction due to unspecified internal joint prosthesis initial encounter
ICD-9-D-6826	Cellulitis and abscess of leg except foot
ICD-9-D-6829	Cellulitis and abscess of negencept root
ICD-9-D-6869	Unspecified local infection of skin and subcutaneous tissue
ICD-9-D-0009 ICD-9-D-71106	Pyogenic arthritis lower leg
ICD-9-D-8910	Open wound of knee leg [except thigh] and ankle without mention of complication
ICD-9-D-99666	Infection and inflammatory reaction due to internal joint prosthesis
ICD-9-D-99832	Disruption of external operation (surgical) wound
ICD-9-D-99859	Other postoperative infection
ICD-9-D-99883	Non-healing surgical wound
THA	
ICD-10-D-L03119	Cellulitis of unspecified part of limb
ICD-10-D-L0390	Cellulitis unspecified
ICD-10-D- S71009A	Unspecified open wound unspecified hip initial encounter
ICD-10-D- T8131XA	Disruption of external operation (surgical) wound not elsewhere classified initial encounter
ICD-10-D-	Infection following a procedure initial encounter
T814XXA	
ICD-10-D-	Infection and inflammatory reaction due to unspecified internal joint prosthesis initial
T8450XA	encounter
ICD-9-D-6829	Cellulitis and abscess of unspecified sites
ICD-9-D-71105	Pyogenic arthritis pelvic region and thigh
ICD-9-D-71195	Unspecified infective arthritis pelvic region and thigh
ICD-9-D-8900	Open wound of hip and thigh without mention of complication
ICD-9-D-8901	Open wound of hip and thigh complicated
ICD-9-D-99666	Infection and inflammatory reaction due to internal joint prosthesis
ICD-9-D-99667	Infection and inflammatory reaction due to other internal orthopaedic device implant and graft
ICD-9-D-99832	Disruption of external operation (surgical) wound
ICD-9-D-99851	Infected postoperative seroma
ICD-9-D-99859	Other postoperative infection
ICD-9-D-99883	Non-healing surgical wound
PLF	
ICD-10-D-G061	Intraspinal abscess and granuloma
ICD-10-D-L0390	Cellulitis unspecified
ICD-10-D-	Unspecified open wound of lower back and pelvis without penetration into retroperitoneum
S31000A	initial encounter
ICD-10-D-	Disruption of wound unspecified initial encounter
T8130XA	
ICD-10-D- T8131XA	Disruption of external operation (surgical) wound not elsewhere classified initial encounter
ICD-10-D- T814XXA	Infection following a procedure initial encounter
ICD-10-D-	Infection and inflammatory reaction due to other internal orthopaedic prosthetic devices
T847XXA	implants and grafts initial encounter
ICD-9-D-3241	Intraspinal abscess
ICD-9-D-6829	Cellulitis and abscess of unspecified sites
ICD-9-D-8760	Open wound of back without mention of complication
ICD-9-D-8761 ICD-9-D-99667	Open wound of back complicated Infection and inflammatory reaction due to other internal orthopaedic device implant and
	graft
ICD-9-D-99830	Disruption of wound unspecified

PREDICTION OF COMPLICATIONS, READMISSION AND REVISION SURGERY BASED ON DURATION OF PREOPERATIVE OPIOID USE. ANALYSIS OF MAJOR JOINT REPLACEMENT AND LUMBAR FUSION

http://dx.doi.org/10.2106/JBJS.18.00502 Page 6

Page 6	
ICD-9-D-99832	Disruption of external operation (surgical) wound
ICD-9-D-99851	Infected postoperative seroma
ICD-9-D-99859	Other postoperative infection
ICD-9-D-99883	Non-healing surgical wound
Systemic infection	
and sepsis	
ICD-10-D-A419	Sepsis unspecified organism
ICD-10-D-J189	Pneumonia unspecified organism
ICD-10-D-R5082	Postprocedural fever
ICD-10-D-R509	Fever unspecified
ICD-9-D-0389	Unspecified septicemia
ICD-9-D-486	Pneumonia organism unspecified
ICD-9-D-78060	Fever unspecified
ICD-9-D-78062	Postprocedural fever
ICD-9-D-99591	Sepsis
Revision surgery	
ТКА	
ICD-10-P-	
OSWCOJZ	Revision of synthetic substitute in right knee joint, open approach
ICD-10-P-	
OSWCXJZ	Revision of synthetic substitute in right knee joint, external approach
ICD-10-P-	
0SWD09Z	Revision of liner in left knee joint, open approach
ICD-10-P-	
OSWDOJZ	Revision of synthetic substitute in left knee joint, open approach
ICD-10-P-	
OSWDXJZ	Revision of synthetic substitute in left knee joint, external approach
ICD-9-P-0080	Revision of knee replacement total (all components)
ICD-9-P-0081	Revision of knee replacement tibial component
ICD-9-P-0082	Revision of knee replacement femoral component
ICD-9-P-0084	Revision of total knee replacement tibial insert (liner)
ICD-9-P-8155	Revision of knee replacement not otherwise specified
ICD-9-P-8456	Insertion or replacement of (cement) spacer
ТНА	
ICD-9-P-0070	Revision of hip replacement both acetabular and femoral components
ICD-9-P-0071	Revision of hip replacement acetabular component
ICD-9-P-0072	Revision of hip replacement declastical component
ICD-9-P-0072	Revision of hip replacement acetabular liner and/or femoral head only
ICD-9-P-8456	Insertion or replacement of (cement) spacer
ICD-10-P-	
0SW90JZ	Revision of synthetic substitute in right hip joint, open approach
ICD-10-P-	
0SW9XJZ	Revision of synthetic substitute in right hip joint, external approach
ICD-10-P-	
0SWB0JZ	Revision of synthetic substitute in left hip joint, open approach
ICD-10-P-	
OSWBXJZ	Revision of synthetic substitute in left hip joint, external approach
PLF	
ICD-9-P-0302	Reopening of laminectomy site
ICD-9-P-0309	Other exploration and decompression of spinal canal
ICD-9-P-8137	Refusion of lumbar and lumbosacral spine posterior column posterior technique
ICD-9-P-8137	Refusion of lumbar and lumbosacral spine anterior column posterior technique
ICD-9-P-8138 ICD-10-P-	Inspection of spinal canal, open approach
00JU0ZZ	inspection of spinal canal, open approach
UUJUULL	