Table 2

Behavioral Health Care Competency Responses

Item	No.	SD	D	Neither	A	SA	M
				A/D			(SD)
Assessment $\alpha = .85 (n = 279)$							3.7
							(0.6)
I can assess patients for potential	288	14	30	57	158	29	3.6
psychiatric problems.		(4.9)	(10.4)	(20.0)	(54.9)	(10.1)	(1.0)
I am able to identify signs and	287	7	44	59	147	30	3.5
symptoms of common psychiatric		(2.4)	(15.3)	(20.6)	(51.2)	(10.5)	(0.9)
conditions e.g., depression,							
schizophrenia, bipolar disorder).							
I can identify common neuroleptic,	287	8	48	49	161	21	3.5
tranquilizers, and antidepressant		(2.8)	(16.7)	(17.1)	(56.1)	(7.3)	(0.9)
medications used with psychiatric							
patients.							
I can assess patients for risk of	285	4	24	44	179	34	3.8
suicide (suicidality).		(1.4)	(8.4)	(15.4)	(62.8)	(11.9)	(0.8)
I recognize behaviors that indicate a	286	2 (.7)	12	20	209	43	4.0
patient may have alcohol or drug			(4.2)	(7.0)	(73.1)	(15.0)	(0.7)
abuse problems.							
I can recognize signs and symptoms	284	4	16	23	192	49	3.9
of alcohol withdrawal.		(1.4)	(5.6)	(8.1)	(67.6)	(17.3)	(0.8)
I can recognize signs and symptoms	284	4	20	29	193	38	3.9
of drug withdrawal.		(1.4)	(7.0)	(10.2)	(68.0)	(13.4)	(0.8)
I can distinguish between dementia	285	15	52	77	126	16	3.3
and delirium.		(5.2)	(18.2)	(26.9)	(44.1)	(5.6)	(1.0)
I can recognize the warning signs in	284	2 (.7)	32	34	185	31	3.7
patients whose behavior may			(11.3)	(12.0)	(65.1)	(10.9)	(0.8)
escalate to aggression or dangerous							
behavior.							

Practice/Intervention $\alpha = .85$ ( $n =$							3.4
280)							(.6)
I can initiate appropriate nursing	286	14	53	77	123	19	3.3
interventions for common		(4.9)	(18.5)	(26.9)	(43.0)	(6.6)	(1.0)
psychiatric issues such as							
depression, bipolar disorder, and							
psychosis.							
I can effectively interact with	283	8	32	74	144	25	3.5
patients who have mental health		(2.8)	(11.3)	(26.2)	(50.9)	(8.8)	(0.9)
problems.							
I can maintain a safe environment	285	5	23	57	168	32	3.7
for patients on my unit who have		(1.8)	(8.1)	(20.0)	(59.0)	(11.2)	(0.8)
psychiatric conditions.							
I am able to manage conflicts	286	6	36	93	127	24	3.4
caused by patients who have mental		(2.1)	(12.6)	(32.5)	(44.4)	(8.4)	(0.9)
problems.							
I can effectively intervene with a	285	11	67	100	97	10	3.1
patient having hallucinations.		(3.9)	(23.5)	(35.1)	(34.0)	(3.5)	(0.9)
I am able to use de-escalation	285	8	53	89	119	16	3.3
techniques and crisis		(2.8)	(18.6)	(31.2)	(41.8)	(5.6)	(0.9)
communication to avert aggressive							
behaviors.							
I plan for more time to take care of	286	7	38	85	124	32	3.5
patients with psychiatric issues		(2.5)	(13.3)	(29.7)	(43.4)	(11.2)	(0.9)
compared with my other patients.							
I can maintain a therapeutic	287	2 (.7)	14	62	188	18	3.7
relationship with most patients on			(4.9)	(21.8)	(66.2)	(6.3)	(0.7)
my unit who have psychiatric							
issues.							
Recommend psychotropics $\alpha = .79$							2.4
(n = 287)							(1.0)

I am confident that I can	287	54	126	54	46	7	2.4
recommend use of psychotropic		(18.8)	(43.9)	(18.8)	(16.0)	(2.4)	(1.0)
drugs to physicians for appropriate							
patients.							
I recommend psychotropic drugs to	287	74	98	68	41	6	2.3
physicians for psychiatric patients.		(25.8)	(34.2)	(24.0)	(14.3)	(2.1)	(1.1)
Resource adequacy $\alpha = .69$ ( $n =$							4.0
284)							(0.6)
I know when to ask for outside help	287	3	5	21	167	91	4.2
(e.g., physician, psychiatric nurse,		(1.1)	(1.7)	(7.3)	(58.2)	(31.7)	(0.7)
other) for a patient with psychiatric							
issues or dangerous behaviors.							
I call for outside resources (e.g.	286	3	4	21	159	99	4.2
physician, psychiatric nurse, other)		(1.1)	(1.4)	(7.3)	(55.6)	(34.6)	(0.7)
when I recognize that my patient's							
behaviors are escalating beyond my							
capabilities.							
I am confident that help is available	285	5	25	57	143	55	3.8
to me when I need assistance with		(1.8)	(8.8)	(20.0)	(50.2)	(19.3)	(0.9)
patients who have comorbid							
behavioral or psychiatric issues.							
Hospital resources are available to	288	6	24	79	132	47	3.7
me when I need assistance with		(2.1)	(8.3)	(27.4)	(45.8)	(16.3)	(0.9)
behavioral health, psychiatric							
issues, or substance abuse issues.							
Total BHCC Score $(n = 271)$							3.5
							(0.5)

Note. SD = strongly disagree. D = Disagree. A = Agree. SA = Strongly agree. BHCC = Behavioral Health Care Competency.