Staffing Trade-Off Analysis: Critical Care Unit

Data Reported by Critical Care Unit Nurse Leaders¹

	RN-to- Patient Ratio ⁴	RN-to- Assistant Ratio ⁵	BSN Degree ⁶	Specialty Certification ⁷	<1 Year of Experience ⁸	>5 Years of Experience ⁹
For units with a 1:2 RN-to-patient ratio , what are the median values of other key nurse staffing variables? ² (n=254)	1:2	1:0.13	63%	30%	5%	60%
For units with a 1:3 RN-to-patient ratio , what are the median values of other key nurse staffing variables? (<i>n</i> =20)	1:3	1:0.24	58%	15%	18%	60%
For units on which 20% or less of staff RNs have a BSN degree, what are the median values of other key nurse staffing variables? ³ (n=15)	1:2	1:0.17	20%	15%	10%	80%
For units on which 50% of staff RNs have a BSN degree , what are the median values of other key nurse staffing variables? (n=32)	1:2	1:0.13	50%	23%	10%	73%
For units on which 80% or more of staff RNs have a BSN degree , what are the median values of other key nurse staffing variables? (n=70)	1:2	1:0.13	80%	28%	5%	60%

Nurse managers, assistant nurse managers/supervisors, and nurse directors reported data for the single unit they oversee which has the largest number of staff nurses. Based on the survey question "During a typical weekday shift on this unit, how many patients is each RN usually responsible for?" We selected the RN-to-patient ratio is to include in the table based on the most common ratios we found in the data. If you do not see your unit's RN-to-patient ratio listed in the table, the ratio was not common in our sample. Based on the survey question "On this unit, approximately what percentage of staff nurses have a Bachler of Science in Nursing (BSN) degree?" For the sake of consistency across unit types, we show how 20% or less BSN preparation, 50% preparation, and 80% or more BSN preparation impact other key care team elements.
Based on the survey question "During a typical weekday shift on this unit, how many patients is each RN usually responsible for?"
Based on the survey questions "During a typical weekday shift on this unit, approximately how many unit-based nurse aides or techs (for example, CNAs, PCAs, PCTs) are dedicated to the unit?"
Based on the survey question "On this unit, approximately what percentage of RNs have a Bachleior of Science in Nursing (BSN) degree?"
Based on the survey question "On this unit, approximately what percentage of RNs have less than one year of nursing experience?"
Based on the survey question "On this unit, approximately what percentage of RNs have less than one year of nursing experience?"

Staffing Trade-Off Analysis: Emergency Department

Data Reported by Emergency Department Nurse Leaders¹

	RN-to- Patient Ratio⁴	RN-to- Assistant Ratio ⁵	BSN Degree ⁶	Specialty Certification ⁷	<1 Year of Experience ⁸	>5 Years of Experience ⁹
For units with a 1:3 RN-to-patient ratio , what are the median values of other key nurse staffing variables? ² (n=26)	1:3.0	1:0.26	60%	23%	10%	70%
For units with a 1:4 RN-to-patient ratio , what are the median values of other key nurse staffing variables? (n=63)	1:4.0	1:0.29	50%	20%	5%	70%
For units with a 1:5 RN-to-patient ratio , what are the median values of other key nurse staffing variables? (n=14)	1:5.0	1:0.35	45%	20%	5%	58%
For units on which 20% or less of staff RNs have a BSN degree, what are the median values of other key nurse staffing variables? ³ (n=18)	1:4.0	1:0.35	15%	5%	5%	78%
For units on which 50% of staff RNs have a BSN degree , what are the median values of other key nurse staffing variables? (n=21)	1:4.0	1:0.25	50%	20%	5%	80%
For units on which 80% or more of staff RNs have a BSN degree, what are the median values of other key nurse staffing variables? (n=17)	1:6.0	1:0.31	85%	15%	5%	80%

Nurse managers, assistant nurse managers/supervisors, and nurse directors reported data for the single unit they oversee which has the largest number of staff nurses. Based on the survey question "During a typical weekday shift on this unit, how many patients is each RN usually responsible for?" We selected the RN-to-patient ratio is to include in the table based on the most common ratios we found in the data. If you do not see your unit's RN-to-patient ratio listed in the table, the ratio was not common in our sample. Based on the survey question "On this unit, approximately what percentage of staff nurses have a Bachler of Science in Nursing (BSN) degree?" For the sake of consistency across unit types, we show how 20% or less BSN preparation, 50% preparation, and 80% or more BSN preparation impact other key care team elements.
Based on the survey question "During a typical weekday shift on this unit, how many patients is each RN usually responsible for?"
Based on the survey questions "During a typical weekday shift on this unit, approximately how many unit-based nurse aides or techs (for example, CNAs, PCAs, PCTs) are dedicated to the unit?"
Based on the survey question "On this unit, approximately what percentage of RNs have a Bachleior of Science in Nursing (BSN) degree?"
Based on the survey question "On this unit, approximately what percentage of RNs have less than one year of nursing experience?"
Based on the survey question "On this unit, approximately what percentage of RNs have less than one year of nursing experience?"

Staffing Trade-Off Analysis: OB-GYN/Labor and Delivery Unit

Data Reported by OB-GYN/Labor and Delivery Unit Nurse Leaders¹

	RN-to- Patient Ratio⁴	RN-to- Assistant Ratio ⁵	BSN Degree ⁶	Specialty Certification ⁷	<1 Year of Experience ⁸	>5 Years of Experience ⁹
For units with a 1:2 RN-to-patient ratio , what are the median values of other key nurse staffing variables? ² (n=60)	1:2.0	1:0.20	45%	33%	5%	80%
For units with a 1:3 RN-to-patient ratio , what are the median values of other key nurse staffing variables? (n=21)	1:3.0	1:0.20	50%	30%	5%	75%
For units with a 1:4 RN-to-patient ratio , what are the median values of other key nurse staffing variables? (n=21)	1:4.0	1:0.17	40%	25%	0%	85%
For units on which 20% or less of staff RNs have a BSN degree, what are the median values of other key nurse staffing variables? ³ (n=26)	1:4.0	1:0.20	10%	25%	5%	80%
For units on which 50% of staff RNs have a BSN degree , what are the median values of other key nurse staffing variables? (n=21)	1:2.0	1:0.20	50%	30%	5%	80%
For units on which 80% or more of staff RNs have a BSN degree , what are the median values of other key nurse staffing variables? (n=14)	1:2.0	1:0.24	90%	45%	10%	78%

Nurse managers, assistant nurse managers/supervisors, and nurse directors reported data for the single unit they oversee which has the largest number of staff nurses.

Based on the survey question "During a typical weekday shift on this unit, how many patients is each RN usually responsible for?" We selected the RN-to-patient ratios to include

in the table based on the most common ratios we found in the data. If you do not see your unit's RN-to-patient ratio listed in the table, the ratio was not common in our sample. Based on the survey question "On this unit, approximately what percentage of staff nurses have a Bachelor of Science in Nursing (BSN) degree?" For the sake of consistency across unit types, we show how 20% or less BSN preparation, 50% preparation, and 80% or more BSN preparation impact other key care team elements.

Based on the survey question "During a typical weekday shift on this unit, how many patients is each RN usually responsible for?"

Based on the survey question "During a typical weekday shift on this unit, how many patients is each RN usually responsible for?"
Based on the survey questions "During a typical weekday shift on this unit, approximately how many Registered Nurses (RNs) provide patient care?" and "During a typical weekday shift on this unit, approximately how many unit-based nurse aides or techs (for example, CNAs, PCAs, PCTs) are dedicated to the unit?"
Based on the survey question "On this unit, approximately what percentage of staff nurses have a Bachelor of Science in Nursing (BSN) degree?"
Based on the survey question "On this unit, approximately what percentage of RNs hold a national specialty certification directly related to the type of work they do?"
Based on the survey question "On this unit, approximately what percentage of RNs have less than one year of nursing experience?"
Based on the survey question "On this unit, approximately what percentage of RNs have more than five years of nursing experience?"

Staffing Trade-Off Analysis: Psychiatric/Behavioral Health Unit

Data Reported by Psychiatric/Behavioral Health Unit Nurse Leaders¹

	RN-to- Patient Ratio⁴	RN-to- Assistant Ratio ⁵	BSN Degree ⁶	Specialty Certification ⁷	<1 Year of Experience ⁸	>5 Years of Experience ⁹
For units with a 1:5 RN-to-patient ratio , what are the median values of other key nurse staffing variables? ² (n=26)	1:5	1:0.63	43%	5%	5%	70%
For units with a 1:6 RN-to-patient ratio , what are the median values of other key nurse staffing variables? (n=24)	1:6	1:0.71	40%	5%	3%	75%
For units with a 1:7 RN-to-patient ratio , what are the median values of other key nurse staffing variables? (n=14)	1:7	1:1.00	50%	5%	5%	68%
For units on which 20% or less of staff RNs have a BSN degree, what are the median values of other key nurse staffing variables? ³ (n=30)	1:6	1:0.73	5%	5%	0%	80%
For units on which 50% of staff RNs have a BSN degree , what are the median values of other key nurse staffing variables? (n=15)	1:6	1:0.67	50%	10%	5%	60%
For units on which 80% or more of staff RNs have a BSN degree, what are the median values of other key nurse staffing variables? (n=18)	1:6	1:0.67	85%	10%	5%	75%

Based on the survey question "During a typical weekday shift on this unit, how many patients is each RN usually responsible for?"
Based on the survey questions "During a typical weekday shift on this unit, approximately how many Registered Nurses (RNs) provide patient care?" and "During a typical weekday shift on this unit, approximately how many unit-based nurse aides or techs (for example, CNAs, PCAs, PCTs) are dedicated to the unit?"
Based on the survey question "On this unit, approximately what percentage of staff nurses have a Bachelor of Science in Nursing (BSN) degree?"
Based on the survey question "On this unit, approximately what percentage of RNs hold a national specialty certification directly related to the type of work they do?"
Based on the survey question "On this unit, approximately what percentage of RNs have less than one year of nursing experience?"
Based on the survey question "On this unit, approximately what percentage of RNs have more than five years of nursing experience?"

Nurse managers, assistant nurse managers/supervisors, and nurse directors reported data for the single unit they oversee which has the largest number of staff nurses.

Based on the survey question "During a typical weekday shift on this unit, how many patients is each RN usually responsible for?" We selected the RN-to-patient ratios to include

in the table based on the most common ratios we found in the data. If you do not see your unit's RN-to-patient ratio listed in the table, the ratio was not common in our sample. Based on the survey question "On this unit, approximately what percentage of staff nurses have a Bachelor of Science in Nursing (BSN) degree?" For the sake of consistency across unit types, we show how 20% or less BSN preparation, 50% preparation, and 80% or more BSN preparation impact other key care team elements.

Based on the survey question "During a typical weekday shift on this unit, how many patients is each RN usually responsible for?"

Staffing Trade-Off Analysis: Telemetry Unit

Data Reported by Telemetry Unit Nurse Leaders¹

	RN-to- Patient Ratio ⁴	RN-to- Assistant Ratio ⁵	BSN Degree ⁶	Specialty Certification ⁷	<1 Year of Experience ⁸	>5 Years of Experience ⁹
For units with a 1:4 RN-to-patient ratio , what are the median values of other key nurse staffing variables? ² (n=54)	1:4	1:0.38	50%	10%	10%	55%
For units with a 1:5 RN-to-patient ratio , what are the median values of other key nurse staffing variables? (n=38)	1:5	1:0.50	40%	10%	10%	63%
For units with a 1:6 RN-to-patient ratio , what are the median values of other key nurse staffing variables? (n=18)	1:6	1:0.50	65%	10%	10%	50%
For units on which 20% or less of staff RNs have a BSN degree, what are the median values of other key nurse staffing variables? ³ (n=15)	1:5	1:0.50	15%	5%	20%	50%
For units on which 50% of staff RNs have a BSN degree , what are the median values of other key nurse staffing variables? (n=15)	1:4	1:0.43	50%	10%	10%	70%
For units on which 80% or more of staff RNs have a BSN degree , what are the median values of other key nurse staffing variables? (n=18)	1:4	1:0.37	80%	20%	10%	58%

Nurse managers, assistant nurse managers/supervisors, and nurse directors reported data for the single unit they oversee which has the largest number of staff nurses. Based on the survey question "During a typical weekday shift on this unit, how many patients is each RN usually responsible for?" We selected the RN-to-patient ratio is to include in the table based on the most common ratios we found in the data. If you do not see your unit's RN-to-patient ratio listed in the table, the ratio was not common in our sample. Based on the survey question "On this unit, approximately what percentage of staff nurses have a Bachler of Science in Nursing (BSN) degree?" For the sake of consistency across unit types, we show how 20% or less BSN preparation, 50% preparation, and 80% or more BSN preparation impact other key care team elements.
Based on the survey question "During a typical weekday shift on this unit, how many patients is each RN usually responsible for?"
Based on the survey questions "During a typical weekday shift on this unit, approximately how many unit-based nurse aides or techs (for example, CNAs, PCAs, PCTs) are dedicated to the unit?"
Based on the survey question "On this unit, approximately what percentage of RNs have a Bachleior of Science in Nursing (BSN) degree?"
Based on the survey question "On this unit, approximately what percentage of RNs have less than one year of nursing experience?"
Based on the survey question "On this unit, approximately what percentage of RNs have less than one year of nursing experience?"

Staffing Trade-Off Analysis: Ambulatory Centers

Data Reported by Ambulatory Center Nurse Leaders¹

	RN-to- Patient Ratio ⁴	RN-to-Non- Provider Staff Ratio ⁵	BSN Degree ⁶	Specialty Certification ⁷	<1 Year of Experience ⁸	>5 Years of Experience ⁹
For sites with 2 to 3 patients daily per RN, what are the median values of other key nurse staffing variables? ² (n=22)	1:2.4	1:0.21	55%	28%	0%	100%
For sites with 5 to 6 patients daily per RN , what are the median values of other key nurse staffing variables? (n=19)	1:5.5	1:0.24	60%	45%	0%	95%
For sites with 8 to 10 patients daily per RN, what are the median values of other key nurse staffing variables? (n=21)	1:8.8	1:0.50	50%	25%	0%	90%
For sites at which 20% or less of staff RNs have a BSN degree, what are the median values of other key nurse staffing variables? ³ (n=19)	1:4.7	1:0.33	10%	10%	0%	95%
For sites at which 40% to 60% of staff RNs have a BSN degree, what are the median values of other key nurse staffing variables? (n=33)	1:5.7	1:0.28	50%	50%	0%	100%
For sites at which 80% or more of staff RNs have a BSN degree, what are the median values of other key nurse staffing variables? (n=31)	1:7.0	1:0.25	85%	50%	0%	100%

¹⁾ Nurse managers, assistant nurse managers/supervisors, and nurse directors reported data for the single ambulatory center where they work which has the largest number of staff nurses.

2) Based on the survey questions "During a typical weekday at this site, approximately how many Registered Nurses (RNs) are present?" and "During a typical weekday at this site, approximately how many patients are seen?" We selected the RN-to-patient ratio listed in the table, the ratio was not common in our sample.

3) Based on the survey question "At this site, approximately what percentage of staff nurses have a Bachelor of Science in Nursing (BSN) degree?" For the sake of consistency across site types, we show how 20% or less BSN preparation, 40% to 60% BSN preparation, and 80% or more BSN preparation impact other key care team elements.

4) Based on the survey questions "During a typical weekday at this site, approximately how many Registered Nurses (RNs) are present?" and "During a typical weekday at this site, approximately how many Registered Nurses (RNs) are present?" and "During a typical weekday at this site, approximately how many Registered Nurses (RNs) are present?" and "During a typical weekday at this site, approximately how many fellowed this site, approximately how many fellowed this site, approximately how many fellowed this site, approximately how many of the following staff are present? Licensed Practical Nurses (LPNs)/Licensed Vocational Nurses (LVNs); Assistants (for example, CNAs, PCAs, PCTs, MAs, NAs)."

6) Based on the survey question "At this site, approximately what percentage of Registered Nurses (RNs) have a Bachelor of Science in Nursing (BSN) degree?"

7) Based on the survey question "At this site, approximately what percentage of RNs have less than one year of nursing experience?"

8) Based on the survey question "At this site, approximately what percentage of RNs have more than five years of nursing experience?"

9) Based on the survey question "At this site, approximately what percentage of RN

Staffing Trade-Off Analysis: Post-Acute Care Organizations

Data Reported by Post-Acute Care Nurse Leaders¹

	RN-to- Patient Ratio ⁴	RN-to-LPN Ratio⁵	RN-to- Assistant Ratio ⁵	BSN Degree ⁶	Specialty Certification ⁷	<1 Year of Experience ⁸	>5 Years of Experience ⁹
For organizations with 5 to 6 patients per RN, what are the median values of other key nurse staffing variables? ² (n=22)	1:5.2	1:0.09	1:0.55	38%	10%	0%	90%
For organizations with 8 to 10 patients per RN, what are the median values of other key nurse staffing variables? (n=15)	1:9.5	1:0.50	1:1.50	30%	10%	5%	85%
For organizations with 15 to 25 patients per RN, what are the median values of other key nurse staffing variables? (n=17)	1:20.0	1:0.86	1:3.00	40%	10%	5%	80%
For organizations at which 20% or less of staff RNs have a BSN degree, what are the median values of other key nurse staffing variables? ³ (n=20)	1:8.0	1:0.33	1:1.75	13%	5%	5%	78%
For organizations at which 40% to 60% of staff RNs have a BSN degree, what are the median values of other key nurse staffing variables? (n=23)	1:9.5	1:0.50	1:1.00	40%	15%	5%	80%
For organizations at which 80% or more of staff RNs have a BSN degree, what are the median values of other key nurse staffing variables? (n=12)	1:5.0	1:0.08	1:0.72	90%	20%	0%	98%

Nurse managers, assistant nurse managers/supervisors, and nurse directors reported data for the single post-acute care organization where they work which has the largest number of staff nurses.

For skilled nursing facilities and long-term acute care hospitals, based on survey question "During a typical weekday shift at this facility, how many patients is each RN usually responsible for?" For home health agencies and hospice providers, based on survey questions "During a typical weekday for this organization, approximately how many Registered Nurses (RNs) provide patient care?" and "During a typical weekday for this organization, approximately how many patients are seen?" We selected the RN-to-patient ratios to include in the table based on the most common ratios we found in the data. If you do not see your site's RN-to-patient ratio listed in the table, the ratio was not common in our sample.

Based on the survey question "At this site, approximately what percentage of staff nurses have a Bachelor of Science in Nursing (BSN) degree?" For the sake of consistency across site types, we show how 20% or less BSN preparation impact other key care team elements.

BSN preparation, and 80% or more BSN preparation impact other key care team elements.

For skilled nursing facilities and long-term acute care hospitals, based on survey question "During a typical weekday shift at this facility, how many patients is each RN usually responsible for?" For home health agencies and hospice providers, based on survey questions "During a typical weekday for this organization, approximately how many Registered Nurses (RNs) provide patient care?" and "During a typical weekday for this organization, approximately how many patients are seen?"

For skilled nursing facilities and long-term acute care hospitals, based on survey questions "During a typical weekday shift at this facility, approximately how many Engistered Nurses (RNs) provide patient care? "Approximately how many Engistered Nurses (LNs), ECNs, PCTs) are deficiated to the facility?" For home health agencies and hospice providers, based on survey questions "During a typical weekday for this organization, approximately how many Registered Nurses (RNs) provide patient care?" and "During a typical weekday for this organization, approximately how many Registered Nurses (RNs) provide patient care?" and "During a typical weekday for this organization, approximately how many Engistered Nurses (RNs) provide patient care?" and "During a typical weekday for this organization, approximately how many Engistered Nurses (RNs) provide patient care?" and "During a typical weekday for this organization, approximately weekday for this organization, approximately what percentage of staff nurses have a Bachelor of Science in Nursing (BSN) degree?"

Based on the survey question "At this organization, approximately what percentage of RNs hold a national speciality certification directly related to the type of work they do?"

Based on the survey question "At this organization, approximately what percentage of RNs hold a national speciality certification directly related to the type of work they do?"

Based on the survey question "At this organization, approximately what percentage of RNs have less than one year of nursing experience?" Based on the survey question "At this organization, approximately what percentage of RNs have more than five years of nursing experience?"