The Inflammatory Bowel Disease Knowledge Inventory Device (IBD-KID)

Instructions:

- ★ The following questions relate to knowledge about inflammatory bowel disease (IBD). These questions are not a 'test', so there is no need to feel pressure when you are answering them. However, please answer them by yourself - please don't ask for help from family or friends or look up answers in books or other sources while answering the questions.
- ★ Please don't study before answering the questions.
- \star Some of the questions are 'true or false' and some are 'multiple choice'.
- ★ All of the questions have 'Don't know' as one of the choices. If you have an idea or a 'good guess' about what the answer to a question is, you should choose it as your answer. However, if you have no idea about the right answer to a question, please choose 'Don't know'.
- ★ Choose only ONE answer for each question. If you feel that more than one answer is correct, choose the BEST answer.
- ★ It may take about 20 minutes to answer these questions, but you can take as long as you like. Please answer all of the questions in a 'single session' (for instance, on the same afternoon).
- ★ Please indicate each of your answers by circling one of the letters on the left hand side.

Copyright© 2003 Anthony Otley Contact: impact@iwk.nshealth.ca

- 1. The large bowel is longer than the small bowel.
 - a. True
 - b. False
 - c. Don't know
- 2. From start to finish, the correct order of the digestive tract is:
 - a. mouth \rightarrow stomach \rightarrow esophagus \rightarrow large bowel \rightarrow small bowel \rightarrow anus
 - b. mouth \rightarrow esophagus \rightarrow stomach \rightarrow large bowel \rightarrow small bowel \rightarrow anus
 - c. mouth \rightarrow small bowel \rightarrow esophagus \rightarrow stomach \rightarrow large bowel \rightarrow anus
 - d. mouth \rightarrow esophagus \rightarrow stomach \rightarrow small bowel \rightarrow large bowel \rightarrow anus
 - e. Don't know
- 3. A person can get IBD if they:
 - a. share food with someone who has IBD
 - b. use a toilet that someone with IBD has used
 - c. both of the above
 - d. none of the above
 - e. Don't know
- 4. Doctors and scientists know what causes IBD.
 - a. True
 - b. False
 - c. Don't know
- 5. Emotional stress can trigger a flare-up of IBD.
 - a. True
 - b. False
 - c. Don't know
- 6. IBD can affect organs other than the bowels.
 - a. True
 - b. False
 - c. Don't know

- 7. Osteoporosis (weakening of bones) can be caused by:
 - a. IBD
 - b. Corticosteroids

(a class of drugs also called 'steroids'; prednisone is an example)

- c. poor nutrition
- d. all of the above
- e. Don't know
- 8. IBD that is in remission can slow down a young person's growth.
 - a. True
 - b. False
 - c. Don't know
- 9. People with IBD that has involved the colon for more than ten years will probably develop colon cancer.
 - a. True
 - b. False
 - c. Don't know
- 10. People with IBD don't usually live as long as other people.
 - a. True
 - b. False
 - c. Don't know
- 11. The reason(s) a doctor might perform a colonoscopy is/are to:
 - a. look for disease in a person's large bowel
 - b. remove a large section of a person's large bowel
 - c. apply medication to a person's large bowel
 - d. all of the above
 - e. Don't know

- 12. For an IBD patient who is free from symptoms, which of the following medications can help keep symptoms from coming back.
 - a. salicylates (such as sulfasalazine and 5-ASA)
 - b. Imuran (also called azathioprine)
 - c. both salicylates and Imuran
 - d. neither salicylates nor Imuran
 - e. Don't know
- 13. If a person with IBD has been free from symptoms for several months, she/he should stop taking her/his medications.
 - a. True
 - b. False
 - c. Don't know
- 14. Corticosteroids can cause which of the following side effects in children?
 - a. hair loss
 - b. decreased weight gain
 - c. decreased height growth
 - d. all of the above
 - e. Don't know
- 15. If a patient who is taking corticosteroids experiences side effects, she/he should stop taking the drug immediately.
 - a. True
 - b. False
 - c. Don't know
- 16. Which of the following statements about herbal remedies is/are true?
 - a. Herbal remedies are safer than drugs because herbal remedies don't cause side effects
 - b. Herbal remedies can interfere with drugs
 - c. both a) and b) are true
 - d. neither a) nor b) are true
 - e. Don't know

- 17. Which of the following statements about surgery for IBD is/are true?
 - a. If a person with Crohn's disease has part of his/her small bowel removed, Crohn's disease will never affect another part of the bowels.
 - b. If a person with ulcerative colitis has his/her large bowel removed, ulcerative colitis will never affect another part of the bowels.
 - c. both a) and b) are true
 - d. neither a) nor b) are true
 - e. Don't know
- 18. IBD tends to run in families.
 - a. True
 - b. False
 - c. Don't know
- 19. A child whose parents both have IBD will eventually develop IBD.
 - a. True
 - b. False
 - c. Don't know
- 20. Removing certain foods from the diet (for instance milk) will prevent flare-ups of IBD
 - a. True
 - b. False
 - c. Don't know
- 21. IBD patients can always get the nutrients they need if they eat the right foods.
 - a. True
 - b. False
 - c. Don't know

- 22. Enteral nutrition (liquid diets that patients usually take by nasogastric or gastric tube feeds):
 - a. can be used to control active disease or prevent disease flare-ups in some Crohn's disease patients
 - b. can be used to help some patients grow and gain weight
 - c. have not been proven to prevent flare-ups in ulcerative colitis patients
 - d. all of the above
 - e. Don't know
- 23. When doctors are testing a new drug for IBD in a study, some study patients might receive a 'placebo'. If a person receives a placebo, it means that:
 - a. his or her IBD will stay active for a long time
 - b. he or she will not be taking the new drug
 - c. he or she will have unpleasant side effects
 - d. none of the above
 - e. Don't know

THANK YOU FOR COMPLETING THIS QUESTIONNAIRE!

