

Supplemental Digital Content 1

VARIANTS OF PYODERMA GANGRENOSUM

Subtype	Morphology	Common Locations	Clinical Clues	Associated Diseases
Ulcerative	Purplish, rolled, undermined border (gunmetal gray; see Figure 1)	Lower extremities	Rapid progression violaceous, undermined border	Inflammatory bowel disease, arthritis, myeloproliferative, other
Bullous	Blisters on an inflammatory base; often juicy red plaques, nodules	Face, upper extremities, upper trunk	Superficial bulla with blue-gray border	Myeloproliferative diseases (mostly acute myelogenous leukemia); rule out Sweet syndrome, infections, drugs
Pustular	Multiple, small, sterile pustules	Legs, upper trunk	Painful pustule with red halo	Inflammatory bowel disease
Vegetative	Superficial granulomatous-like appearance	Trunk	Superficial ulcer, no violaceous border	Trauma induced, not usually associated with systemic disease, often self-healing
Peristomal	Superficial ulcers with red-purple border	Near stoma site	Painful ulcer with undermined violaceous border	Inflammatory bowel disease; removal or reversal of the stoma may be associated with resolution
Postsurgical	Morphologic presentation close to peristomal lesions (see Figures 2 and 3)	Surgery site; mainly breast and trunk	Rapid progression, with active undermining ulcer	Surgical procedures