

## **Appendix A – Detailed Reference List**

The Gross Motor Function Classification System: An Update on Impact and Clinical Utility  
Laura Gray, Hennie Ng, Doreen Bartlett

---

- A-1. Ahl LE, Johansson E, Granat T, Carlberg EB. Functional therapy for children with cerebral palsy: an ecological approach. *Dev Med Child Neurol.* 2005;47:613-619.
- A-2. Aran A, Shalev RS, Biran G, Gross-Tsur V. Parenting style impacts on quality of life in children with cerebral palsy. *J Pediatr.* 2007;151:56-60.
- A-3. Bagley AM, Gorton G, Oeffinger D, Barnes D, Calmes J, Nicholson D, et al. Outcome assessments in children with cerebral palsy, part II: discriminatory ability of outcome tools. *Dev Med Child Neurol.* 2007;49:181-186.
- A-4. Banerjee KJ, Glasson C, O'Flaherty SJ. Parotid and submandibular botulinum toxin A injections for sialorrhoea in children with cerebral palsy. *Dev Med Child Neurol.* 2006;48:883-887.
- A-5. Bar-Haim S, Belokopytov M, Harries N, Loeppky JA, Kaplanski J. Prediction of mechanical efficiency from heart rate during stair-climbing in children with cerebral palsy. *Gait Posture* 2008;27:512-517.
- A-6. Bar-Haim S, Harries N, Belokopytov M, Frank A, Copeliovitch L, Kaplanski J, et al. Comparison of efficacy of Adeli suit and neurodevelopmental treatments in children with cerebral palsy. *Dev Med Child Neurol.* 2006;48:325-330.
- A-7. Bar-Haim S, Harries N, Belokopytov M, Lahat E, Kaplanski J. Random perturbation: a potential aid in treatment of children with cerebral palsy. *Disabil Rehabil.* 2008;30:1420-1428.
- A-8. Barnes D, Linton JL, Sullivan E, Bagley A, Oeffinger D, Abel M, et al. Pediatric outcomes data collection instrument scores in ambulatory children with cerebral palsy: an analysis by age groups and severity level. *J Pediatr Orthop.* 2008;28:97-102.
- A-9. Bartlett D, Birmingham T. Validity and reliability of a pediatric reach test. *Pediatr Phys Ther.* 2003;15:84-92.
- A-10. Bartlett D, Purdie B. Testing of the spinal alignment and range of motion measure: a discriminative measure of posture and flexibility for children with cerebral palsy. *Dev Med Child Neurol.* 2005;47:739-743.

## **Appendix A – Detailed Reference List**

The Gross Motor Function Classification System: An Update on Impact and Clinical Utility  
Laura Gray, Hennie Ng, Doreen Bartlett

---

- A-11. Beckung E, Carlsson G, Carlsdotter S, Uvebrant P. The natural history of gross motor development in children with cerebral palsy aged 1 to 15 years. *Dev Med Child Neurol.* 2007;49:751-756.
- A-12. Berweck S, Schroeder AS, Lee SH, Bigalke H, Heinen F. Secondary non-response due to antibody formation in a child after three injections of botulinum toxin B into the salivary glands. *Dev Med Child Neurol.* 2007;49:62-64.
- A-13. Bjornson K, Hays R, Graubert C, Price R, Won F, McLaughlin JF, et al. Botulinum toxin for spasticity in children with cerebral palsy: a comprehensive evaluation. *Pediatrics.* 2007;120:49-58.
- A-14. Bjornson KF, Belza B, Kartin D, Logsdon RG, McLaughlin J. Self-reported health status and quality of life in youth with cerebral palsy and typically developing youth. *Arch Phys Med Rehabil.* 2008;89:121-127.
- A-15. Bjornson KF, Belza B, Kartin D, Logsdon R, McLaughlin JF. Ambulatory physical activity performance in youth with cerebral palsy and youth who are developing typically. *Phys Ther.* 2007 discussion 257-260;87:248-257.
- A-16. Bjornson KF, McLaughlin JF, Loeser JD, Nowak-Cooperman KM, Russel M, Bader KA, et al. Oral motor, communication, and nutritional status of children during intrathecal baclofen therapy: a descriptive pilot study. *Arch Phys Med Rehabil.* 2003;84:500-506.
- A-17. Blank R, von Kries R, Hesse S, von Voss H. Conductive education for children with cerebral palsy: effects on hand motor functions relevant to activities of daily living. *Arch Phys Med Rehabil.* 2008;89:251-259.
- A-18. Brehm MA, Becher J, Harlaar J. Reproducibility evaluation of gross and net walking efficiency in children with cerebral palsy. *Dev Med Child Neurol.* 2007;49:45-48.
- A-19. Bross S, Honeck P, Kwon ST, Badawi JK, Trojan L, Alken P. Correlation between motor function and lower urinary tract dysfunction in patients with infantile cerebral palsy. *Neurourol Urodyn.* 2007;26:222-227.
- A-20. Buckon CE, Thomas SS, Jakobson-Huston S, Moor M, Sussman M, Aiona M. Comparison of three ankle-foot orthosis configurations for children with spastic diplegia. *Dev Med Child Neurol.* 2004;46:590-598.

## **Appendix A – Detailed Reference List**

The Gross Motor Function Classification System: An Update on Impact and Clinical Utility  
Laura Gray, Hennie Ng, Doreen Bartlett

---

- A-21. Calis EA, Veugelers R, Sheppard JJ, Tibboel D, Evenhuis HM, Penning C. Dysphagia in children with severe generalized cerebral palsy and intellectual disability. *Dev Med Child Neurol.* 2008;50:625-630.
- A-22. Carlsson M, Olsson I, Hagberg G, Beckung E. Behaviour in children with cerebral palsy with and without epilepsy. *Dev Med Child Neurol.* 2008;50:784-789.
- A-23. Carnahan KD, Arner M, Hagglund G. Association between gross motor function (GMFCS) and manual ability (MACS) in children with cerebral palsy. A population-based study of 359 children. *BMC Musculoskelet Disord.* 2007;8:50.
- A-24. Chan SH, Yam KY, Yiu-Lau BP, Poon CY, Chan NN, Cheung HM, et al. Selective dorsal rhizotomy in Hong Kong: multidimensional outcome measures. *Pediatr Neurol.* 2008;39:22-32.
- A-25. Chen CL, Wu CY, Chen HC, Hong WH, Liu WY, Wong AM, et al. Application of a novel integrated pointing device apparatus for children with cerebral palsy. *Chang Gung Med J.* 2006;29:380-387.
- A-26. Cherng RJ, Liu CF, Lau TW, Hong RB. Effect of treadmill training with body weight support on gait and gross motor function in children with spastic cerebral palsy. *Am J Phys Med Rehabil.* 2007;86:548-555.
- A-27. Christiansen AS, Lange C. Intermittent versus continuous physiotherapy in children with cerebral palsy. *Dev Med Child Neurol.* 2008;50:290-293.
- A-28. Chu ML, Sala DA. The use of tiagabine in pediatric spasticity management. *Dev Med Child Neurol.* 2006;48:456-459.
- A-29. Crompton J, Galea MP, Phillips B. Hand-held dynamometry for muscle strength measurement in children with cerebral palsy. *Dev Med Child Neurol.* 2007;49:106-111.
- A-30. Cusick A, Vasquez M, Knowles L, Wallen M. Effect of rater training on reliability of Melbourne Assessment of Unilateral Upper Limb Function scores. *Dev Med Child Neurol.* 2005;47:39-45.
- A-31. da Costa MF, Salomao SR, Berezovsky A, de Haro FM, Ventura DF. Relationship between vision and motor impairment in children with spastic cerebral palsy: new evidence from electrophysiology. *Behav Brain Res.* 2004;149:145-150.

## **Appendix A – Detailed Reference List**

The Gross Motor Function Classification System: An Update on Impact and Clinical Utility  
Laura Gray, Hennie Ng, Doreen Bartlett

---

- A-32. Dahlgren Sandberg A. Reading and spelling abilities in children with severe speech impairments and cerebral palsy at 6, 9, and 12 years of age in relation to cognitive development: a longitudinal study. *Dev Med Child Neurol.* 2006;48:629-634.
- A-33. Damiano D, Abel M, Romness M, Oeffinger D, Tylkowski C, Gorton G, et al. Comparing functional profiles of children with hemiplegic and diplegic cerebral palsy in GMFCS Levels I and II: Are separate classifications needed? *Dev Med Child Neurol.* 2006;48:797-803.
- A-34. Day SM, Wu YW, Strauss DJ, Shavelle RM, Reynolds RJ. Change in ambulatory ability of adolescents and young adults with cerebral palsy. *Dev Med Child Neurol.* 2007;49:647-653.
- A-35. Deslooverre K, Molenaers G, De Cat J, Pauwels P, Van Campenhout A, Ortibus E, et al. Motor function following multilevel botulinum toxin type A treatment in children with cerebral palsy. *Dev Med Child Neurol.* 2007;49:56-61.
- A-36. Deutsch JE, Borbely M, Filler J, Huhn K, Guerrera-Bowlby P. Use of a low-cost, commercially available gaming console (Wii) for rehabilitation of an adolescent with cerebral palsy. *Phys Ther.* 2008;88:1196-1207.
- A-37. Dirienzo LN, Dirienzo LT, Baceski DA. Heart rate response to therapeutic riding in children with cerebral palsy: an exploratory study. *Pediatr Phys Ther.* 2007;19:160-165.
- A-38. Dodd KJ, Foley S. Partial body-weight-supported treadmill training can improve walking in children with cerebral palsy: a clinical controlled trial. *Dev Med Child Neurol.* 2007;49:101-105.
- A-39. Dodd KJ, Taylor NF, Graham HK. A randomized clinical trial of strength training in young people with cerebral palsy. *Dev Med Child Neurol.* 2003;45:652-657.
- A-40. Donkervoort M, Roebroeck M, Wiegerink D, van der Heijden-Maessen H, Stam H, The Transition Research Group South West,Netherlands. Determinants of functioning of adolescents and young adults with cerebral palsy. *Disabil Rehabil.* 2007;29:453-463.

## **Appendix A – Detailed Reference List**

The Gross Motor Function Classification System: An Update on Impact and Clinical Utility  
Laura Gray, Hennie Ng, Doreen Bartlett

---

- A-41. Donnelly C, Parkes J, McDowell B, Duffy C. Lifestyle limitations of children and young people with severe cerebral palsy: a population study protocol. *J Adv Nurs.* 2008;61:557-569.
- A-42. Eek MN, Tranberg R, Zugner R, Alkema K, Beckung E. Muscle strength training to improve gait function in children with cerebral palsy. *Dev Med Child Neurol.* 2008;50:759-764.
- A-43. Eker L, Tuzun EH. An evaluation of quality of life of mothers of children with cerebral palsy. *Disabil Rehabil.* 2004;26:1354-1359.
- A-44. Enkelaar L, Ketelaar M, Gorter JW. Association between motor and mental functioning in toddlers with cerebral palsy. *Dev Neurorehabil* 2008;11:276-282.
- A-45. Faber IR, Nienhuis B, Rijs NP, Geurts AC, Duysens J. Is the modified Tardieu scale in semi-standing position better associated with knee extension and hamstring activity in terminal swing than the supine Tardieu? *Dev Med Child Neurol.* 2008;50:382-387.
- A-46. Feeley BT, Gollapudi K, Otsuka NY. Body mass index in ambulatory cerebral palsy patients. *J Pediatr Orthop B* 2007;16:165-169.
- A-47. Footer CB. The effects of therapeutic taping on gross motor function in children with cerebral palsy. *Pediatr Phys Ther.* 2006;18:245-252.
- A-48. Fosang AL, Galea MP, McCoy AT, Reddihough DS, Story I. Measures of muscle and joint performance in the lower limb of children with cerebral palsy. *Dev Med Child Neurol.* 2003;45:664-670.
- A-49. Fowler EG, Knutson LM, DeMuth SK, Sugi M, Siebert K, Simms V, et al. Pediatric endurance and limb strengthening for children with cerebral palsy (PEDALS)--a randomized controlled trial protocol for a stationary cycling intervention. *BMC Pediatr.* 2007;7:14.
- A-50. Gainsborough M, Surman G, Maestri G, Colver A, Cans C. Validity and reliability of the guidelines of the surveillance of cerebral palsy in Europe for the classification of cerebral palsy. *Dev Med Child Neurol.* 2008;50:828-831.

## **Appendix A – Detailed Reference List**

The Gross Motor Function Classification System: An Update on Impact and Clinical Utility  
Laura Gray, Hennie Ng, Doreen Bartlett

---

- A-51. Gan SM, Tung LC, Tang YH, Wang CH. Psychometric properties of functional balance assessment in children with cerebral palsy. *Neurorehabil Neural Repair* 2008;22:745-753.
- A-52. Gannotti M, Gorton GE, Nahorniak MT, Gagnaire N, Fil A, Hogue J, et al. Changes in gait velocity, mean knee flexion in stance, body mass index, and popliteal angle with age in ambulatory children with cerebral palsy. *J Pediatr Orthop.* 2008;28:103-111.
- A-53. Gannotti ME, Gorton GE, Nahorniak MT, Masso PD, Landry B, Lyman J, et al. Postoperative gait velocity and mean knee flexion in stance of ambulatory children with spastic diplegia four years or more after multilevel surgery. *J Pediatr Orthop.* 2007;27:451-456.
- A-54. Gates PE, Otsuka NY, Sanders JO, McGee-Brown J. Relationship between parental PODCI questionnaire and School Function Assessment in measuring performance in children with CP. *Dev Med Child Neurol.* 2008;50:690-695.
- A-55. Getz M, Hutzler Y, Vermeer A. The relationship between aquatic independence and gross motor function in children with neuro-motor impairments. *Adapt Phys Activ Q.* 2006;23:339-355.
- A-56. Ghasia F, Brunstrom J, Gordon M, Tychsen L. Frequency and severity of visual sensory and motor deficits in children with cerebral palsy: Gross Motor Function Classification Scale. *Invest Ophthalmol Vis Sci.* 2008;49:572-580.
- A-57. Gilles CD, Arnould C, Thonnard J, Legeune TM. ABILOCO-kids: a Rasch-built 10-item questionnaire for assessing locomotion ability in children with cerebral palsy. *J Rehabil Med.* 2008;40:823-830.
- A-58. Glanzman AM, Kim H, Swaminathan K, Beck T. Efficacy of botulinum toxin A, serial casting, and combined treatment for spastic equinus: a retrospective analysis. *Dev Med Child Neurol.* 2004;46:807-811.
- A-59. Gollapudi K, Feeley BT, Otsuka NY. Advanced skeletal maturity in ambulatory cerebral palsy patients. *J Pediatr Orthop.* 2007;27:295-298.

## **Appendix A – Detailed Reference List**

The Gross Motor Function Classification System: An Update on Impact and Clinical Utility  
Laura Gray, Hennie Ng, Doreen Bartlett

---

- A-60. Gorter JW, Rosenbaum PL, Hanna SE, Palisano RJ, Bartlett DJ, Russell DJ, et al. Limb distribution, motor impairment, and functional classification of cerebral palsy. *Dev Med Child Neurol.* 2004;46:461-467.
- A-61. Gough M, Shafafy R, Shortland AP. Does sex influence outcome in ambulant children with bilateral spastic cerebral palsy? *Dev Med Child Neurol.* 2008;50:702-705.
- A-62. Gunel MK, Mutlu A. Disability and its relation with functional independence in children with cerebral palsy: an ICF study of preliminary clinical experience from Turkey. *Fizyoterapi Rehabilitasyon.* 2007;18:171-178.
- A-63. Hagglund G, Lauge-Pedersen H, Wagner P. Characteristics of children with hip displacement in cerebral palsy. *BMC Musculoskelet Disord.* 2007;8:101.
- A-64. Hamill D, Washington KA, White OR. The effect of hippotherapy on postural control in sitting for children with cerebral palsy. *Phys Occup Ther Pediatr.* 2007;27:23-42.
- A-65. Hanna SE, Bartlett DJ, Rivard LM, Russell DJ. Reference curves for the Gross Motor Function Measure: percentiles for clinical description and tracking over time among children with cerebral palsy. *Phys Ther.* 2008;88:596-607.
- A-66. Harries N, Kassirer M, Amichai T, Lahat E. Changes over years in gross motor function of 3-8 year old children with cerebral palsy: using the Gross Motor Function Measure (GMFM-88). *Isr Med Assoc J.* 2004;6:408-411.
- A-67. Hayes B, Ryan S, Stephenson JB, King MD. Cerebral palsy after maternal trauma in pregnancy. *Dev Med Child Neurol.* 2007;49:700-706.
- A-68. Henderson RC, Gilbert SR, Clement ME, Abbas A, Worley G, Stevenson RD. Altered skeletal maturation in moderate to severe cerebral palsy. *Dev Med Child Neurol.* 2005;47:229-236.
- A-69. Henderson RC, Grossberg RI, Matuszewski J, Menon N, Johnson J, Kecskemethy HH, et al. Growth and nutritional status in residential center versus home-living children and adolescents with quadriplegic cerebral palsy. *J Pediatr.* 2007;151:161-166.

## **Appendix A – Detailed Reference List**

The Gross Motor Function Classification System: An Update on Impact and Clinical Utility  
Laura Gray, Hennie Ng, Doreen Bartlett

---

- A-70. Henderson RC, Kairalla J, Abbas A, Stevenson RD. Predicting low bone density in children and young adults with quadriplegic cerebral palsy. *Dev Med Child Neurol.* 2004;46:416-419.
- A-71. Hicdonmez T, Steinbok P, Beauchamp R, Sawatzky B. Hip joint subluxation after selective dorsal rhizotomy for spastic cerebral palsy. *J Neurosurg.* 2005;103(1 Suppl):10-6.
- A-72. Himmelmann K, Beckung E, Hagberg G, Uvebrant P. Bilateral spastic cerebral palsy--prevalence through four decades, motor function and growth. *Europ J Paediatr Neurol.* 2007;11:215-222.
- A-73. Himmelmann K, Beckung E, Hagberg G, Uvebrant P. Gross and fine motor function and accompanying impairments in cerebral palsy. *Dev Med Child Neurol.* 2006;48:417-423.
- A-74. Himmelmann K, Hagberg G, Wiklund LM, Eek MN, Uvebrant P. Dyskinetic cerebral palsy: a population-based study of children born between 1991 and 1998. *Dev Med Child Neurol.* 2007;49:246-251.
- A-75. Houlihan CM, O'Donnell M, Conaway M, Stevenson RD. Bodily pain and health-related quality of life in children with cerebral palsy. *Dev Med Child Neurol.* 2004;46:305-310.
- A-76. Hoving MA, Evers SM, Ament AJ, van Raak EP, Vles JS. Intrathecal baclofen therapy in children with intractable spastic cerebral palsy: a cost-effectiveness analysis. Dutch Study Group on Child Spasticity. *Dev Med Child Neurol.* 2008;50:450-455.
- A-77. Hoving MA, van Raak EP, Spincemaille GH, Palmans LJ, Sleypen FA, Vles JS, et al. Intrathecal baclofen in children with spastic cerebral palsy: a double-blind, randomized, placebo-controlled, dose-finding study. *Dev Med Child Neurol.* 2007;49:654-659.
- A-78. Howard J, Soo B, Graham HK, Boyd RN, Reid S, Lanigan A, et al. Cerebral palsy in Victoria: motor types, topography and gross motor function. *J Paediatr Child Health* 2005;41:479-483.

## **Appendix A – Detailed Reference List**

The Gross Motor Function Classification System: An Update on Impact and Clinical Utility  
Laura Gray, Hennie Ng, Doreen Bartlett

---

- A-79. Hurvitz EA, Green LB, Hornyak JE, Khurana SR, Koch LG. Body mass index measures in children with cerebral palsy related to gross motor function classification: a clinic-based study. *Am J Phys Med Rehabil.* 2008;87:395-403.
- A-80. Imms C, Reilly S, Carlin J, Dodd K. Diversity of participation in children with cerebral palsy. *Dev Med Child Neurol.* 2008;50:363-369.
- A-81. Jekovec-Vrhovsek M, Kocijanicic A, Prezelj J. Quantitative ultrasound of the calcaneus in children and young adults with severe cerebral palsy. *Dev Med Child Neurol.* 2005;47:696-698.
- A-82. Johnston TE, Barr AE, Lee SC. Biomechanics of submaximal recumbent cycling in adolescents with and without cerebral palsy. *Phys Ther.* 2007;87:572-585.
- A-83. Johnston TE, Moore SE, Quinn LT, Smith BT. Energy cost of walking in children with cerebral palsy: relation to the Gross Motor Function Classification System. *Dev Med Child Neurol.* 2004;46:34-38.
- A-84. Kecskemethy HH, Herman D, May R, Paul K, Bachrach SJ, Henderson RC. Quantifying weight bearing while in passive standers and a comparison of standers. *Dev Med Child Neurol.* 2008;50:520-523.
- A-85. Kerr C, McDowell BC, Cosgrove A. Oxygen cost versus a 1-minute walk test in a population of children with bilateral spastic cerebral palsy. *J Pediatr Orthop.* 2007;27:283-287.
- A-86. Kerr C, Parkes J, Stevenson M, Cosgrove AP, McDowell BC. Energy efficiency in gait, activity, participation, and health status in children with cerebral palsy. *Dev Med Child Neurol.* 2008;50:204-210.
- A-87. Ketelaar M, Russell DJ, Gorter JW. The challenge of moving evidence-based measures into clinical practice: lessons in knowledge translation. *Phys Occup Ther Pediatr.* 2008;28:191-206.
- A-88. Ketelaar M, Volman MJ, Gorter JW, Vermeer A. Stress in parents of children with cerebral palsy: what sources of stress are we talking about? *Child Care Health Dev.* 2008;34:825-829.

## **Appendix A – Detailed Reference List**

The Gross Motor Function Classification System: An Update on Impact and Clinical Utility  
Laura Gray, Hennie Ng, Doreen Bartlett

---

- A-89. Kilgour GM, McNair PJ, Stott NS. Range of motion in children with spastic diplegia, GMFCS I-II compared to age and gender matched controls. *Phys Occup Ther Pediatr.* 2005;25:61-79.
- A-90. Kim HS, Steinbok P, Wickenheiser D. Predictors of poor outcome after selective dorsal rhizotomy in treatment of spastic cerebral palsy. *Childs Nerv Syst.* 2006;22:60-66.
- A-91. Kondo I, Hosokawa K, Iwata M, Oda A, Nomura T, Ikeda K, et al. Effectiveness of selective muscle-release surgery for children with cerebral palsy: longitudinal and stratified analysis. *Dev Med Child Neurol.* 2004;46:540-547.
- A-92. Kulak W, Sobaniec W. Magnetic resonance imaging of the cerebellum and brain stem in children with cerebral palsy. *Adv Med Sci.* 2007;52(Suppl 1):180-182.
- A-93. Kulak W, Sobaniec W, Kubas B, Walecki J. Corpus callosum size in children with spastic cerebral palsy: relationship to clinical outcome. *J Child Neurol.* 2007;22:371-374.
- A-94. Kulak W, Sobaniec W, Kubas B, Walecki J, Smigielska-Kuzia J, Bockowski L, et al. Spastic cerebral palsy: clinical magnetic resonance imaging correlation of 129 children. *J Child Neurol.* 2007;22:8-14.
- A-95. Kulak W, Sobaniec W, Smigielska-Kuzia J, Kubas B, Walecki J. A comparison of spastic diplegic and tetraplegic cerebral palsy. *Pediatr Neurol.* 2005;32:311-317.
- A-96. Lauer RT, Stackhouse CA, Shewokis PA, Smith BT, Tucker CA, McCarthy J. A time-frequency based electromyographic analysis technique for use in cerebral palsy. *Gait Posture* 2007;26:420-427.
- A-97. Lee JH, Sung IY, Yoo JY. Therapeutic effects of strengthening exercise on gait function of cerebral palsy. *Disabil Rehabil.* 2008;30:1439-1444.
- A-98. Liao HF, Liu YC, Liu WY, Lin YT. Effectiveness of loaded sit-to-stand resistance exercise for children with mild spastic diplegia: a randomized clinical trial. *Arch Phys Med Rehabil.* 2007;88:25-31.

## **Appendix A – Detailed Reference List**

The Gross Motor Function Classification System: An Update on Impact and Clinical Utility  
Laura Gray, Hennie Ng, Doreen Bartlett

---

- A-99. Livingston MH, Rosenbaum PL. Adolescents with cerebral palsy: stability in measurement of quality of life and health-related quality of life over 1 year. *Dev Med Child Neurol.* 2008;50:696-701.
- A-100. Lowe K, Novak I, Cusick A. Repeat injection of botulinum toxin A is safe and effective for upper limb movement and function in children with cerebral palsy. *Dev Med Child Neurol.* 2007;49:823-829.
- A-101. Lowe K, Novak I, Cusick A. Low-dose/high-concentration localized botulinum toxin A improves upper limb movement and function in children with hemiplegic cerebral palsy. *Dev Med Child Neurol.* 2006;48:170-175.
- A-102. Macgregor R, Campbell R, Gladden MH, Tennant N, Young D. Effects of massage on the mechanical behaviour of muscles in adolescents with spastic diplegia: a pilot study. *Dev Med Child Neurol.* 2007;49:187-191.
- A-103. Maher CA, Williams MT, Olds T, Lane AE. Physical and sedentary activity in adolescents with cerebral palsy. *Dev Med Child Neurol.* 2007;49:450-457.
- A-104. Majnemer A, Shevell M, Law M, Poulin C, Rosenbaum P. Reliability in the ratings of quality of life between parents and their children of school age with cerebral palsy. *Qual Life Res.* 2008;17:1163-1171.
- A-105. Majnemer A, Shevell M, Law M, Birnbaum R, Chilingaryan G, Rosenbaum P, et al. Participation and enjoyment of leisure activities in school-aged children with cerebral palsy. *Dev Med Child Neurol.* 2008;50:751-758.
- A-106. Majnemer A, Shevell M, Rosenbaum P, Law M, Poulin C. Determinants of life quality in school-age children with cerebral palsy. *J Pediatr.* 2007;151:470-475.
- A-107. Mall V, Heinen F, Siebel A, Bertram C, Hafkemeyer U, Wissel J, et al. Treatment of adductor spasticity with BTX-A in children with CP: a randomized, double-blind, placebo-controlled study. *Dev Med Child Neurol.* 2006;48:10-13.
- A-108. McBurney H, Taylor NF, Dodd KJ, Graham HK. A qualitative analysis of the benefits of strength training for young people with cerebral palsy. *Dev Med Child Neurol.* 2003;45:658-663.

## **Appendix A – Detailed Reference List**

The Gross Motor Function Classification System: An Update on Impact and Clinical Utility  
Laura Gray, Hennie Ng, Doreen Bartlett

---

- A-109. McDowell BC, Kerr C, Parkes J. Interobserver agreement of the Gross Motor Function Classification System in an ambulant population of children with cerebral palsy. *Dev Med Child Neurol.* 2007;49:528-533.
- A-110. McDowell BC, Kerr C, Parkes J, Cosgrove A. Validity of a 1 minute walk test for children with cerebral palsy. *Dev Med Child Neurol.* 2005;47:744-748.
- A-111. McMulin ML, Baird GO, Gordon AB, Caskey PM, Ferguson RL. The pediatric outcomes data collection instrument detects improvements for children with ambulatory cerebral palsy after orthopaedic intervention. *J Pediatr Orthop.* 2007;27:1-6.
- A-112. Meyer-Heim A, Borggraefe I, Ammann-Reiffer C, Berweck S, Sennhauser FH, Colombo G, et al. Feasibility of robotic-assisted locomotor training in children with central gait impairment. *Dev Med Child Neurol.* 2007;49:900-906.
- A-113. Mohagheghi AA, Khan T, Meadows TH, Giannikas K, Baltzopoulos V, Maganaris CN. In vivo gastrocnemius muscle fascicle length in children with and without diplegic cerebral palsy. *Dev Med Child Neurol.* 2008;50:44-50.
- A-114. Moreau NG, Li L, Geaghan JP, Damiano DL. Fatigue resistance during a voluntary performance task is associated with lower levels of mobility in cerebral palsy. *Arch Phys Med Rehabil.* 2008;89:2011-2016.
- A-115. Morris C, Galuppi BE, Rosenbaum PL. Reliability of family report for the Gross Motor Function Classification System. *Dev Med Child Neurol.* 2004;46:455-60.
- A-116. Morris C, Kurinczuk JJ, Fitzpatrick R, Rosenbaum PL. Do the abilities of children with cerebral palsy explain their activities and participation? [erratum appears in *Dev Med Child Neurol.* 2007;49:122]. *Dev Med Child Neurol.* 2006;48:954-961.
- A-117. Morris C, Kurinczuk JJ, Fitzpatrick R, Rosenbaum PL. Reliability of the manual ability classification system for children with cerebral palsy. *Dev Med Child Neurol.* 2006;48:950-953.
- A-118. Morris C, Kurinczuk JJ, Fitzpatrick R, Rosenbaum PL. Who best to make the assessment? Professionals' and families' classifications of gross motor function in cerebral palsy are highly consistent. *Arch Dis Child.* 2006;91:675-679.

## **Appendix A – Detailed Reference List**

The Gross Motor Function Classification System: An Update on Impact and Clinical Utility  
Laura Gray, Hennie Ng, Doreen Bartlett

---

- A-119. Morton RE, Scott B, McClelland V, Henry A. Dislocation of the hips in children with bilateral spastic cerebral palsy, 1985-2000. *Dev Med Child Neurol.* 2006;48:555-558.
- A-120. Motta F, Stignani C, Antonello CE. Effect of intrathecal baclofen on dystonia in children with cerebral palsy and the use of functional scales. *J Pediatr Orthop.* 2008;28:213-217.
- A-121. Murphy AM, Milo-Manson G, Best A, Campbell KA, Fehlings D. Impact of modafinil on spasticity reduction and quality of life in children with CP. *Dev Med Child Neurol.* 2008;50:510-514.
- A-122. Mutlu A, Livanelioglu A, Gunel MK. Reliability of Ashworth and Modified Ashworth scales in children with spastic cerebral palsy. *BMC Musculoskelet Disord.* 2008;9:44.
- A-123. Nadeau L, Tessier R. Social adjustment of children with cerebral palsy in mainstream classes: peer perception. *Dev Med Child Neurol.* 2006;48:331-336.
- A-124. Narayanan UG, Fehlings D, Weir S, Knights S, Kiran S, Campbell K. Initial development and validation of the Caregiver Priorities and Child Health Index of Life with Disabilities (CPCHILD). *Dev Med Child Neurol.* 2006;48:804-812.
- A-125. Naslund A, Sundelin G, Hirschfeld H. Reach performance and postural adjustments during standing in children with severe spastic diplegia using dynamic ankle-foot orthoses. *J Rehabil Med.* 2007;39:715-723.
- A-126. Natroshvili I, Kakushadze Z, Gabunia M, Davituliani K, Tatishvili S. Prognostic value of gross motor function measure to evaluate the severity of cerebral palsy. *Georgian Med News.* 2005:45-48.
- A-127. Nemer McCoy R, Blasco PA, Russman BS, O'Malley JP. Validation of a care and comfort hypertonicity questionnaire. *Dev Med Child Neurol.* 2006;48:181-187.
- A-128. Newman CJ, O'Regan M, Hensey O. Sleep disorders in children with cerebral palsy. *Dev Med Child Neurol.* 2006;48:564-568.

## **Appendix A – Detailed Reference List**

The Gross Motor Function Classification System: An Update on Impact and Clinical Utility  
Laura Gray, Hennie Ng, Doreen Bartlett

---

- A-129. Odman P, Krevers B, Oberg B. Parents' perceptions of the quality of two intensive training programmes for children with cerebral palsy. *Dev Med Child Neurol.* 2007;49:93-100.
- A-130. Oeffinger D, Gorton G, Bagley A, Nicholson D, Barnes D, Calmes J, et al. Outcome assessments in children with cerebral palsy, part I: descriptive characteristics of GMFCS Levels I to III. *Dev Med Child Neurol.* 2007;49:172-180.
- A-131. Oeffinger DJ, Tylkowski CM, Rayens MK, Davis RF, Gorton GE, 3rd, D'Astous J, et al. Gross Motor Function Classification System and outcome tools for assessing ambulatory cerebral palsy: a multicenter study. *Dev Med Child Neurol.* 2004;46:311-319.
- A-132. Ohata K, Tsuboyama T, Haruta T, Ichihashi N, Kato T, Nakamura T. Relation between muscle thickness, spasticity, and activity limitations in children and adolescents with cerebral palsy. *Dev Med Child Neurol.* 2008;50:152-156.
- A-133. Ohata K, Tsuboyama T, Ichihashi N, Minami S. Measurement of muscle thickness as quantitative muscle evaluation for adults with severe cerebral palsy. *Phys Ther.* 2006;86:1231-1239.
- A-134. Ones K, Yilmaz E, Cetinkaya B, Caglar N. Assessment of the quality of life of mothers of children with cerebral palsy (primary caregivers). *Neurorehabil Neural Repair* 2005;19:232-237.
- A-135. Ostensjo S, Carlberg EB, Vollestad NK. The use and impact of assistive devices and other environmental modifications on everyday activities and care in young children with cerebral palsy. *Disabil Rehabil.* 2005;27:849-861.
- A-136. Ostensjo S, Carlberg EB, Vollestad NK. Motor impairments in young children with cerebral palsy: relationship to gross motor function and everyday activities. *Dev Med Child Neurol.* 2004;46:580-589.
- A-137. Ostensjo S, Carlberg EB, Vollestad NK. Everyday functioning in young children with cerebral palsy: functional skills, caregiver assistance, and modifications of the environment. *Dev Med Child Neurol.* 2003;45:603-612.
- A-138. Palisano RJ, Cameron D, Rosenbaum PL, Walter SD, Russell D. Stability of the gross motor function classification system. *Dev Med Child Neurol.* 2006;48:424-428.

## **Appendix A – Detailed Reference List**

The Gross Motor Function Classification System: An Update on Impact and Clinical Utility  
Laura Gray, Hennie Ng, Doreen Bartlett

---

- A-139. Palisano RJ, Copeland WP, Galuppi BE. Performance of physical activities by adolescents with cerebral palsy. *Phys Ther.* 2007;87:77-87.
- A-140. Palisano RJ, Rosenbaum P, Bartlett D, Livingston MH. Content validity of the expanded and revised Gross Motor Function Classification System. *Dev Med Child Neurol.* 2008;50:744-750.
- A-141. Papavasiliou AS, Rapidi CA, Rizou C, Petropoulou K, Tzavara C. Reliability of Greek version Gross Motor Function Classification System. *Brain Dev.* 2007;29:79-82.
- A-142. Petersen MC, Kedia S, Davis P, Newman L, Temple C. Eating and feeding are not the same: caregivers' perceptions of gastrostomy feeding for children with cerebral palsy. *Dev Med Child Neurol.* 2006;48:713-717.
- A-143. Phillips JP, Sullivan KJ, Burtner PA, Caprihan A, Provost B, Bernitsky-Beddingfield A. Ankle dorsiflexion fMRI in children with cerebral palsy undergoing intensive body-weight-supported treadmill training: a pilot study. *Dev Med Child Neurol.* 2007;49:39-44.
- A-144. Pierce SR, Barbe MF, Barr AE, Shewokis PA, Lauer RT. Roles of reflex activity and co-contraction during assessments of spasticity of the knee flexor and knee extensor muscles in children with cerebral palsy and different functional levels. *Phys Ther.* 2008;88:1124-1134.
- A-145. Pirpiris M, Gates PE, McCarthy JJ, D'Astous J, Tylkowksi C, Sanders JO, et al. Function and well-being in ambulatory children with cerebral palsy. *J Pediatr Orthop.* 2006;26:119-124.
- A-146. Plotkin H, Coughlin S, Kreikemeier R, Heldt K, Bruzoni M, Lerner G. Low doses of pamidronate to treat osteopenia in children with severe cerebral palsy: a pilot study. *Dev Med Child Neurol.* 2006;48:709-712.
- A-147. Porter D, Michael S, Kirkwood C. Patterns of postural deformity in non-ambulant people with cerebral palsy: what is the relationship between the direction of scoliosis, direction of pelvic obliquity, direction of windswept hip deformity and side of hip dislocation? *Clin Rehabil.* 2007;21:1087-96.

## **Appendix A – Detailed Reference List**

The Gross Motor Function Classification System: An Update on Impact and Clinical Utility  
Laura Gray, Hennie Ng, Doreen Bartlett

---

- A-148. Redekop S, Andrysek J, Wright V. Single-session reliability of discrete gait parameters in ambulatory children with cerebral palsy based on GMFCS level. *Gait Posture.* 2008;28:627-633.
- A-149. Robin J, Graham HK, Selber P, Dobson F, Smith K, Baker R. Proximal femoral geometry in cerebral palsy: a population-based cross-sectional study. *J Bone Joint Surg Br.* 2008;90:1372-1379.
- A-150. Rogozinski BM, Davids JR, Davis RB, Christopher LM, Anderson JP, Jameson GG, et al. Prevalence of obesity in ambulatory children with cerebral palsy. *J Bone Joint Surg Am.* 2007;89:2421-2426.
- A-151. Romeo DM, Cioni M, Scoto M, Mazzone L, Palermo F, Romeo MG. Neuromotor development in infants with cerebral palsy investigated by the Hammersmith Infant Neurological Examination during the first year of age. *Europ J Paediatr Neurol.* 2008;12:24-31.
- A-152. Rose J, McGill KC. Neuromuscular activation and motor-unit firing characteristics in cerebral palsy. *Dev Med Child Neurol.* 2005;47:329-336.
- A-153. Rosenbaum PL, Livingston MH, Palisano RJ, Galuppi BE, Russell DJ. Quality of life and health-related quality of life of adolescents with cerebral palsy. *Dev Med Child Neurol.* 2007;49:516-521.
- A-154. Roze E, Kerstjens JM, Maathuis CG, ter Horst HJ, Bos AF. Risk factors for adverse outcome in preterm infants with periventricular hemorrhagic infarction. *Pediatrics.* 2008;122:e46-52.
- A-155. Russell DJ, Gorter JW. Assessing functional differences in gross motor skills in children with cerebral palsy who use an ambulatory aid or orthoses: can the GMFM-88 help? [see comment]. *Dev Med Child Neurol.* 2005;47:462-467.
- A-156. Saeed M, Henderson G, Dutton GN. Hyoscine skin patches for drooling dilate pupils and impair accommodation: spectacle correction for photophobia and blurred vision may be warranted. *Dev Med Child Neurol.* 2007;49:426-428.
- A-157. Saigal S, Rosenbaum P, Stoskopf B, Hoult L, Furlong W, Feeny D, et al. Development, reliability and validity of a new measure of overall health for pre-school children. *Qual Life Res.* 2005;14:243-257.

## **Appendix A – Detailed Reference List**

The Gross Motor Function Classification System: An Update on Impact and Clinical Utility  
Laura Gray, Hennie Ng, Doreen Bartlett

---

- A-158. Satila H, Iisalo T, Pietikainen T, Seppanen RL, Salo M, Koivikko M, et al. Botulinum toxin treatment of spastic equinus in cerebral palsy: a randomized trial comparing two injection sites. *Am J Phys Med Rehabil.* 2005;392;84:355-365.
- A-159. Satila H, Pietikainen T, Iisalo T, Lehtonen-Raty P, Salo M, Haataja R, et al. Botulinum toxin type A injections into the calf muscles for treatment of spastic equinus in cerebral palsy: a randomized trial comparing single and multiple injection sites. *Am J Phys Med Rehabil.* 2008;87:386-394.
- A-160. Satila HK, Pietikainen T, Lehtonen-Raty P, Koivikko M, Autti-Ramo I. Treatment of spastic equinus gait with botulinum toxin A: Does dose matter? Analysis of a clinical cohort. *Neuropediatrics.* 2006;37:344-349.
- A-161. Scheinberg A, Hall K, Lam LT, O'Flaherty S. Oral baclofen in children with cerebral palsy: a double-blind cross-over pilot study. *J Paediatr Child Health* 2006;42:715-720.
- A-162. Schenker R, Coster WJ, Parush S. Neuroimpairments, activity performance, and participation in children with cerebral palsy mainstreamed in elementary schools. *Dev Med Child Neurol.* 2005;47:808-814.
- A-163. Senaran H, Shah SA, Presedo A, Dabney KW, Glutting JW, Miller F. The risk of progression of scoliosis in cerebral palsy patients after intrathecal baclofen therapy. *Spine.* 2007;32:2348-2354.
- A-164. Senner JE, Logemann J, Zecker S, Gaebler-Spira D. Drooling, saliva production, and swallowing in cerebral palsy. *Dev Med Child Neurol.* 2004;46:801-806.
- A-165. Shelly A, Davis E, Waters E, Mackinnon A, Reddihough D, Boyd R, et al. The relationship between quality of life and functioning for children with cerebral palsy. *Dev Med Child Neurol.* 2008;50:199-203.
- A-166. Shevell MI, Majnemer A, Poulin C, Law M. Stability of motor impairment in children with cerebral palsy. *Dev Med Child Neurol.* 2008;50:211-215.
- A-167. Shields N, Loy Y, Murdoch A, Taylor NF, Dodd KJ. Self-concept of children with cerebral palsy compared with that of children without impairment. *Dev Med Child Neurol.* 2007;49:350-354.

## **Appendix A – Detailed Reference List**

The Gross Motor Function Classification System: An Update on Impact and Clinical Utility  
Laura Gray, Hennie Ng, Doreen Bartlett

---

- A-168. Shumway-Cook A, Hutchinson S, Kartin D, Price R, Woollacott M. Effect of balance training on recovery of stability in children with cerebral palsy. *Dev Med Child Neurol.* 2003;45:591-602.
- A-169. Sigurdardottir S, Eiriksdottir A, Gunnarsdottir E, Meintema M, Arnadottir U, Vik T. Cognitive profile in young Icelandic children with cerebral palsy. *Dev Med Child Neurol.* 2008;50:357-362.
- A-170. Sommer C, Urlesberger B, Maurer-Fellbaum U, Kutschera J, Muller W. Neurodevelopmental outcome at 2 years in 23 to 26 weeks old gestation infants. *Klin Padiatr.* 2007;219:23-29.
- A-171. Soo B, Howard JJ, Boyd RN, Reid SM, Lanigan A, Wolfe R, et al. Hip displacement in cerebral palsy. *J Bone Joint Surg Am.* 2006;88:121-129.
- A-172. Sorsdahl AB, Moe-Nilssen R, Strand LI. Observer reliability of the Gross Motor Performance Measure and the Quality of Upper Extremity Skills Test, based on video recordings. *Dev Med Child Neurol.* 2008;50:146-151.
- A-173. Soylu OB, Unalp A, Uran N, Dizdarer G, Ozgonul FO, Conku A, et al. Effect of nutritional support in children with spastic quadriplegia. *Pediatr Neurol.* 2008;39:330-334.
- A-174. Stevenson RD, Conaway M, Barrington JW, Cuthill SL, Worley G, Henderson RC. Fracture rate in children with cerebral palsy. *Pediatr Rehabil.* 2006;9:396-403.
- A-175. Stevenson RD, Conaway M, Chumlea WC, Rosenbaum P, Fung EB, Henderson RC, et al. Growth and health in children with moderate-to-severe cerebral palsy. *Pediatrics.* 2006;118:1010-1018.
- A-176. Stott NS, Atherton WG, Mackey AH, Galley IJ, Nicol RO, Walsh SJ. The reliability and validity of assessment of sagittal plane deviations in children who have spastic diplegia. *Arch Phys Med Rehabil.* 2005;86:2337-2341.
- A-177. Sullivan E, Barnes D, Linton JL, Calmes J, Damiano D, Oeffinger D, et al. Relationships among functional outcome measures used for assessing children with ambulatory CP. *Dev Med Child Neurol.* 2007;49:338-344.

## **Appendix A – Detailed Reference List**

The Gross Motor Function Classification System: An Update on Impact and Clinical Utility  
Laura Gray, Hennie Ng, Doreen Bartlett

---

- A-178. Sullivan PB, Alder N, Bachlet AM, Grant H, Juszczak E, Henry J, et al. Gastrostomy feeding in cerebral palsy: too much of a good thing? *Dev Med Child Neurol.* 2006;48:877-882.
- A-179. Tedroff K, Knutson LM, Soderberg GL. Co-activity during maximum voluntary contraction: a study of four lower-extremity muscles in children with and without cerebral palsy. *Dev Med Child Neurol.* 2008;50:377-381.
- A-180. Tedroff K, Knutson LM, Soderberg GL. Synergistic muscle activation during maximum voluntary contractions in children with and without spastic cerebral palsy. *Dev Med Child Neurol.* 2006;48:789-796.
- A-181. Thompson P, Beath T, Bell J, Jacobson G, Phair T, Salbach NM, et al. Test-retest reliability of the 10-metre fast walk test and 6-minute walk test in ambulatory school-aged children with cerebral palsy. *Dev Med Child Neurol.* 2008;50:370-376.
- A-182. Tieman B, Palisano RJ, Gracely EJ, Rosenbaum PL. Variability in mobility of children with cerebral palsy. *Pediatr Phys Ther.* 2007;19:180-187.
- A-183. Tieman B, Palisano RJ, Gracely EJ, Rosenbaum P, Chiarello LA, O'Neil M. Changes in mobility of children with cerebral palsy over time and across environmental settings. *Phys Occup Ther Pediatr.* 2004;24:109-128.
- A-184. Trost JP, Schwartz MH, Krach LE, Dunn ME, Novacheck TF. Comprehensive short-term outcome assessment of selective dorsal rhizotomy. *Dev Med Child Neurol.* 2008;50:765-771.
- A-185. Tsorlakis N, Evaggelinou C, Grouios G, Tsorbatzoudis C. Effect of intensive neurodevelopmental treatment in gross motor function of children with cerebral palsy. *Dev Med Child Neurol.* 2004;46:740-745.
- A-186. Tuzun EH, Eker L, Daskapan A. An assessment of the impact of cerebral palsy on children's quality of life. *Fizyoterapi Rehabilitasyon.* 2004;15:3-8.
- A-187. van Empelen R, Jennekens-Schinkel A, Gorter JW, Volman MJ, van Nieuwenhuizen O, Helders PJ, et al. Epilepsy surgery does not harm motor performance of children and adolescents. *Brain.* 2005;128:1536-1545.

## **Appendix A – Detailed Reference List**

The Gross Motor Function Classification System: An Update on Impact and Clinical Utility  
Laura Gray, Hennie Ng, Doreen Bartlett

---

- A-188. van Gestel L, Molenaers G, Huenaerts C, Seyler J, Desloovere K. Effect of dynamic orthoses on gait: a retrospective control study in children with hemiplegia. *Dev Med Child Neurol.* 2008;50:63-67.
- A-189. Vargus-Adams JN. Inconsistencies with physical functioning and the child health questionnaire in children with cerebral palsy. *J Pediatr.* 2008;202.e1;153:199; Aug-202.
- A-190. Vargus-Adams J. Longitudinal use of the Child Health Questionnaire in childhood cerebral palsy. *Dev Med Child Neurol.* 2006;48:343-347.
- A-191. Vargus-Adams J. Health-related quality of life in childhood cerebral palsy. *Arch.Phys.Med.Rehabil.* 2005;86:940-945.
- A-192. Varni JW, Burwinkle TM, Berrin SJ, Sherman SA, Artavia K, Malcarne VL, et al. The PedsQL in pediatric cerebral palsy: reliability, validity, and sensitivity of the Generic Core Scales and Cerebral Palsy Module. *Dev Med Child Neurol.* 2006;48:442-449.
- A-193. Venkateswaran S, Shevell MI. Comorbidities and clinical determinants of outcome in children with spastic quadriplegic cerebral palsy. *Dev Med Child Neurol.* 2008;50:216-222.
- A-194. Verschuren O, Ketelaar M, Gorter JW, Helders PJ, Uiterwaal CS, Takken T. Exercise training program in children and adolescents with cerebral palsy: a randomized controlled trial. *Arch Pediatr Adolesc Med.* 2007;161:1075-1081.
- A-195. Verschuren O, Takken T, Ketelaar M, Gorter JW, Helders PJ. Reliability for running tests for measuring agility and anaerobic muscle power in children and adolescents with cerebral palsy. *Pediatr Phys Ther.* 2007;19:108-115.
- A-196. Verschuren O, Takken T, Ketelaar M, Gorter JW, Helders PJ. Reliability and validity of data for 2 newly developed shuttle run tests in children with cerebral palsy. *Phys Ther.* 2006;86:1107-1117.
- A-197. Viehweger E, Haumont T, de Lattre C, Presedo A, Filipetti P, Ilharreborde B, et al. Multidimensional outcome assessment in cerebral palsy: Is it feasible and relevant? *J Pediatr Orthop.* 2008;28:576-583.

## **Appendix A – Detailed Reference List**

The Gross Motor Function Classification System: An Update on Impact and Clinical Utility  
Laura Gray, Hennie Ng, Doreen Bartlett

---

- A-198. Vohr BR, Msall ME, Wilson D, Wright LL, McDonald S, Poole WK. Spectrum of gross motor function in extremely low birth weight children with cerebral palsy at 18 months of age. *Pediatrics*. 2005;116:123-129.
- A-199. Voorman JM, Dallmeijer AJ, Knol DL, Lankhorst GJ, Becher JG. Prospective longitudinal study of gross motor function in children with cerebral palsy. *Arch Phys Med Rehabil*. 2007;88:871-876.
- A-200. Voorman JM, Dallmeijer AJ, Schuengel C, Knol DL, Lankhorst GJ, Becher JG. Activities and participation of 9- to 13-year-old children with cerebral palsy. *Clin Rehabil*. 2006;20:937-948.
- A-201. Waters E, Davis E, Mackinnon A, Boyd R, Graham HK, Kai Lo S, et al. Psychometric properties of the quality of life questionnaire for children with CP. *Dev Med Child Neurol*. 2007;49:49-55.
- A-202. Westbom L, Hagglund G, Nordmark E. Cerebral palsy in a total population of 4-11 year olds in southern Sweden. Prevalence and distribution according to different CP classification systems. *BMC Pediatr*. 2007;7:41.
- A-203. Williams EN, Carroll SG, Reddihough DS, Phillips BA, Galea MP. Investigation of the Timed 'Up & Go' test in children. *Dev Med Child Neurol*. 2005;47:518-524.
- A-204. Williams H, Pountney T. Effects of a static bicycling programme on the functional ability of young people with cerebral palsy who are non-ambulant. *Dev Med Child Neurol*. 2007;49:522-527.
- A-205. Wingert JR, Burton H, Sinclair RJ, Brunstrom JE, Damiano DL. Tactile sensory abilities in cerebral palsy: deficits in roughness and object discrimination. *Dev Med Child Neurol*. 2008;50:832-838.
- A-206. Wong V, Chung B, Hui S, Fong A, Lau C, Law B, et al. Cerebral palsy: correlation of risk factors and functional performance using the Functional Independence Measure for Children (WeeFIM). *J Child Neurol*. 2004;19:887-893.
- A-207. Woollacott M, Shumway-Cook A, Hutchinson S, Cioc M, Price R, Kartik D. Effect of balance training on muscle activity used in recovery of stability in children with cerebral palsy: a pilot study. *Dev Med Child Neurol*. 2005;47:455-461.

#### **Appendix A – Detailed Reference List**

The Gross Motor Function Classification System: An Update on Impact and Clinical Utility  
Laura Gray, Hennie Ng, Doreen Bartlett

---

- A-208. Wren TA, Sheng M, Bowen RE, Scaduto AA, Kay RM, Otsuka NY, et al. Concurrent and discriminant validity of Spanish language instruments for measuring functional health status. *J Pediatr Orthop.* 2008;28:199-212.
- A-209. Wright FV, Boschen K, Jutai J. Exploring the comparative responsiveness of a core set of outcome measures in a school-based conductive education programme. *Child Care Health Dev.* 2005;31:291-302.
- A-210. Wright FV, Rosenbaum PL, Goldsmith CH, Law M, Fehlings DL. How do changes in body functions and structures, activity, and participation relate in children with cerebral palsy? *Dev Med Child Neurol.* 2008;50:283-289.
- A-211. Young B, Rice H, Dixon-Woods M, Colver AF, Parkinson KN. A qualitative study of the health-related quality of life of disabled children. *Dev Med Child Neurol.* 2007;49:660-665.
- A-212. Zier JL, Rivard PF, Krach LE, Wendorf HR. Effectiveness of sedation using nitrous oxide compared with enteral midazolam for botulinum toxin A injections in children. *Dev Med Child Neurol.* 2008;50:854-858.