Supplemental Digital Content 1: Search Terms

(cardiovascular disease OR stroke OR hypertension OR myocardial infarction OR heart disease OR diabetes OR hyperglycemia OR obese OR obesity OR overweight OR neoplasm OR cancer OR asthma OR mental illness OR mental disorder OR depression OR anxiety OR trauma OR substance OR alcohol OR addiction OR injury OR non-communicable OR ncd OR chronic disease OR primary health care)

AND

HIV

AND

(integration OR integrate OR integrating OR integrated OR diagonal OR leverage OR leveraging OR leveraged OR coordinate OR coordination OR coordinating)

AND

(africa OR latin america OR central america OR south america OR asia OR poor OR poverty OR marginalized OR disadvantaged OR homeless OR migrant OR Afghanistan OR Albania OR Algeria OR Samoa OR Angola OR Argentina OR Armenia OR Azerbaijan OR Bangladesh OR Belarus OR Belize OR Benin OR Bhutan OR Bolivia OR Bosnia OR Herzegovina OR Botswana OR Brazil OR Bulgaria OR Burkina Faso OR Burundi OR Cabo Verde OR Cambodia OR Cameroon OR Central African Republic OR Chad OR China OR Colombia OR Comoros OR Congo OR Congo OR Costa Rica OR Cote d Ivoire OR Cuba OR Djibouti OR Dominica OR Dominican Republic OR Ecuador OR Egypt OR El Salvador OR Equatorial Guinea OR Eritrea OR Ethiopia OR Fiji OR Gabon OR Gambia OR Georgia OR Ghana OR Grenada OR Guatemala OR Guinea OR Guinea Bissau OR Guyana OR Haiti OR Honduras OR India OR Indonesia OR Iran OR Iraq OR Jamaica OR Jordan OR Kazakhstan OR Kenya OR Kiribati OR Korea OR Kosovo OR Kyrgyz OR Lao OR Lebanon OR Lesotho OR Liberia OR Libya OR Macedonia OR Madagascar OR Malawi OR Malaysia OR Maldives OR Mali OR Marshall OR Mauritania OR Mauritius OR Mexico OR Micronesia OR Moldova OR Mongolia OR Montenegro OR Morocco OR Mozambique OR Myanmar OR Namibia OR Nepal OR Nicaragua OR Niger OR Nigeria OR Pakistan OR Palau OR Panama OR Papua New Guinea OR Paraguay OR Peru OR Philippines OR Romania OR Russia OR Rwanda OR Samoa OR Sao Tome and Principe OR Senegal OR Serbia OR Sierra Leone OR Solomon Islands OR Somalia OR South Africa OR South Sudan OR Sri Lanka OR St. Lucia OR St. Vincent and the Grenadines OR Sudan OR Suriname OR Swaziland OR Syria OR Tajikistan OR Tanzania OR Thailand OR Timor-Leste OR Togo OR Tonga OR Tunisia OR Turkey OR Turkmenistan OR Tuvalu OR Uganda OR Ukraine OR Uzbekistan OR Vanuatu OR Venezuela OR Vietnam OR West Bank OR Gaza OR Yemen OR Zambia OR Zimbabwe)

Supplemental Digital Content 2: Studies Excluded After Full-Text Review

- 1. Wallace B. "Integration"--finding the way in Belize. AIDS watch. 1990(9):8.
- 2. Anderson S. Community responses to AIDS. World health forum. 1994;15(1):35-8.
- 3. Brown EJ, Jemmott LS. HIV among people with mental illness: contributing factors, prevention needs, barriers, and strategies. Journal of psychosocial nursing and mental health services. 2000;38(4):14-9.
- 4. Dodds S, Blaney NT, Nuehring EM, Blakley T, Lizzotte J-M, Potter JE, et al. Integrating mental health services into primary care for HIV-infected pregnant and non-pregnant women: Whole Life—A theoretically derived model for clinical care and outcomes assessment. General hospital psychiatry. 2000;22(4):251-60.
- 5. Peck R, Fitzgerald DW, Liautaud B, Deschamps MM, Verdier RI, Beaulieu ME, et al. The feasibility, demand, and effect of integrating primary care services with HIV voluntary counseling and testing: evaluation of a 15-year experience in Haiti, 1985-2000. Journal of acquired immune deficiency syndromes (1999). 2003;33(4):470-5.
- 6. Calsyn RJ, Klinkenberg WD, Morse GA, Miller J, Cruthis R. Recruitment, engagement, and retention of people living with HIV and co-occurring mental health and substance use disorders. AIDS care. 2004;16 Suppl 1:S56-70.
- 7. Desai MM, Rosenheck RA. HIV testing and receipt of test results among homeless persons with serious mental illness. The American journal of psychiatry. 2004;161(12):2287-94.
- 8. Walton DA, Farmer PE, Lambert W, Leandre F, Koenig SP, Mukherjee JS. Integrated HIV prevention and care strengthens primary health care: lessons from rural Haiti. Journal of public health policy. 2004;25(2):137-58.
- 9. Freeman MC, Patel V, Collins PY, Bertolote JM. Integrating mental health in global initiatives for HIV/AIDS. The British Journal of Psychiatry. 2005;187(1):1-3.
- 10. Stranix-Chibanda L, Chibanda D, Chingono A, Montgomery E, Wells J, Maldonado Y, et al. Screening for psychological morbidity in HIV-infected and HIV-uninfected pregnant women using community counselors in Zimbabwe. Journal of the International Association of Physicians in AIDS Care (Chicago, Ill: 2002). 2005;4(4):83-8.
- 11. Willenbring ML. Integrating care for patients with infectious, psychiatric, and substance use disorders: concepts and approaches. AIDS (London, England). 2005;19 Suppl 3:S227-37.
- 12. Norr K, Kaponda CPN, Crittenden KS, Dancy BL, Jere DL, Kachingwe SI, et al. A primary health care intervention to mobilize health workers for HIV prevention in Malawi. Primary Health Care Research and Development. 2006;7(4):318-30.

- 13. Adewuya AO, Afolabi MO, Ola BA, Ogundele OA, Ajibare AO, Oladipo BF. Psychiatric disorders among the HIV-positive population in Nigeria: a control study. Journal of psychosomatic research. 2007;63(2):203-6.
- 14. Dieleman M, Bwete V, Maniple E, Bakker M, Namaganda G, Odaga J, et al. 'I believe that the staff have reduced their closeness to patients': an exploratory study on the impact of HIV/AIDS on staff in four rural hospitals in Uganda. BMC health services research. 2007;7:205.
- 15. Janssens B, Van Damme W, Raleigh B, Gupta J, Khem S, Soy Ty K, et al. Offering integrated care for HIV/AIDS, diabetes and hypertension within chronic disease clinics in Cambodia. Bulletin of the World Health Organization. 2007;85(11):880-5.
- 16. Mukherjee JS, Eustache FE. Community health workers as a cornerstone for integrating HIV and primary healthcare. AIDS care. 2007;19 Suppl 1:S73-82.
- 17. Sirivongrangson P, Bollen LJ, Chaovavanich A, Suksripanich O, Virapat P, Tunthanathip P, et al. Screening HIV-infected women for cervical cancer in Thailand: findings from a demonstration project. Sexually transmitted diseases. 2007;34(2):104-7.
- 18. Stein J, Lewin S, Fairall L. Hope is the pillar of the universe: health-care providers' experiences of delivering anti-retroviral therapy in primary health-care clinics in the Free State province of South Africa. Social science & medicine (1982). 2007;64(4):954-64.
- 19. Wright J, Lubben F, Mkandawire MB. Young Malawians on the interaction between mental health and HIV/AIDS. African journal of AIDS research: AJAR. 2007;6(3):297-304.
- 20. Beaglehole R, Epping-Jordan J, Patel V, Chopra M, Ebrahim S, Kidd M, et al. Improving the prevention and management of chronic disease in low-income and middle-income countries: a priority for primary health care. The Lancet. 2008;372(9642):940-9.
- 21. Mwanahamuntu MH, Sahasrabuddhe VV, Stringer JS, Parham GP. Integrating cervical cancer prevention in HIV/AIDS treatment and care programmes. Bulletin of the World Health Organization. 2008;86(8):D-e.
- 22. Pfaendler KS, Mwanahamuntu MH, Sahasrabuddhe VV, Mudenda V, Stringer JS, Parham GP. Management of cryotherapy-ineligible women in a "screen-and-treat" cervical cancer prevention program targeting HIV-infected women in Zambia: lessons from the field. Gynecologic oncology. 2008;110(3):402-7.
- 23. Slesnick N, Kang MJ. The impact of an integrated treatment on HIV risk behavior among homeless youth: a randomized controlled trial. Journal of behavioral medicine. 2008;31(1):45-59.

- 24. Stein J, Lewin S, Fairall L, Mayers P, English R, Bheekie A, et al. Building capacity for antiretroviral delivery in South Africa: a qualitative evaluation of the PALSA PLUS nurse training programme. BMC health services research. 2008;8:240.
- 25. Kalichman SC, Simbayi LC, Cloete A, Clayford M, Arnolds W, Mxoli M, et al. Integrated gender-based violence and HIV Risk reduction intervention for South African men: results of a quasi-experimental field trial. Prevention science: the official journal of the Society for Prevention Research. 2009;10(3):260-9.
- 26. Kim JC, Askew I, Muvhango L, Dwane N, Abramsky T, Jan S, et al. Comprehensive care and HIV prophylaxis after sexual assault in rural South Africa: the Refentse intervention study. BMJ (Clinical research ed). 2009;338:b515.
- 27. Mwanahamuntu MH, Sahasrabuddhe VV, Pfaendler KS, Mudenda V, Hicks ML, Vermund SH, et al. Implementation of 'see-and-treat' cervical cancer prevention services linked to HIV care in Zambia. AIDS (London, England). 2009;23(6):N1-N5.
- 28. Price JE, Leslie JA, Welsh M, Binagwaho A. Integrating HIV clinical services into primary health care in Rwanda: a measure of quantitative effects. AIDS care. 2009;21(5):608-14.
- 29. Renaud A, Basenya O, de Borman N, Greindl I, Meyer-Rath G. The cost effectiveness of integrated care for people living with HIV including antiretroviral treatment in a primary health care centre in Bujumbura, Burundi. AIDS care. 2009;21(11):1388-94.
- 30. Rothbard AB, Lee S, Blank MB. Cost of treating seriously mentally ill persons with HIV following highly active retroviral therapy (HAART). Journal of Mental Health Policy and Economics. 2009;12(4):187-94+215-6+9-20.
- 31. Batra P, Kuhn L, Denny L. Utilisation and outcomes of cervical cancer prevention services among HIV-infected women in Cape Town. SAMJ: South African Medical Journal. 2010;100(1):39-44.
- 32. Bottonari KA, Stepleman LM. Improving access to mental health services via a clinic-wide mental health intervention in a Southeastern US infectious disease clinic. AIDS care. 2010;22(2):133-6.
- 33. de-Graft Aikins A, Unwin N, Agyemang C, Allotey P, Campbell C, Arhinful D. Tackling Africa's chronic disease burden: From the local to the global. Globalization and health. 2010;6.
- 34. Kuhn L, Wang C, Tsai W-Y, Wright TC, Denny L. Efficacy of human papillomavirus-based screen-and-treat for cervical cancer prevention among HIV-infected women. AIDS (London, England). 2010;24(16):2553-61.
- 35. Mutyaba T, Mirembe F, Sandin S, Weiderpass E. Evaluation of see-see and treat's trategy and role of HIV on cervical cancer prevention in Uganda. Reproductive health. 2010;7(1):4.

- 36. Parham GP, Mwanahamuntu MH, Pfaendler KS, Sahasrabuddhe VV, Myung D, Mkumba G, et al. eC3—a modern telecommunications matrix for cervical cancer prevention in Zambia. Journal of lower genital tract disease. 2010;14(3).
- 37. Pfeiffer J, Montoya P, Baptista AJ, Karagianis M, Pugas Mde M, Micek M, et al. Integration of HIV/AIDS services into African primary health care: lessons learned for health system strengthening in Mozambique a case study. Journal of the International AIDS Society. 2010;13:3.
- 38. Schull MJ, Banda H, Kathyola D, Fairall L, Martiniuk A, Burciul B, et al. Strengthening health human resources and improving clinical outcomes through an integrated guideline and educational outreach in resource-poor settings: a cluster-randomized trial. Trials. 2010;11:118.
- 39. Sikkema KJ, Neufeld SA, Hansen NB, Mohlahlane R, Van Rensburg MJ, Watt MH, et al. Integrating HIV prevention into services for abused women in South Africa. AIDS and behavior. 2010;14(2):431-9.
- 40. Topp SM, Chipukuma JM, Giganti M, Mwango LK, Chiko LM, Tambatamba-Chapula B, et al. Strengthening health systems at facility-level: feasibility of integrating antiretroviral therapy into primary health care services in lusaka, zambia. PloS one. 2010;5(7):e11522.
- 41. Atashili J, Smith JS, Adimora AA, Eron J, Miller WC, Myers E. Potential impact of antiretroviral therapy and screening on cervical cancer mortality in HIV-positive women in sub-Saharan Africa: a simulation. PloS one. 2011;6(4):e18527.
- 42. Chibanda D, Mesu P, Kajawu L, Cowan F, Araya R, Abas MA. Problem-solving therapy for depression and common mental disorders in Zimbabwe: piloting a task-shifting primary mental health care intervention in a population with a high prevalence of people living with HIV. BMC public health. 2011;11:828.
- 43. Dudley L, Garner P. Strategies for integrating primary health services in low- and middle-income countries at the point of delivery. The Cochrane database of systematic reviews. 2011(7):Cd003318.
- 44. Hanrahan NP, Rolin-Kenny D, Roman J, Kumar A, Aiken L, Blank M. Promoting Self-Care Management among Persons with Serious Mental Illness and HIV. Home health care management & practice. 2011;23(6):421-7.
- 45. Jonsson G, Furin J, Jeenah F, Moosa MY, Sivepersad R, Kalafatis F, et al. Human rights, mental illness, and HIV: the Luthando Neropsychiatric HIV Clinic in Soweto, South Africa. Health and human rights. 2011;13(2):E64-72.
- 46. Levitt NS, Steyn K, Dave J, Bradshaw D. Chronic noncommunicable diseases and HIV-AIDS on a collision course: relevance for health care delivery, particularly in low-resource settings--insights from South Africa. The American journal of clinical nutrition. 2011;94(6):1690s-6s.

- 47. Mbulaiteye SM, Bhatia K, Adebamowo C, Sasco AJ. HIV and cancer in Africa: mutual collaboration between HIV and cancer programs may provide timely research and public health data. Infectious agents and cancer. 2011;6(1):16.
- 48. Moetlo GJ, Pengpid S, Peltzer K. An evaluation of the implementation of integrated community home-based care services in vhembe district, South Africa. Indian journal of palliative care. 2011;17(2):137-42.
- 49. Mwanahamuntu MH, Sahasrabuddhe VV, Kapambwe S, Pfaendler KS, Chibwesha C, Mkumba G, et al. Advancing cervical cancer prevention initiatives in resource-constrained settings: insights from the Cervical Cancer Prevention Program in Zambia. PLoS medicine. 2011;8(5):1-5.
- 50. Nyabera RA, Yonga G, Mwangemi F, Bukachi F. Evaluation of a project integrating cardiovascular care into HIV programmes. Cardiovascular Journal of Africa. 2011;22(3):S17.
- 51. Schull MJ, Cornick R, Thompson S, Faris G, Fairall L, Burciul B, et al. From PALSA PLUS to PALM PLUS: adapting and developing a South African guideline and training intervention to better integrate HIV/AIDS care with primary care in rural health centers in Malawi. Implementation science: IS. 2011;6:82.
- 52. Shin S, Munoz M, Caldas A, Ying W, Zeladita J, Wong M, et al. Mental Health Burden Among Impoverished HIV-Positive Patients in Peru. Journal of the International Association of Physicians in AIDS Care (Chicago, Ill: 2002). 2011;10(1):18-25.
- 53. Sodhi S, Banda H, Kathyola D, Burciul B, Thompson S, Joshua M, et al. Evaluating a streamlined clinical tool and educational outreach intervention for health care workers in Malawi: the PALM PLUS case study. BMC international health and human rights. 2011;11 Suppl 2:S11.
- 54. Techane Y, Kiros K, Mohammed J, Zergaw B. Hiv testing and counseling services among confirmed cases of invasive cervical cancer patients at Tikur Anbesa Specialized Teaching Hospital. International Journal of Gynecological Cancer. 2011;21(11):73.
- 55. Uebel KE, Fairall LR, van Rensburg DH, Mollentze WF, Bachmann MO, Lewin S, et al. Task shifting and integration of HIV care into primary care in South Africa: the development and content of the streamlining tasks and roles to expand treatment and care for HIV (STRETCH) intervention. Implementation science: IS. 2011;6:86.
- 56. Washington R, Babu R. Comprehensive, competent and compassionate care for people living with HIV in coastal Andhra Pradesh. Sexually transmitted infections. 2011;87:A335-A6.
- 57. Yager JE, Kadiyala S, Weiser SD. HIV/AIDS, food supplementation and livelihood programs in Uganda: A way forward? PloS one. 2011;6(10).

- 58. Benevides R. The integration of gender based violence into sexual and reproductive health and hiv services: A neglected opportunity to protect the health and rights of women. International Journal of Gynecology and Obstetrics. 2012;119:S169.
- 59. Deo S, Topp S, Garcia A, Soldner M, Yagci Sokat K, Chipukuma J, et al. Modeling the impact of integrating HIV and outpatient health services on patient waiting times in an urban health clinic in Zambia. PloS one. 2012;7(4).
- 60. Flys T, Gonzalez R, Sued O, Suarez Conejero J, Kestler E, Sosa N, et al. A novel educational strategy targeting health care workers in underserved communities in Central America to integrate HIV into primary medical care. PloS one. 2012;7(10):e46426.
- 61. Fredericksen R, Crane PK, Tufano J, Ralston J, Schmidt S, Brown T, et al. Integrating a web-based, patient-administered assessment into primary care for HIV-infected adults. Journal of AIDS and HIV research (Online). 2012;4(2):47-55.
- 62. Horo A, Jaquet A, Ekouevi DK, Toure B, Coffie PA, Effi B, et al. Cervical cancer screening by visual inspection in Cote d'Ivoire, operational and clinical aspects according to HIV status. BMC public health. 2012;12(1):237.
- 63. Joska JA, Sorsdahl KR. Integrating mental health into general health care: lessons from HIV. African journal of psychiatry. 2012;15(6):420-3.
- 64. McCree-Hale R, Spiegelman D, Aris E, Chalamilla G, Andrew I, Mwaiselage J, et al. Making the case for better integration of cervical cancer screening and treatment for HIV-infected women attending care and treatment clinics in Dar es Salaam, Tanzania. Infectious Agents & Cancer. 2012;7(Suppl 1):1-2.
- 65. Melo AP, McKinnon K, Wainberg ML, Cesar CC, Guimaraes MD. Psychiatric patients' return for HIV/STI test results in mental health centers. Revista de saude publica. 2012;46(2):290-9.
- 66. Memiah P, Mbuthia W, Kiiru G, Agbor S, Odhiambo F, Ojoo S, et al. Prevalence and Risk Factors Associated with Precancerous Cervical Cancer Lesions among HIV-Infected Women in Resource-Limited Settings. AIDS research and treatment. 2012;2012:953743.
- 67. Moon TD, Silva-Matos C, Cordoso A, Baptista AJ, Sidat M, Vermund SH. Implementation of cervical cancer screening using visual inspection with acetic acid in rural Mozambique: successes and challenges using HIV care and treatment programme investments in Zambézia Province. Journal of the International AIDS Society. 2012;15(2).
- 68. Mulenga E, Chisoko C, Mulenga Y, Makoane C. Integrating cervical cancer prevention services into mobile HIV counseling and testing services to reach more women with life-saving cancer interventions. Journal of the International AIDS Society. 2012;15:242-3.

- 69. Nigatu T. Integration of HIV and noncommunicable diseases in health care delivery in low- and middle-income countries. Preventing chronic disease. 2012;9:E93.
- 70. Okello ES, Ngo VK, Ryan G, Musisi S, Akena D, Nakasujja N, et al. Qualitative study of the influence of antidepressants on the psychological health of patients on antiretroviral therapy in Uganda. African journal of AIDS research: AJAR. 2012;11(1):37-44.
- 71. Palácio MB, de Castro Figueiredo MA, de Souza LB. O Cuidado em HIV/AIDS e a Atenção Primária em Saúde: Possibilidades de Integração da Assistência. = HIV/AIDS care and primary health care: Possibilities of assistance integration. PSICO. 2012;43(3):360-7.
- 72. Peterson K, Togun T, Klis S, Menten J, Colebunders R. Depression and posttraumatic stress disorder among HIV-infected Gambians on antiretroviral therapy. AIDS patient care and STDs. 2012;26(10):589-96.
- 73. Rabkin M, Melaku Z, Bruce K, Reja A, Koler A, Tadesse Y, et al. Strengthening Health Systems for Chronic Care: Leveraging HIV Programs to Support Diabetes Services in Ethiopia and Swaziland. Journal of tropical medicine. 2012;2012:137460.
- 74. Ramogola-Masire D, de Klerk R, Monare B, Ratshaa B, Friedman HM, Zetola NM. Cervical cancer prevention in HIV-infected women using the "see and treat" approach in Botswana. Journal of acquired immune deficiency syndromes (1999). 2012;59(3).
- 75. Reid MJ, Mosepele M, Tsima BM, Gross R. Addressing the challenge of the emerging NCD epidemic: lessons learned from Botswana's response to the HIV epidemic. Public health action. 2012;2(3):47-9.
- 76. Wagner GJ, Ghosh-Dastidar B, Holloway IW, Kityo C, Mugyenyi P. Depression in the pathway of HIV antiretroviral effects on sexual risk behavior among patients in Uganda. AIDS and behavior. 2012;16(7):1862-9.
- 77. Wong WC, Luk CW, Kidd MR. Is there a role for primary care clinicians in providing shared care in HIV treatment? A systematic literature review. Sexually transmitted infections. 2012;88(2):125-31.
- 78. Yong CC, John J, Koutronas E, Kallarakkal TG. Cost estimation and planning for HIV/AIDS oral healthcare services: A Malaysian experiment. BMC infectious diseases. 2012;12.
- 79. Amzel A, Toska E, Lovich R, Widyono M, Patel T, Foti C, et al. Promoting a combination approach to paediatric HIV psychosocial support. AIDS (London, England). 2013;27 Suppl 2:S147-57.

- 80. Church K, Wringe A, Fakudze P, Kikuvi J, Simelane D, Mayhew SH. Are integrated HIV services less stigmatizing than stand-alone models of care? A comparative case study from Swaziland. Journal of the International AIDS Society. 2013;16:17981.
- 81. Jenkins R, Othieno C, Okeyo S, Aruwa J, Kingora J, Jenkins B. Health system challenges to integration of mental health delivery in primary care in Kenya--perspectives of primary care health workers. BMC health services research. 2013;13:368.
- 82. Kaaya S, Eustache E, Lapidos-Salaiz I, Musisi S, Psaros C, Wissow L. Grand challenges: Improving HIV treatment outcomes by integrating interventions for co-morbid mental illness. PLoS medicine. 2013;10(5):e1001447.
- 83. Lambdin BH, Micek MA, Sherr K, Gimbel S, Karagianis M, Lara J, et al. Integration of HIV care and treatment in primary health care centers and patient retention in central Mozambique: a retrospective cohort study. Journal of acquired immune deficiency syndromes (1999). 2013;62(5):e146-52.
- 84. Magafu MG, Moji K, Igumbor EU, Magafu NS, Mwandri M, Mwita JC, et al. Non-communicable diseases in antiretroviral therapy recipients in Kagera Tanzania: a cross-sectional study. The Pan African medical journal. 2013;16:84.
- 85. Mwanahamuntu MH, Sahasrabuddhe VV, Blevins M, Kapambwe S, Shepherd BE, Chibwesha C, et al. Utilization of cervical cancer screening services and trends in screening positivity rates in a 'screen-and-treat' program integrated with HIV/AIDS care in Zambia. PloS one. 2013;8(9):e74607.
- 86. Ngo VK, Wagner GJ, Huynh A, Ryan G, Musisi S. A qualitative analysis of the effects of depression and antidepressants on physical and work functioning among antiretroviral therapy clients in Uganda. Journal of the International Association of Providers of AIDS Care. 2013;12(6):414-22.
- 87. Odafe S, Torpey K, Khamofu H, Oladele E, Adedokun O, Chabikuli O, et al. Integrating cervical cancer screening with HIV care in a district hospital in Abuja, Nigeria. Nigerian medical journal: journal of the Nigeria Medical Association. 2013;54(3):176-84.
- 88. Odeny TA, Penner J, Lewis-Kulzer J, Leslie HH, Shade SB, Adero W, et al. Integration of HIV Care with Primary Health Care Services: Effect on Patient Satisfaction and Stigma in Rural Kenya. AIDS research and treatment. 2013;2013:485715.
- 89. Olagunju AT, Ogundipe OA, Erinfolami AR, Akinbode AA, Adeyemi JD. Toward the integration of comprehensive mental health services in HIV care: an assessment of psychiatric morbidity among HIV-positive individuals in sub-Saharan Africa. AIDS care. 2013;25(9):1193-8.
- 90. Oluwole D, Kraemer J. Innovative public-private partnership: a diagonal approach to combating women's cancers in Africa. Bulletin of the World Health Organization. 2013;91(9):691-6.

- 91. Ononogbu U, Almujtaba M, Modibbo F, Lawal I, Offiong R, Olaniyan O, et al. Cervical cancer risk factors among HIV-infected Nigerian women. BMC public health. 2013;13(1):582.
- 92. Oti SO. HIV and noncommunicable diseases: a case for health system building. Current opinion in HIV and AIDS. 2013;8(1):65-9.
- 93. Remais JV, Zeng G, Li G, Tian L, Engelgau MM. Convergence of non-communicable and infectious diseases in low- and middle-income countries. International journal of epidemiology. 2013;42(1):221-7.
- 94. Topp SM, Chipukuma JM, Chiko MM, Matongo E, Bolton-Moore C, Reid SE. Integrating HIV treatment with primary care outpatient services: opportunities and challenges from a scaled-up model in Zambia. Health policy and planning. 2013;28(4):347-57.
- 95. Uebel K, Guise A, Georgeu D, Colvin C, Lewin S. Integrating HIV care into nurse-led primary health care services in South Africa: a synthesis of three linked qualitative studies. BMC health services research. 2013;13:171.
- 96. Uebel KE, Joubert G, Wouters E, Mollentze WF, van Rensburg DH. Integrating HIV care into primary care services: quantifying progress of an intervention in South Africa. PloS one. 2013;8(1):e54266.
- 97. Uebel KE, Lombard C, Joubert G, Fairall LR, Bachmann MO, Mollentze WF, et al. Integration of HIV care into primary care in South Africa: effect on survival of patients needing antiretroviral treatment. Journal of acquired immune deficiency syndromes (1999). 2013;63(3):e94-100.
- 98. Wand H, Ramjee G. High prevalence of obesity among women who enrolled in HIV prevention trials in KwaZulu-Natal, South Africa: healthy diet and life style messages should be integrated into HIV prevention programs. BMC public health. 2013;13:159.
- 99. Aantjes C, Quinlan T, Bunders J. Integration of community home based care programmes within national primary health care revitalisation strategies in Ethiopia, Malawi, South-Africa and Zambia: a comparative assessment. Globalization and health. 2014;10:85.
- 100. Adebamowo CA, Casper C, Bhatia K, Mbulaiteye SM, Sasco AJ, Phipps W, et al. Challenges in the detection, prevention, and treatment of HIV-associated malignancies in low- and middle-income countries in Africa. Journal of acquired immune deficiency syndromes (1999). 2014;67 Suppl 1:S17-26.
- 101. Chibanda D, Shetty AK, Tshimanga M, Woelk G, Stranix-Chibanda L, Rusakaniko S. Group problem-solving therapy for postnatal depression among HIV-positive and HIV-negative mothers in Zimbabwe. Journal of the International Association of Providers of AIDS Care. 2014;13(4):335-41.

- 102. Chilwesa PM, Njobvu P, Mulenga Y. Cervical cancer secondary prevention: POC STI screening and treatment on the ZDFMS integrated mobile HCT/cervical cancer screening program. Asia-Pacific Journal of Clinical Oncology. 2014;10:82.
- 103. Crabtree-Ramirez B, Del Rio C, Grinsztejn B, Sierra-Madero J. HIV and noncommunicable diseases (NCDs) in Latin America: a call for an integrated and comprehensive response. Journal of acquired immune deficiency syndromes (1999). 2014;67 Suppl 1:S96-8.
- 104. Crowley T, Stellenberg EL. Integrating HIV care and treatment into primary healthcare: are clinics equipped? African journal of primary health care & family medicine. 2014;6(1):E1-7.
- 105. Ezechi OC, Pettersson KO, Okolo CA, Ujah IA, Ostergren PO. The association between HIV infection, antiretroviral therapy and cervical squamous intraepithelial lesions in South Western Nigerian women. PloS one. 2014;9(5):e97150.
- 106. Fletcher FE, Buchberg M, Schover LR, Basen-Engquist K, Kempf M-C, Arduino RC, et al. Perceptions of barriers and facilitators to cervical cancer screening among low-income, HIV-infected women from an integrated HIV clinic. AIDS care. 2014;26(10):1229-35.
- 107. Hanlon C, Luitel NP, Kathree T, Murhar V, Shrivasta S, Medhin G, et al. Challenges and opportunities for implementing integrated mental health care: a district level situation analysis from five low- and middle-income countries. PloS one. 2014;9(2):e88437.
- 108. Haregu TN, Setswe G, Elliott J, Oldenburg B. National Responses to HIV/AIDS and Non-Communicable Diseases in Developing Countries: Analysis of Strategic Parallels and Differences. Journal of public health research. 2014;3(1):99.
- 109. Hyle EP, Naidoo K, Su AE, El-Sadr WM, Freedberg KA. HIV, tuberculosis, and noncommunicable diseases: what is known about the costs, effects, and cost-effectiveness of integrated care? Journal of acquired immune deficiency syndromes (1999). 2014;67 Suppl 1:S87-95.
- 110. Jack H, Wagner RG, Petersen I, Thom R, Newton CR, Stein A, et al. Closing the mental health treatment gap in South Africa: a review of costs and cost-effectiveness. Global health action. 2014;7:23431.
- 111. Khozaim K, Orang'o E, Christoffersen Deb A, Itsura P, Oguda J, Muliro H, et al. Successes and challenges of establishing a cervical cancer screening and treatment program in western Kenya. International Journal of Gynecology & Obstetrics. 2014;124(1):12-8.
- 112. Mwanahamuntu MH, Sahasrabuddhe VV, Blevins M, Kapambwe S, Shepherd BE, Chibwesha C, et al. Monitoring the performance of "screen-and-treat" cervical cancer prevention programs. International journal of gynaecology and obstetrics: the official

- organ of the International Federation of Gynaecology and Obstetrics. 2014;126(1):88-9.
- 113. Nakimuli-Mpungu E, Wamala K, Okello J, Alderman S, Odokonyero R, Musisi S, et al. Outcomes, feasibility and acceptability of a group support psychotherapeutic intervention for depressed HIV affected Ugandan adults: A pilot study. Journal of affective disorders. 2014;166:144-50.
- 114. Oleribe OO, Oladipo O, Osita-Oleribe P, Nwachukwu C, Nkwopara F, Ekom E, et al. Commonization of HIV/AIDS services in Nigeria: the need, the processes and the prospects. The Pan African medical journal. 2014;19:329.
- 115. Petersen M, Yiannoutsos CT, Justice A, Egger M. Observational research on NCDs in HIV-positive populations: conceptual and methodological considerations. Journal of acquired immune deficiency syndromes (1999). 2014;67 Suppl 1:S8-16.
- 116. Plotkin M, Besana GV, Yuma S, Kim YM, Kulindwa Y, Kabole F, et al. Integrating HIV testing into cervical cancer screening in Tanzania: an analysis of routine service delivery statistics. BMC women's health. 2014;14:120.
- 117. Sodhi S, Banda H, Kathyola D, Joshua M, Richardson F, Mah E, et al. Supporting middle-cadre health care workers in Malawi: lessons learned during implementation of the PALM PLUS package. BMC health services research. 2014;14 Suppl 1:S8.
- 118. Tesfaye SH, Bune GT. Generalized psychological distress among HIV-infected patients enrolled in antiretroviral treatment in Dilla University Hospital, Gedeo zone, Ethiopia. Global health action. 2014;7:23882.
- 119. Tsu VD, Cernuschi T, LaMontagne DS. Lessons learned from HPV vaccine delivery in low-resource settings and opportunities for HIV prevention, treatment, and care among adolescents. Journal of acquired immune deficiency syndromes (1999). 2014;66 Suppl 2:S209-16.
- 120. Val LF, Nichiata LY. Comprehensiveness and programmatic vulnerability to stds/hiv/aids in primary care. Revista da Escola de Enfermagem da U S P. 2014;48 Spec No:145-51.
- 121. Wagner G, Ghosh-Dastidar B, Slaughter M, Akena D, Nakasujja N, Okello E, et al. The Role of Depression in Work-Related Outcomes of HIV Treatment in Uganda. International journal of behavioral medicine. 2014;21(6):946-55.
- 122. Wagner GJ, Ngo V, Glick P, Obuku EA, Musisi S, Akena D. INtegration of DEPression Treatment into HIV Care in Uganda (INDEPTH-Uganda): study protocol for a randomized controlled trial. Trials. 2014;15:248.
- 123. Barr D, Odetoyinbo M, Mworeko L, Greenberg J. The leadership of communities in HIV service delivery. AIDS (London, England). 2015;29 Suppl 2:S121-7.

- 124. Chowdhury R, Nuccio O, Komwahingiro J, White H, Meglioli A, Makula J. A single visit approach to cervical cancer prevention by reproductive health networks in Tanzania. International Journal of Gynecology and Obstetrics. 2015;131:E271.
- 125. Edwards JK, Bygrave H, Van den Bergh R, Kizito W, Cheti E, Kosgei RJ, et al. HIV with non-communicable diseases in primary care in Kibera, Nairobi, Kenya: characteristics and outcomes 2010-2013. Transactions of the Royal Society of Tropical Medicine and Hygiene. 2015;109(7):440-6.
- 126. Gupta N, Bukhman G. Leveraging the lessons learned from HIV/AIDS for coordinated chronic care delivery in resource-poor settings. Healthcare (Amsterdam, Netherlands). 2015;3(4):215-20.
- 127. Herce ME, Kalanga N, Wroe EB, Keck JW, Chingoli F, Tengatenga L, et al. Excellent clinical outcomes and retention in care for adults with HIV-associated Kaposi sarcoma treated with systemic chemotherapy and integrated antiretroviral therapy in rural Malawi. Journal of the International AIDS Society. 2015;18:19929.
- 128. Huchko MJ, Maloba M, Nakalembe M, Cohen CR. The time has come to make cervical cancer prevention an essential part of comprehensive sexual and reproductive health services for HIV-positive women in low-income countries. Journal of the International AIDS Society. 2015;18(Suppl 5):20282.
- 129. Kalichman S, Pellowski J, Kegler C, Cherry C, Kalichman M. Medication adherence in people dually treated for HIV infection and mental health conditions: test of the medications beliefs framework. Journal of behavioral medicine. 2015;38(4):632-41.
- 130. Kapambwe S, Sahasrabuddhe VV, Blevins M, Mwanahamuntu MH, Mudenda V, Shepherd BE, et al. Implementation and Operational Research: Age Distribution and Determinants of Invasive Cervical Cancer in a "Screen-and-Treat" Program Integrated With HIV/AIDS Care in Zambia. Journal of acquired immune deficiency syndromes (1999). 2015;70(1):e20-6.
- 131. Khabala KB, Edwards JK, Baruani B, Sirengo M, Musembi P, Kosgei RJ, et al. Medication Adherence Clubs: a potential solution to managing large numbers of stable patients with multiple chronic diseases in informal settlements. Tropical Medicine & International Health. 2015;20(10):1265-70.
- 132. Mahomed OH, Asmall S. Development and implementation of an integrated chronic disease model in South Africa: lessons in the management of change through improving the quality of clinical practice. International journal of integrated care. 2015;15:e038.
- 133. Mathibe MD, Hendricks SJ, Bergh AM. Clinician perceptions and patient experiences of antiretroviral treatment integration in primary health care clinics, Tshwane, South Africa. Curationis. 2015;38(1).

- 134. Mbuagbaw L, Mursleen S, Lytvyn L, Smieja M, Dolovich L, Thabane L. Mobile phone text messaging interventions for HIV and other chronic diseases: an overview of systematic reviews and framework for evidence transfer. BMC health services research. 2015;15:33.
- 135. Mutumba M, Harper GW. Mental health and support among young key populations: an ecological approach to understanding and intervention. Journal of the International AIDS Society. 2015;18(2 Suppl 1):19429.
- 136. Nakimuli-Mpungu E, Wamala K, Okello J, Alderman S, Odokonyero R, Mojtabai R, et al. Group support psychotherapy for depression treatment in people with HIV/AIDS in northern Uganda: a single-centre randomised controlled trial. The lancet HIV. 2015;2(5):e190-9.
- 137. Parham GP, Mwanahamuntu MH, Kapambwe S, Muwonge R, Bateman AC, Blevins M, et al. Population-level scale-up of cervical cancer prevention services in a low-resource setting: development, implementation, and evaluation of the cervical cancer prevention program in Zambia. PloS one. 2015;10(4):e0122169.
- 138. Wagman JA, Gray RH, Campbell JC, Thoma M, Ndyanabo A, Ssekasanvu J, et al. Effectiveness of an integrated intimate partner violence and HIV prevention intervention in Rakai, Uganda: analysis of an intervention in an existing cluster randomised cohort. The Lancet Global health. 2015;3(1):e23-33.
- 139. Wroe EB, Kalanga N, Mailosi B, Mwalwanda S, Kachimanga C, Nyangulu K, et al. Leveraging HIV platforms to work toward comprehensive primary care in rural Malawi: the Integrated Chronic Care Clinic. Healthcare (Amsterdam, Netherlands). 2015;3(4):270-6.
- 140. Bekolo CE, O'Bryan G, Tchago FE, Nangue C, Bekoule PS, Kollo B. Integrating Cervical Cancer Screening with HIV Care in Cameroon: Comparative Risk Analysis of Cervical Disease in HIV-Infected Women Receiving Antiretroviral Therapy to Women in the General Population. PloS one. 2016;11(2):e0149152.
- 141. Brown CA, Suneja G, Tapela N, Mapes A, Pusoentsi M, Mmalane M, et al. Predictors of Timely Access of Oncology Services and Advanced-Stage Cancer in an HIV-Endemic Setting. The oncologist. 2016;21(6):731-8.
- 142. Chaudhury S, Brown FL, Kirk CM, Mukunzi S, Nyirandagijimana B, Mukandanga J, et al. Exploring the potential of a family-based prevention intervention to reduce alcohol use and violence within HIV-affected families in Rwanda. AIDS care. 2016;28 Suppl 2:118-29.
- 143. Chetty V, Hanass-Hancock J. A rehabilitation model as key to comprehensive care in the era of HIV as a chronic disease in South Africa. AIDS care. 2016;28 Suppl 1:132-9.

- 144. Chibanda D, Weiss HA, Verhey R, Simms V, Munjoma R, Rusakaniko S, et al. Effect of a Primary Care-Based Psychological Intervention on Symptoms of Common Mental Disorders in Zimbabwe: A Randomized Clinical Trial. JAMA: Journal of the American Medical Association. 2016;316(24):2618-26.
- 145. Chinwe O, Ongeri L, Bukusi E, Cohen CR, Neylan TC, Oyaro P, et al. Interpersonal psychotherapy for depression and posttraumatic stress disorder among HIV-positive women in Kisumu, Kenya: study protocol for a randomized controlled trial. Trials. 2016;17:1-8.
- 146. Divala OH, Amberbir A, Ismail Z, Beyene T, Garone D, Pfaff C, et al. The burden of hypertension, diabetes mellitus, and cardiovascular risk factors among adult Malawians in HIV care: consequences for integrated services. BMC public health. 2016;16(1):1243.
- 147. Fairall LR, Folb N, Timmerman V, Lombard C, Steyn K, Bachmann MO, et al. Educational Outreach with an Integrated Clinical Tool for Nurse-Led Non-communicable Chronic Disease Management in Primary Care in South Africa: A Pragmatic Cluster Randomised Controlled Trial. PLoS medicine. 2016;13(11):e1002178.
- 148. Johns B, Doroshenko O, Tarantino L, Cowley P. The Cost-Effectiveness of Integrating HIV Counseling and Testing into Primary Health Care in the Ukraine. AIDS and behavior. 2016.
- 149. Magodoro IM, Esterhuizen TM, Chivese T. A cross-sectional, facility based study of comorbid non-communicable diseases among adults living with HIV infection in Zimbabwe. BMC research notes. 2016;9:379.
- 150. Msyamboza KP, Phiri T, Sichali W, Kwenda W, Kachale F. Cervical cancer screening uptake and challenges in Malawi from 2011 to 2015: retrospective cohort study. BMC public health. 2016;16(1):806.
- 151. Mwangome MN, Geubbels E, Klatser P, Dieleman M. "I don't have options but to persevere." Experiences and practices of care for HIV and diabetes in rural Tanzania: a qualitative study of patients and family caregivers. International journal for equity in health. 2016;15:56.
- 152. Naoroibam R, Metri KG, Bhargav H, Nagaratna R, Nagendra HR. Effect of Integrated Yoga (IY) on psychological states and CD4 counts of HIV-1 infected patients: A randomized controlled pilot study. International journal of yoga. 2016;9(1):57-61.
- 153. Ogunwale AN, Coleman MA, Sangi-Haghpeykar H, Valverde I, Montealegre J, Jibaja-Weiss M, et al. Assessment of factors impacting cervical cancer screening among low-income women living with HIV-AIDS. AIDS care. 2016;28(4):491-4.

- 154. Onu C, Ongeri L, Bukusi E, Cohen CR, Neylan TC, Oyaro P, et al. Interpersonal psychotherapy for depression and posttraumatic stress disorder among HIV-positive women in Kisumu, Kenya: study protocol for a randomized controlled trial. Trials. 2016;17:64.
- 155. Reid MJ, Haas MK, Sedigeng P, Ramogola-Masire D, Friedman HM, Ho-Foster A. Leveraging HIV Programming to Enhance Access to Noncommunicable Disease Care in Southern Botswana. Journal of the International Association of Providers of AIDS Care. 2016;15(1):7-10.
- 156. Rodriguez-Fernandez R, Ng N, Susilo D, Prawira J, Bangs MJ, Amiya RM. The double burden of disease among mining workers in Papua, Indonesia: at the crossroads between Old and New health paradigms. BMC public health. 2016;16:951.
- 157. Safren SA, Bedoya CA, O'Cleirigh C, Biello KB, Pinkston MM, Stein MD, et al. Cognitive behavioural therapy for adherence and depression in patients with HIV: a three-arm randomised controlled trial. The lancet HIV. 2016;3(11):e529-e38.
- 158. Wagman JA, King EJ, Namatovu F, Kiwanuka D, Kairania R, Semanda JB, et al. Combined intimate partner violence and HIV/AIDS prevention in rural Uganda: Design of the SHARE intervention strategy. Health care for women international. 2016;37(3):364-87.
- 159. Watkins DA, Tulloch NL, Anderson ME, Barnhart S, Steyn K, Levitt NS. Delivery of health care for cardiovascular and metabolic diseases among people living with HIV/AIDS in African countries: a systematic review protocol. Systematic reviews. 2016;5:63.
- 160. Yi S, Tuot S, Chhoun P, Pal K, Choub SC, Mburu G. Mental health among men who have sex with men in Cambodia: Implications for integration of mental health services within HIV programmes. International journal for equity in health. 2016;15:53.
- 161. Sudfeld CR, Kaaya S, Gunaratna NS, Mugusi F, Fawzi WW, Aboud S, et al. Depression at antiretroviral therapy initiation and clinical outcomes among a cohort of Tanzanian women living with HIV. AIDS (London, England). 2017;31(2):263-71.

Supplemental Digital Content 3: IS Training Programs in SSA

Countries	Programs	Disease Emphasi s	Mast ers	PhD/ MD	Long- Term (undef ined)	Sh ort - ter m	Fac ulty	Fell ows	Post- Doc
Ethiopi a	Johns Hopkins University Addis Ababa University Optimizing HIV Prevention in Ethiopia through Implementation Science NIH/FIC TW009582	HIV							X
Kenya	University of Washington University of Nairobi Improving the HIV Care Cascade in Kenya through Implementation Science Training NIH/FIC TW009580	HIV	X	X	X	X			
	University of Washington Kenya Medical Research Institute Women and HIV: Translation of Research into Practice NIH/FIC TW009783	HIV			X	X			
	Indiana University Moi University Enhancing Training for Implementation Research in Chronic Diseases: CITE/KENYA NIH/FIC TW009105	NCD			X			X	
Malawi	University of North Carolina Chapel Hill University of Malawi College of Medicine Planning for a National Non- communicable Disease Center of Research Excellence NIH/NCI P20CA210285	NCD			X				
	University of North Carolina Chapel Hill University of Malawi Malawi HIV Implementation Research Scientist Training program NIH/FIC TW010060	HIV	X	X	X	X			
Mozam bique	Columbia University Universidade Eduardo Mondlane Vanderbilt University Universidade Federal de Sao Paulo PALOP Mental Health Implementation Research Training NIH/FIC TW009675	Mental Health						X	

Countries	Programs	Disease Emphasi s	Mast ers	PhD/ MD	Long- Term (undef ined)	Sh ort - ter m	Fac ulty	Fell ows	Post- Doc
	Vanderbilt University Universidade Eduardo Mondlane Universidade Federal de Sao Paulo UEM Partnership for Research in Implementation Science Mozambique (PRISM) NIH/FIC TW009745	HIV	X		X	X			
	PRIDE SSA – Partnerships in Research to Implement and Disseminate Sustainable and Scalable Evidence Based Practices in Sub-Saharan Africa NIH/NIMH U19MH113203-01	Mental Health				X	X		
	University of Ibadan College of Medicine Partnership for Mental Health Development in SSA NIH/NIMH U19MH098718	Mental Health			X				
South Africa	University of North Carolina, Chapel Hill University of the Witwatersrand UNC Wits AIDS Implementation Research and Cohort Analyses Training Grant NIH/FIC TW009774	HIV	х			X			
	University of KwaZulu-Natal University of Washington Muhimbili University of Health and Allied Sciences Southern African Research Consortium for Mental health INTegration (S-MhINT) NIH/NIMH U19MH113191	Mental Health		X		x			
Tanzani a	Harvard University Muhimbili University of Health and Allied Sciences Training Tanzanian Researchers for HIV/AIDS Implementation Science NIH/FIC TW009775	HIV			Х				X
Uganda	Johns Hopkins University Makerere University Rakai Health Sciences Program University of Toronto Male Circumcision and Use of Foreskin Tissues for HIV Prevention in Uganda	HIV				X			X

Countries	Programs	Disease Emphasi s	Mast ers	PhD/ MD	Long- Term (undef ined)	Sh ort - ter m	Fac ulty	Fell ows	Post- Doc
	NIH/FIC TW009578 Makerere University University of California, San Francisco Building Implementation Science Capacity at Makerere University to Strengthen the Response to the HIV/AIDS Epidemic in Uganda NIH/FIC TW010037	HIV	X		X	X			Х
Zambia	The UNC-UNZA-Wits Partnership for HIV and Women's Reproductive Health NIH/FIC TW010558	HIV and Women's Reprodu ctive Health		X			X		х
Zimbab we	University of California, Berkeley University of Zimbabwe University of California, San Francisco HIV Implementation Science Research Training Program NIH/FIC TW009539	HIV/TB			X				
Liberia Sierra Leone	Harvard School of Public Health University of Liberia University of Sierra Leone University of Georgia Youth Forward: Capacity Building in Alternate Delivery Platforms and Implementation Models for Bringing Evidence-Based Behavioral Interventions to Scale for Youth Facing Adversity in West Africa NIH/NIMH U19MH109989	Mental Health			X				
Ghana Kenya South Africa Uganda	New York University University of KwaZulu-Natal African Regional Research Partnerships for Scaling Up Child Mental Health EBPS NIH/NIMH U19MH110001	Mental Health			X				
Ethiopi a Ghana Malawi South	University of Cape Town Africa Focus on the Intervention Research for Mental Health (AFFIRM) NIH/NIMH U19MH095699	Mental Health			X				

Countr ies	Programs	Disease Emphasi s	Mast ers	PhD/ MD	Long- Term (undef ined)	Sh ort - ter m	Fac ulty	Fell ows	Post- Doc
Africa									
Uganda Zimbab									
we									
Malawi	The UJMT Global Consortium:	HIV/AID							
Uganda	Building Research Capacity	S, non-							
Ghana	Through Mentored Training	communi							
Sierra	NIH/FIC TW009340	cable							
Leone		diseases, emerging							
		infection							
		S,							
		cancers,						X	
		mental							
		health,							
		neurologi							
		C							
		disorders							
		, and women's							
		health.							
Ghana	WHO/TDR/University of Ghana	Malaria/	X	X					
	(Regional)*	TB/NTD	71	71					
South	WHO/TDR/ Witwatersrand, SA	Malaria/	X	X					
Africa	(Regional)*	TB/NTD							
Zambi a	WHO/TDR/ Department of Public Health, Zambia (Regional) *	Malaria/ TB/NTD	X	X					
а	Ticarii, Zaiiivia (Kegiviiai)	ID/NID		l					