

Element Rated	Example of Substandard Function
The essential simulation equipment performed as expected. (Yes/No)	The mannequin begins to breathe when it is programmed to be apneic.
The essential clinical equipment was available and performed as expected. (Yes/No)	Defibrillator is not available when it is scripted to be present.
The confederates behaved as expected. (Yes/No)	The confederates were scripted not to offer advice or make suggestions that contributed to patient care.
Simulation participants performed as expected. (Yes/No)	Participant says, in rapid succession, “I’m going to place a central line; I have a central line now, I’m giving epinephrine, epinephrine is in and not having an effect”
Other aspects of the scenario occurred as expected. (Yes/No)	A catch-all for picking up deficient simulation delivery; for example, if the scenario was to take place in the Post Anesthesia Care Unit (PACU) yet the environment looked like an operating room.
The audio and video quality was sufficient to rate the scenario accurately. (Yes/No)	Audio recording dropped out for a significant portion of the scenario making retrospective review of interactions impossible.
Overall, the scenario was sufficiently realistic compared to a real case. (Yes/No)	A holistic assessment made by clinical experts to evaluate if the simulation looked and felt like a real case: deviations would include a participant wearing street clothes in the simulated operating room or lab values were obtained by someone opening the door and yelling into the room.