


Low-value clinical practices in the intensive care unit

Thanks for your participation in the **consultation phase** of our **scoping review**, the first component of the **Canadian Program on Low Value Practices in Injury Care**.

FIGURE 1. THE CANADIAN PROGRAM ON LOW-VALUE PRACTICES IN INJURY CARE



The objective of this survey is to **identify around 10 clinical practices** that will go on to the systematic review phase. To do so, we would like you to **rate each intervention on its potential to be labeled as a low-value clinical practice** according to the following **definition**:

An intervention that is used in practice but is ineffective or its harm/cost outweighs its benefits

There are 53 questions in this survey

ICU ADMISSION AND NEUROSURGICAL CONSULTATION (page 1/7)

Low-value clinical practice (definition): **An intervention that is used in practice but is ineffective or its harm/cost outweighs its benefits.**

We would like you to rate each intervention on its potential to be labeled as a low-value clinical practice according to the following definition:

An intervention that is used in practice but is ineffective or its harm/cost outweighs its benefits

1. ICU ADMISSION

Indication: Adult acute mild TBI (GCS 13-15) with minimal findings on CT and not on nonreversible anticoagulation

Please choose the appropriate response for each item:

Clearly
low-value

☐

Possibly
low-value

☐

Controversial

☐

Possibly
beneficial

☐

Clearly
beneficial

☐

Undecided

☐

2. ICU ADMISSION

Indication: Pediatric acute mild TBI (GCS 13-15) with minimal findings on CT but no midline shift or depressed skull fracture

Please choose the appropriate response for each item:

Clearly
low-value

☐

Possibly
low-value

☐

Controversial

☐

Possibly
beneficial

☐

Clearly
beneficial

☐

Undecided

☐

3. NEUROSURGICAL CONSULTATION

Indication: Acute mild TBI with negative CT

Please choose the appropriate response for each item:

Clearly
low-value

☐

Possibly
low-value

☐

Controversial

☐

Possibly
beneficial

☐

Clearly
beneficial

☐

Undecided

☐

4. NEUROSURGICAL CONSULTATION

Indication: Acute mild TBI with minimal findings on CT

Please choose the appropriate response for each item:

Clearly
low-value

☐

Possibly
low-value

☐

Controversial

☐

Possibly
beneficial

☐

Clearly
beneficial

☐

Undecided

☐

Comments:

Please write your answer(s) here:

Question 1	
Question 2	
Question 3	
Question 4	