Table S1: QALYs and Life years for Accept DCD compared with Do not Accept DCD, stratified by base MELD score. *Probabilistic Sensitivity Analysis (1000 runs)*

Base MELD score	**Accept DCD** (95% Confidence Interval)	**Do not Accept DCD** (95% Confidence Interval)	**Incremental Value**	**Difference** (p-value)
MELD ≤ 20				
**QALYs*	3.85 (3.78-3.92)	4.10 (4.09-4.12)	0.25	<0.001
**Life years*	5.02 (4.93-5.11)	5.49 (5.48-5.51)	0.47	<0.001
MELD 21 – 30				
**QALYs*	3.81 (3.75-3.88)	3.89 (3.88-3.91)	0.08	0.014
**Life years*	5.10 (5.01-5.18)	5.18 (5.16-5.20)	0.08	0.063
MELD > 30				
**QALYs*	3.78 (3.71-3.85)	3.26 (3.25-3.27)	-0.52	<0.001
**Life years*	5.11 (5.02-5.20)	4.31 (4.30-4.33)	-0.80	<0.001

Table S2: QALYs and Life years for Accept DCD compared with Do not Accept DCD, stratified by base MELD score over a 20 year time horizon. *Using first order Monte Carlo simulation, 10,000 trials.*

Base MELD score	**Accept DCD** (95% Confidence Interval)	**Do not Accept DCD** (95% Confidence Interval)	**Incremental Value**	**Difference** (p-value)
MELD ≤ 20				
*QALYs	4.96 (4.87-5.05)	6.02 (5.92-6.11)	1.06	<0.001
*Life years	6.50 (6.39-6.61)	7.92 (7.80-8.04)	1.42	<0.001
MELD 21 – 30				
**QALYs*	4.94 (4.86-5.01)	5.68 (5.60-5.77)	0.74	<0.001
**Life years*	6.70 (6.56-6.84)	7.53 (7.41-7.66)	0.83	<0.001
MELD > 30				
**QALYs*	4.89 (4.78-4.99)	4.78 (4.69-4.88)	-0.11	0.14
**Life years*	6.49 (6.38-6.61)	6.20 (6.08-6.32)	-0.29	<0.001