

Table E5. Summary of studies on pCT and macular CT in NAION, Unaffected fellow eyes, and Control group.

Garcia-Basterra et al. (6)			Fard et al. (5)			Pérez-Sarriegui et al. (current study)			Schuster et al. (8)		Nagia et al. * (7)		
Affected	Unaffected	Control	Affected	Unaffected	Control	Affected	Unaffected	Control	Affected	Unaffected	Affected	Unaffected	Control
Mean Age	65.3	64.4	56.0		57.5	67.20	66.47	68.03	66.9	71.9	63.9	63.3	63.4
Mean pCT	148.18	148.49	182.90	201.6 6	212.1 6	166.9 6	130.51	149.61	103.66		217.3	230.3	151.6
Superior pCT	151.67	152.49	189.33	213.85	220.25	178.5	146.31	166.28	119.03		199.2	213.6	135.0
Inferior pCT	119.67	113.44	135.97	181.1	191.4	145.1	129.72	147.23	105.14		173.8	184.8	102.3
Nasal pCT	150.16	163.49	205.46	200.2 6	211.8 6	171.4 6	111.48	123.95	82.89		190.8	211.5	128.9
Temporal pCT	173.90	162.52	200.85	204.7 6	213.0 6	172.7	134.55	161.00	107.57		202.1	214.0	129.3
Mean macular CT				256.3	267.6	262.4	226.12	244.62	189.92				
Foveal CT							249.55	267.66	198.71	205	214		
Optic disk area				1.86	1.88	2.23	1.73	1.78	1.74		1.7	1.7	1.7

pCT, peripapillary choroidal thickness; CT, choroidal thickness; NAION, nonarteritic anterior ischemic optic neuropathy; BMO, Branch membrane opening.

* Presented data are at 1500-2000 μ from BMO.