Supplemental Figure 1: Subgroup Forest Plot Duration

	Patients(%)	Reduction in %		Additional Reduction in % (Duration) CBT vs. AC (95% CI)
		CBT	AC	
Sex				
male	55(43.3)	85.93	-29.50	89.14 (58.98 to 97.12)
female	72(56.7)	41.90	61.93	-52.61 (-378.83 to 51.36)
Age				
7-9 years	55(43.3)	71.93	49.18	44.76 (-106.31 to 85.21)
10-13 years	72(56.7)	66.60	23.83	56.15 (-43.93 to 86.64)
Socioeconor	nic Status			
lower	11(8.7)	93.52	54.64	85.71 (-310.71 to 99.50)
middle	103(81.1)	68.00	41.10	45.67 (-43.98 to 79.50)
upper	13(10.2)	48.80	-83.46	72.09 (-421.79 to 98.51)
Psychiatric S	Strain			
GSI <= 59	113(89.0)	67.93	48.19	38.10 (-61.00 to 76.20)
GSI > 59	14(11.0)	91.70	-27.36	93.49 (-116.97 to 99.80)
Parental Pair	1			
No	46(36.2)	84.53	31.21	77.52 (3.83 to 94.74)
Yes	81(63.8)	53.70	41.45	20.92 (-136.15 to 73.52)
Psychologica	al Strain			
unobtrusive	84(67.7)	75.54	16.66	70.65 (12.33 to 90.17)
marginal	19(15.3)	15.26	71.47	-196.99 (-3007.96 to 71.62)
conspicuous	3 21(16.9)	79.70	48.38	60.68 (-270.82 to 95.83)
All patients	127	69.88	38.10	51.35 (-18.16 to 79.97)

