Appendix 1. Studies Included in Systematic Review

Study	Study Quality (A, B, C)	Total N	Type of Sling Removal (partial, total, or comparative between partial and total)	Sling Type (retropubic, transobturat or, mini- sling, mixed, or unknown)	Lower urinary tract symptoms (LUTS) Outcome Measures	Mesh Exposure/ Erosion Outcome Measures	Pain Outcome Measures	Bladder outlet obstruction (BOO) Outcome Measures	Post-op SUI Outcome Measures	Adverse Events Reported
Fuentes et al,[1] 2021	С	52 (subur ethral arm only)	Partial	Mixed			UDI-6, Q6, VAS			
Karmakar et al,[2] 2020	С	31	Partial	Mixed		Physical Exam				2 vaginal infections
Ngo et al,[3] 2019	С	15	Partial	Mixed				Flow rate, PVR		
Offiah et al,[4] 2020	С	19	Partial	Mixed					Subjective	
Shakir et al,[5] 2020	С	230	Partial	Mixed	UDI-6 question 5 and 2		UDI-6 question 6		UDI-6 question 3	
Shapiro et al,[6] 2021	С	95	Partial	Mixed			Subjective	Flow rate, PVR	Cough stress test	Urethral injury (repaired at the time of surgery)
Tepe et al,[7] 2020	С	35	Partial	Mixed	UDI-6				Cough stress test	No adverse events
Wang et al,[8] 2021	С	116	Partial	Unknown			UDI-6 question 6			

Doyle PJ, Grimes CL, Balk EM, Wieslander C, Richardson M, Mamik MM, et al. Surgical removal of midurethral sling in women undergoing surgery for presumed mesh-related complications: a systematic review. Obstet Gynecol 2022;139.

The authors provided this information as a supplement to their article.

Baekelandt et al,[9] 2016	В	23	Partial	Mixed	Urodynami c testing, pad count, subjective voiding dysfunction		Subjective		Pad count, subjective SUI, uroflow, PVR	UTI, transient pain
South et al,[10] 2009	С	112	Partial	Mixed	Subjective				Subjective	No adverse Events
Viereck et al,[11] 2013	С	198	Partial	Mixed	Subjective, urethral closing pressures, ultrasound	Physical Exam	Subjective	PVR > 100 ml	Cough stress test, pad test, VAS	No adverse Events
Kowalik et al,[12] 2018	С	13	Partial	Mixed	Incontinenc e Severity Index (ISI), Patient Global Impression of Improveme nt (PGI-I)	Physical Exam	Numeric Pain Scale (NPS), subjective		Subjective SUI, Incontinenc e Severity Index (ISI),	1 Seroma, 1 wound infection, 1 extended catheter placeme nt
Laurikaines et al,[13] 2006	В	48	Partial	Retropubic	Urinary Incontinenc e Severity Score (UISS), Urodynami c testing (43%)	Physical Exam		Mean PVR	Cough stress test	2 wound infections , 11 urinary tract infections , 4 EBL >200 ml, 2 hemetom a, 1 bladder perforatio

The authors provided this information as a supplement to their article.

Crescenze	С	107	Partial	Mixed	UDI-6,		UDS	UDI-6,	n, 1 urethral vaginal fistula
et al,[14] 2016					SSQ-8, UDS			subjective	adverse Events
Agnew et al,[15] 2012	С	63	Partial	Unknown	PVR >150 ml, subjective			Recurrent SUI surgery	No adverse Events
Oh et al, 2009	В	14	Partial	Mixed	Subjective	Cystoscop y			1 Pelvic hematom a, 1 transfusi on, 1 VVF
Molden et al,[16] 2010	С	197	Partial	Mixed	Subjective voiding dysfunction		Void<25 ml, subjective	Pad weight, subjective SUI	No adverse Events
Goujon et al,[17] 2016	С	18	Partial	Mixed	USP, Subjective			Subjective SUI, Contilife questionnai re	2 VVF, 2 cystotom y with intraperit oneal spilling > laparosc opy
Moksnes et al,[18] 2017	В	585	Partial	Mixed	validated short-form urinary incontinenc e disease-		indication to perform bladder catheterizat ion, sling mobilizatio	cough- jump pad stress test	No adverse Events

The authors provided this information as a supplement to their article.

Rautenber	С	61	Partial	Retropubic	specific questionnai re for subjective data Ultrasound	n, or sling transection	Cough	2 minor
g et al,[19] 2014						ml	stress test, pad test, VAS	hematom as
Segal et al,[20] 2005	В	44	Partial	Mixed	IIQ, UDI, subjective	Uroflow, PVR > 100 ml, perform bladder catheterizat ion	cystometry	No adverse Events
Kasturi et al,[21] 2011	В	15	Partial	Retropubic		PVR mean over 2 days > 100 ml, subjective, uroflow	Subjective, standing stress test, UDS	No adverse Events
Price et al,[22] 2009	В	33	Partial	Retropubic		PVR > 150 ml	UDS implied (as described above)	No adverse Events
Brennand et al,[23] 2017	В	31	Partial	Mixed	AUASI, UDI-6	perform bladder catheterizat ion, PVR >150 ml, AUASI Symptom Index	Subjective SUI, AUA Symptom Index, UDI- 6	No adverse Events
Castellani et al,[24] 2015	В	12	Partial	Transobturat or	AUASI, urodynamic s, voiding	Uroflow max 15 ml/s, PVR	Cough Stress Test,	

The authors provided this information as a supplement to their article.

Wu et al,[25] 2018	С	14	Partial	Unknown	cystograph y, pad test Urodynami cs, voiding cystograph y, PGI-I, QoL-I		> 150 ml or AUASI > 8. Urodynami cs, voiding cystograph y Urodynami cs, voiding cystograph y, PGI-I, QoL-I, Uroflow max 15 ml/s, PVR > 200 ml	urodynamic s, voiding cystograph y Urodynami cs, voiding cystograph y, PGI-I, QoL-I	No adverse Events
Forde et al,[26] 2015	С	16	Partial	Transobturat or		Physical Exam	7 200 mm	Subjective SUI, UDI 6	No adverse Events
Baracat et al,[27] 2005	С	11	Partial	Retropubic		Physical Exam, cystoscop y		subjective	No adverse Events
Basu et al,[28] 2012	В	41	Partial	Mixed		Physical Exam		Chart review	No adverse Events
Toz et al,[29] 2015	С	32	Partial	Mini sling	UDI-6, IIQ- 7	Physical Exam		Cough stress test, voiding diary, IIQ- 7, UDI-6	No adverse Events
Frenkl et al,[30] 2008	С	22	Partial	Mixed		Physical Exam, cystoscop			No adverse Events

The authors provided this information as a supplement to their article.

						y, subjective				
Forzini et al, [31]2015	С	16	Partial	Mixed	Subjective	Cystoscop y, physical exam	Subjective		Subjective, UDI-6	
Glavind et al, [32]2015	С	17	Partial	Retropubic	Questionna ire, voiding diary, subjective			PVR > 100 ml, uroflow	Cough stress test, voiding dairy	
Kuhn et al,[33]2008	С	18	Partial	Mixed	VAS of satisfaction , UDS, ultrasound		Subjective , FSFI		VAS of satisfaction , UDS	
Mouracade at al,[34] 2008	В	22	Partial	Unknown	UDS, ultrasound, MHU			Uroflow < 15 ml/s, UDS, PVR	UDI 6, IIQ, VAS, pad weight, UDS, MHU	
Syan et al,[35] 2019	С	32	Total	Mixed	Subjective	Physical Exam		PVR	Subjective SUI, pad count	1 Clavien grade minor (Urinary retention)
Fabian et al,[36] 2015	В	100	Total	Mixed	Urinary frequency, mean voided volume, pad weight, valsalva voiding, subjective voiding dysfunction , intensity			PVR	Pad test,	EBL (only 1 pt loss > 150 ml), hematolo gic condition (1 post op hematom a), organ injury (1

The authors provided this information as a supplement to their article.

					of urgency, utrasound					bladder perforatio n)
Coskun et al,[37] 2015	В	17	Total	Mini sling	UDI-6, UDS, imaging	Physical Exam	Subjective , physical exam	UDS	Subjective SUI, UDI-6, UDS, imaging	1 urethral obstructi on, 5 recurrent incontine nce
Hou et al,[38] 2014	В	54	Total	Mixed			VAS			No adverse Events
Ramart et al,[39] 2017	С	117	Total	Mixed	Chart review	Physical exam, ultrasound , cystoscop y		PVR	Video urodynamic s	1 gluteal abscess formation , 1 atrial fibrillation , 1 groin hematom a, 1 incisional hernia, and 1 vaginal bleeding requiring vaginal packing.
Goodall et al,[40] 2019	В	56	Comparative	Retropubic	Subjective		VAS		Subjective	Clavien grade major (2 OR take backs RP hematom as), 3

The authors provided this information as a supplement to their article.

									incisional hernias, 1 port site hernia
Shaw et al,[41] 2017	В	102	Comparative	Mixed	Subjective, incontinence severity index questionnai re			Subjective	Need for secondar y sling division (surgical failure)
Misrai et al,[42] 2009	С	75	Comparative	Mixed	Uroflow, subjective voiding dysfunction , void diary, UDS	DN4 questionn aire	UDS	UDS, physical exam, void diary	Prolonge d operative time 122 min
Drain et al,[43] 2018	В	110	Comparative	Mixed	Chart review	Chart review	Chart review	Interventio n for SUI	
Jambusari a et al,[44] 2016	В	245	Comparative	Mixed	Subjective	Subjective		Subjective, reoperation rates	

AUASI: American Urologic Association Symptom Index

DN4 Questionnaire: Douler Neuropathique 4

FSFI: Female Sexual Function Index

IIQ-7: Incontinence Impact Questionnaire-7

MHU: Mesure du Handicap Urinaire questionnaire PGI-I: Patients' Global Impression of Improvement

PVR: Post-void Residual Measurement QoL-I: Quality of Life index for Incontinence

Doyle PJ, Grimes CL, Balk EM, Wieslander C, Richardson M, Mamik MM, et al. Surgical removal of midurethral sling in women undergoing surgery for presumed mesh-related complications: a systematic review. Obstet Gynecol 2022;139.

The authors provided this information as a supplement to their article.

SSQ-8: Surgery Satisfaction Questionnaire

SUI: Stress Urinary Incontinence

UDI-6: Urogenital Distress inventory-6

UDS: Urodynamics

USP: Urinary Symptom Profile questionnaire

- 1. Fuentes, J.L., et al., *Mesh Sling Arm Removal for Persistent Pain After an Initial Vaginal Suburethral Mesh Sling Removal Procedure.* Female Pelvic Med Reconstr Surg, 2021. **27**(5): p. e522-e527.
- 2. Karmakar, D., P.L. Dwyer, and P. Nikpoor, *Mid-urethral sling revision for mesh exposure-long-term outcomes of two surgical techniques from a comparative clinical retrospective cohort study.* BJOG, 2020. **127**(8): p. 1027-1033.
- 3. Ngo, Y.G., et al., *The effects of "unilateral midurethral sling cut down" in women with voiding dysfunctions after anti-incontinence surgery.* Int Urol Nephrol, 2019. **51**(9): p. 1501-1506.
- 4. Offiah, I., S. Rachaneni, and A. Dua, *Management of mid-urethral tape complications: a retrospective study.* J Obstet Gynaecol India, 2020. **70**(2): p. 152-157.
- 5. Shakir, N.A., et al., *Multidimensional outcomes of suburethral synthetic midurethral sling removal.* World J Urol, 2020. **38**(8): p. 2005-2012.
- 6. Shapiro, R., et al., *Recurrent Incontinence After Transvaginal Partial Sling Excision in Patients with Prior Mid-Urethral Sling.* Res Rep Urol, 2021. **13**: p. 9-15.
- 7. Tepe, N.B., et al., Comparison of the efficiency of partial versus subtotal mesh removal on urogenital distress and sexual functions after stress urinary incontinence surgery. Turk J Urol, 2020. **46**(2): p. 140-145.
- 8. Wang, C.N., A.L. Christie, and P.E. Zimmern, *Sensitivity to Change of Subdomain Question 6 of the Urogenital Distress Inventory Short Form After Sling Removal for Pain.* Urology, 2021. **147**: p. 104-108.
- 9. Baekelandt, F., et al., *Long-term functional results after unilateral mid-urethral sling transection for voiding dysfunction.* Eur J Obstet Gynecol Reprod Biol, 2016. **207**: p. 89-93.
- 10. South, M.M., et al., *Early vs late midline sling lysis results in greater improvement in lower urinary tract symptoms.* Am J Obstet Gynecol, 2009. **200**(5): p. 564 e1-5.
- 11. Viereck, V., et al., *Midurethral sling incision: indications and outcomes*. Int Urogynecol J, 2013. **24**(4): p. 645-53.
- 12. Kowalik, C.G., et al., *Road to recovery after transvaginal surgery for urethral mesh perforation: evaluation of outcomes and subsequent procedures.* Int Urogynecol J, 2018. **29**(6): p. 887-892.

Doyle PJ, Grimes CL, Balk EM, Wieslander C, Richardson M, Mamik MM, et al. Surgical removal of midurethral sling in women undergoing surgery for presumed mesh-related complications: a systematic review. Obstet Gynecol 2022;139.

The authors provided this information as a supplement to their article.

- 13. Laurikainen, E. and P. Kiilholma, *A nationwide analysis of transvaginal tape release for urinary retention after tension-free vaginal tape procedure.* Int Urogynecol J Pelvic Floor Dysfunct, 2006. **17**(2): p. 111-9.
- 14. Crescenze, I.M., et al., *Urgency Incontinence before and after Revision of a Synthetic Mid Urethral Sling.* J Urol, 2016. **196**(2): p. 478-83.
- 15. Agnew, G., et al., Functional outcomes for surgical revision of synthetic slings performed for voiding dysfunction: a retrospective study. Eur J Obstet Gynecol Reprod Biol, 2012. **163**(1): p. 113-6.
- 16. Molden, S., et al., A retrospective multicenter study on outcomes after midurethral polypropylene sling revision for voiding dysfunction. Female Pelvic Med Reconstr Surg, 2010. **16**(6): p. 340-4.
- 17. Goujon, E., et al., *Retrospective study on the management and follow-up of 18 patients with a mid-urethral sling penetrating the urethra or bladder.* J Gynecol Obstet Hum Reprod, 2018. **47**(7): p. 289-297.
- 18. Moksnes, L.R., et al., *Sling mobilization in the management of urinary retention after mid-urethral sling surgery.* Neurourol Urodyn, 2017. **36**(4): p. 1091-1096.
- 19. Rautenberg, O., et al., *Ultrasound and early tape mobilization--a practical solution for treating postoperative voiding dysfunction.*Neurourol Urodyn, 2014. **33**(7): p. 1147-51.
- 20. Segal, J., et al., *Various surgical approaches to treat voiding dysfunction following anti-incontinence surgery.* Int Urogynecol J Pelvic Floor Dysfunct, 2006. **17**(4): p. 372-7.
- 21. Kasturi, S. and D.S. Hale, "J" cut of sling for postoperative voiding dysfunction following synthetic midurethral slings. Int Urogynecol J, 2011. **22**(8): p. 933-6.
- 22. Price, N., et al., *The benefit of early mobilisation of tension-free vaginal tape in the treatment of post-operative voiding dysfunction.* Int Urogynecol J Pelvic Floor Dysfunct, 2009. **20**(7): p. 855-8.
- 23. Brennand, E.A., et al., *Early voiding dysfunction after midurethral sling surgery: comparison of two management approaches.* Int Urogynecol J, 2017. **28**(10): p. 1515-1526.
- 24. Castellani, D.e.a., *Unilateral sling transection for patients with postoperative voiding dysfunction after transobturator sling surgery.*International Federation of Gynecology and Obstetrics, 2015: p. 313-314.
- 25. Wu, S.Y. and H.C. Kuo, Long-term outcomes of anti-incontinence surgery and subsequent transvaginal sling incision for urethral obstruction. Int Urogynecol J, 2019. **30**(5): p. 761-766.
- 26. Forde J, C.T., Evaluation of Presenting Symptoms and Long-Term outcomes of Patients Requiring Excision of a Transobturator Tape (TOT). Irish Medical Journal, 2015. **108**(9): p. 270-272.
- 27. Baracat, F.M., A; Kanashiro, H; Montellato, N, *Endoscopic treatment of vesical and urethral perforations after tension-free vaginal tape (TVT) procedure for female stress urinary incontinence.* Clinics, 2005. **6**(5): p. 397-400.
- 28. Basu, M., et al., *Continence outcomes following partial excision of vaginal mesh exposure after mid-urethral tape insertion.* Eur J Obstet Gynecol Reprod Biol, 2013. **167**(1): p. 114-7.

The authors provided this information as a supplement to their article.

- 29. Toz, E., et al., Functional outcomes of polypropylene midurethral sling resection for treatment of mesh exposure/extrusion: Does it lead to a relapse of incontinence? Ginekol Pol, 2015. **86**(7): p. 531-6.
- 30. Frenkl, T.L., et al., *Management of iatrogenic foreign bodies of the bladder and urethra following pelvic floor surgery.* Neurourol Urodyn, 2008. **27**(6): p. 491-5.
- 31. Forzini, T., et al., [Erosive complications of mid urethral slings (MUS): 10 years of surgical experience]. Prog Urol, 2015. **25**(5): p. 240-8.
- 32. Glavind, K. and S. Shim, *Incidence and treatment of postoperative voiding dysfunction after the tension-free vaginal tape procedure.* Int Urogynecol J, 2015. **26**(11): p. 1657-60.
- 33. Kuhn, A., et al., *Correction of erosion after suburethral sling insertion for stress incontinence: results and related sexual function.* Eur Urol, 2009. **56**(2): p. 371-6.
- 34. Mouracade, P., et al., *Transvaginal tape lysis for urinary obstruction after suburethral tape placement. When to do an immediate replacement?* Int Urogynecol J Pelvic Floor Dysfunct, 2008. **19**(9): p. 1271-4.
- 35. Syan, R., et al., *Exploring stress urinary incontinence outcomes after sling excision for perforation or exposure.* Low Urin Tract Symptoms, 2019. **11**(4): p. 206-210.
- Fabian, G., et al., *Vaginal excision of the sub-urethral sling: analysis of indications, safety and outcome.* Arch Med Sci, 2015. **11**(5): p. 982-8.
- 37. Coskun, B., et al., Mini-slings can cause complications. Int Urogynecol J, 2015. 26(4): p. 557-62.
- 38. Hou, J.C., et al., Outcome of transvaginal mesh and tape removed for pain only. J Urol, 2014. 192(3): p. 856-60.
- 39. Ramart, P., et al., *The Risk of Recurrent Urinary Incontinence Requiring Surgery After Suburethral Sling Removal for Mesh Complications.* Urology, 2017. **106**: p. 203-209.
- 40. Goodall, E.J., et al., *Outcomes after laparoscopic removal of retropubic midurethral slings for chronic pain.* Int Urogynecol J, 2019. **30**(8): p. 1323-1328.
- 41. Shaw, J., K. Wohlrab, and C. Rardin, *Recurrence of Stress Urinary Incontinence After Midurethral Sling Revision: A Retrospective Cohort Study.* Female Pelvic Med Reconstr Surg, 2017. **23**(3): p. 184-187.
- 42. Misrai, V., et al., *Surgical resection for suburethral sling complications after treatment for stress urinary incontinence.* J Urol, 2009. **181**(5): p. 2198-202; discussion 2203.
- 43. Drain, A., et al., *Current Role of Urethrolysis and Partial Excision in Patients Seeking Revision of Anti-Incontinence Sling.* Female Pelvic Med Reconstr Surg, 2019. **25**(6): p. 409-414.
- 44. Jambusaria, L.H., et al., *Incontinence rates after midurethral sling revision for vaginal exposure or pain.* Am J Obstet Gynecol, 2016. **215**(6): p. 764 e1-764 e5.

The authors provided this information as a supplement to their article.