

Supplemental Table 2. Frequency of bleeding or thrombosis events within 1-year post-VENDYS® (All patients)

	All patients	VRI <1	VRI ≥1
[1] Post pump thrombosis events	5 events: <ul style="list-style-type: none"> - 3 patients with 1 event - 1 patient with 2 events 	5 events: <ul style="list-style-type: none"> - 3 patients with 1 event 	2 events: <ul style="list-style-type: none"> - 1 patient with 2 events
[2a] Gastrointestinal bleeding	12 events: <ul style="list-style-type: none"> - 7 patients with 1 event - 1 patient with 2 events - 1 patient with 3 events 	1 patient with 1 event	11 events: <ul style="list-style-type: none"> - 6 patients with 1 event - 1 patient with 2 events - 1 patient with 3 events
[2b] Epistaxis	6 events: <ul style="list-style-type: none"> - 3 patients with 1 event - 1 patient with 3 events 	4 events: <ul style="list-style-type: none"> - 1 patient with 1 event 	2 events: <ul style="list-style-type: none"> - 2 patients with 1 event

		- 1 patient with 3 events	
[2c] Hemorrhagic stroke	6 events: - 6 patients with 1 event	3 events: - 3 patients with 1 event	3 events: - 3 patients with 1 event
[2d] Other bleeding (hemoptysis, transfusion)	3 events: - 3 patients with 1 event	0 event	3 events: - 3 patients with 1 event
[2] Any bleeding events ([2a] + [2b] + [2c] + [2d])	27 events	8 events	19 events
Any bleeding or thrombotic events ([1] + [2])	32 events	13 events	21 events

One patient may have more than one type of events; VRI, vascular reactivity index