

Supplemental Content

This document contains important additional literature that support the statements and recommendations, but which have to be listed separate due to formatting restrictions.

Management of Adult Patients Supported with Venovenous Extracorporeal Membrane Oxygenation (VV ECMO): A Statement from the Extracorporeal Life Support Organization (ELSO)

Joseph E Tonna, MD, MS
Darryl Abrams, MD
Daniel Brodie, MD
John C Greenwood, MD
Jose Alfonso Rubio Mateo-Sidron, MD
Asad Usman, MD, MPH
Eddy Fan, MD, PhD

Corresponding Author:

Joseph E Tonna, MD
Division of Cardiothoracic Surgery
Division of Emergency Medicine
Department of Surgery
University of Utah Health
Salt Lake City, Utah, USA
ORCID ID: 0000-0001-8879-2628
joseph.tonna@hsc.utah.edu
@JoeTonnaMD

Index:

ECMO Use/Summary/Intro
Oxygen delivery during ECMO/Blood utilization
Cannulation
Mobility and Ambulation
Fluid Management
Prone positioning
Extubation
Ventilator Management

ECMO Use/Summary/Intro

1. ELSO: International Summary, January 2019. 2019.
2. Zonies D, Codner P, Park P, *et al*: AAST Critical Care Committee clinical consensus: ECMO, nutrition. *Trauma Surg Acute Care Open* 4 (1): e000304, 2019 doi: 10.1136/tsaco-2019-000304.
3. Weiss CH, McSparron JI, Chatterjee RS, *et al*: Summary for Clinicians: Mechanical Ventilation in Adult Patients with Acute Respiratory Distress Syndrome Clinical Practice Guideline. *Ann Am Thorac Soc* 14 (8): 1235-1238, 2017 doi: 10.1513/AnnalsATS.201704-332CME.

Oxygen delivery during ECMO/Blood utilization

4. Muellenbach RM, Belohlavek J, Lorusso R, Lotz C, Muller T: Monitoring of oxygen supply and demand during veno-venous extracorporeal membrane oxygenation. *Intensive Care Med* 41 (9): 1733, 2015 doi: 10.1007/s00134-015-3938-3.
5. Lehle K, Philipp A, Hiller KA, *et al*: Efficiency of gas transfer in venovenous extracorporeal membrane oxygenation: analysis of 317 cases with four different ECMO systems. *Intensive Care Med* 40 (12): 1870-7, 2014 doi: 10.1007/s00134-014-3489-z.
6. Spinelli E, Bartlett RH: Relationship between hemoglobin concentration and extracorporeal blood flow as determinants of oxygen delivery during venovenous extracorporeal membrane oxygenation: a mathematical model. *ASAIO J* 60 (6): 688-93, 2014 doi: 10.1097/MAT.0000000000000125.
7. Voelker MT, Busch T, Bercker S, Fichtner F, Kaisers UX, Laudi S: Restrictive transfusion practice during extracorporeal membrane oxygenation therapy for severe acute respiratory distress syndrome. *Artif Organs* 39 (4): 374-8, 2015 doi: 10.1111/aor.12385.
8. Agerstrand CL, Burkart KM, Abrams DC, Bacchetta MD, Brodie D: Blood conservation in extracorporeal membrane oxygenation for acute respiratory distress syndrome. *Ann Thorac Surg* 99 (2): 590-5, 2015 doi: 10.1016/j.athoracsur.2014.08.039.

Cannulation

9. Jayaraman AL, Cormican D, Shah P, Ramakrishna H: Cannulation strategies in adult veno-arterial and veno-venous extracorporeal membrane oxygenation: Techniques, limitations, and special considerations. *Ann Card Anaesth* 20 (Supplement): S11-S18, 2017 doi: 10.4103/0971-9784.197791.
10. Rupprecht L, Lunz D, Philipp A, Lubnow M, Schmid C: Pitfalls in percutaneous ECMO cannulation. *Heart, lung and vessels* 7 (4): 320-326, 2015.
11. Hirose H, Yamane K, Marhefka G, Cavarocchi N: Right ventricular rupture and tamponade caused by malposition of the Avalon cannula for venovenous extracorporeal membrane oxygenation. *J Cardiothorac Surg* 7: 36, 2012 doi: 10.1186/1749-8090-7-36.
12. Hayes D, Jr., Preston TJ, Davis IC, *et al*: Contrast transthoracic echocardiography and the placement of a bicaval dual-lumen catheter in a Swine model of venovenous extracorporeal membrane oxygenation. *Artif Organs* 37 (6): 574-6, 2013 doi: 10.1111/aor.12044.
13. Hayes D, Jr., Preston TJ, McConnell PI, Galantowicz M, Yates AR: Bedside saline-contrast transthoracic echocardiography placement of bicaval dual-lumen catheter for venovenous extracorporeal membrane oxygenation. *Am J Respir Crit Care Med* 187 (12): 1395-6, 2013 doi: 10.1164/rccm.201211-2038LE.
14. Chacon MM, Shillcutt SK: Intraoperative Transesophageal Echocardiography-Guided Placement of Bicaval Dual-Lumen Extracorporeal Membrane Oxygenation Cannula. *CASE (Phila)* 1 (3): 116-118, 2017 doi: 10.1016/j.case.2017.04.002.
15. Dolch ME, Frey L, Buerkle MA, Weig T, Wassilowsky D, Irlbeck M: Transesophageal echocardiography-guided technique for extracorporeal membrane oxygenation dual-lumen catheter placement. *ASAIO J* 57 (4): 341-3, 2011 doi: 10.1097/MAT.0b013e3182179aae.

16. Kuhl T, Michels G, Pfister R, Wendt S, Langebartels G, Wahlers T: Comparison of the Avalon Dual-Lumen Cannula with Conventional Cannulation Technique for Venovenous Extracorporeal Membrane Oxygenation. *Thorac Cardiovasc Surg* 63 (8): 653-62, 2015 doi: 10.1055/s-0035-1549359.

Mobility and Ambulation

17. Chavez J, Bortolotto SJ, Paulson M, Huntley N, Sullivan B, Babu A: Promotion of progressive mobility activities with ventricular assist and extracorporeal membrane oxygenation devices in a cardiothoracic intensive care unit. *Dimens Crit Care Nurs* 34 (6): 348-55, 2015 doi: 10.1097/DCC.000000000000141.
18. Boling B, Dennis DR, Tribble TA, Rajagopalan N, Hoopes CW: Safety of Nurse-Led Ambulation for Patients on Venovenous Extracorporeal Membrane Oxygenation. *Prog Transplant* 26 (2): 112-6, 2016 doi: 10.1177/1526924816640646.
19. Wright SE, Thomas K, Watson G, *et al*: Intensive versus standard physical rehabilitation therapy in the critically ill (EPICC): a multicentre, parallel-group, randomised controlled trial. *Thorax* 73 (3): 213-221, 2018 doi: 10.1136/thoraxjnl-2016-209858.
20. Hodgson CL, Bailey M, Bellomo R, *et al*: A Binational Multicenter Pilot Feasibility Randomized Controlled Trial of Early Goal-Directed Mobilization in the ICU*. *Critical Care Medicine* 44 (6): 1145-1152, 2016 doi: 10.1097/CCM.0000000000001643.
21. Denehy L, Skinner EH, Edbrooke L, *et al*: Exercise rehabilitation for patients with critical illness: a randomized controlled trial with 12 months of follow-up. *Crit Care* 17 (4): R156, 2013 doi: 10.1186/cc12835.
22. Moss M, Nordon-Craft A, Malone D, *et al*: A Randomized Trial of an Intensive Physical Therapy Program for Patients with Acute Respiratory Failure. *Am J Respir Crit Care Med* 193 (10): 1101-10, 2016 doi: 10.1164/rccm.201505-1039OC.
23. Bain JC, Turner DA, Rehder KJ, *et al*: Economic Outcomes of Extracorporeal Membrane Oxygenation With and Without Ambulation as a Bridge to Lung Transplantation. *Respir Care* 61 (1): 1-7, 2016 doi: 10.4187/respcare.03729.

Fluid Management

24. National Heart L, Blood Institute Acute Respiratory Distress Syndrome Clinical Trials N, Wiedemann HP, *et al*: Comparison of two fluid-management strategies in acute lung injury. *N Engl J Med* 354 (24): 2564-75, 2006 doi: 10.1056/NEJMoa062200.
25. Silversides JA, Major E, Ferguson AJ, *et al*: Conservative fluid management or deresuscitation for patients with sepsis or acute respiratory distress syndrome following the resuscitation phase of critical illness: a systematic review and meta-analysis. *Intensive Care Med* 43 (2): 155-170, 2017 doi: 10.1007/s00134-016-4573-3.
26. Sakr Y, Rubatto Birri PN, Kotfis K, *et al*: Higher Fluid Balance Increases the Risk of Death From Sepsis: Results From a Large International Audit. *Crit Care Med* 45 (3): 386-394, 2017 doi: 10.1097/CCM.0000000000002189.
27. Schuller D, Mitchell JP, Calandrino FS, Schuster DP: Fluid balance during pulmonary edema. Is fluid gain a marker or a cause of poor outcome? *Chest* 100 (4): 1068-75, 1991.
28. Balakumar V, Murugan R, Sileanu FE, Palevsky P, Clermont G, Kellum JA: Both Positive and Negative Fluid Balance May Be Associated With Reduced Long-Term Survival in the Critically Ill. *Crit Care Med* 45 (8): e749-e757, 2017 doi: 10.1097/CCM.0000000000002372.
29. Silversides JA, Fitzgerald E, Manickavasagam US, *et al*: Deresuscitation of Patients With Iatrogenic Fluid Overload Is Associated With Reduced Mortality in Critical Illness. *Crit Care Med* 46 (10): 1600-1607, 2018 doi: 10.1097/CCM.0000000000003276.

30. Mitchell JP, Schuller D, Calandrino FS, Schuster DP: Improved outcome based on fluid management in critically ill patients requiring pulmonary artery catheterization. *Am Rev Respir Dis* 145 (5): 990-8, 1992 doi: 10.1164/ajrccm/145.5.990.
31. Kim H, Paek JH, Song JH, *et al*: Permissive fluid volume in adult patients undergoing extracorporeal membrane oxygenation treatment. *Crit Care* 22 (1): 270, 2018 doi: 10.1186/s13054-018-2211-x.
32. Staudacher DL, Gold W, Biever PM, Bode C, Wengenmayer T: Early fluid resuscitation and volume therapy in venoarterial extracorporeal membrane oxygenation. *J Crit Care* 37: 130-135, 2017 doi: 10.1016/j.jcrc.2016.09.017.
33. Schmidt M, Bailey M, Kelly J, *et al*: Impact of fluid balance on outcome of adult patients treated with extracorporeal membrane oxygenation. *Intensive Care Med* 40 (9): 1256-66, 2014 doi: 10.1007/s00134-014-3360-2.
34. Walter JM, Kurihara C, Corbridge TC, Bharat A: Chugging in patients on veno-venous extracorporeal membrane oxygenation: An under-recognized driver of intravenous fluid administration in patients with acute respiratory distress syndrome? *Heart Lung* 47 (4): 398-400, 2018 doi: 10.1016/j.hrtlng.2018.03.011.

Prone positioning

35. Michaels AJ, Wanek SM, Dreifuss BA, *et al*: A protocolized approach to pulmonary failure and the role of intermittent prone positioning. *J Trauma* 52 (6): 1037-47; discussion 1047, 2002 doi: 10.1097/00005373-200206000-00004.

Extubation

36. Nosotti M, Rosso L, Tosi D, *et al*: Extracorporeal membrane oxygenation with spontaneous breathing as a bridge to lung transplantation. *Interact Cardiovasc Thorac Surg* 16 (1): 55-9, 2013 doi: 10.1093/icvts/ivs433.
37. Anton-Martin P, Thompson MT, Sheeran PD, Fischer AC, Taylor D, Thomas JA: Extubation during pediatric extracorporeal membrane oxygenation: a single-center experience. *Pediatric critical care medicine : a journal of the Society of Critical Care Medicine and the World Federation of Pediatric Intensive and Critical Care Societies* 15 (9): 861-9, 2014 doi: 10.1097/PCC.0000000000000235.
38. Kurihara C, Walter JM, Singer BD, *et al*: Extracorporeal Membrane Oxygenation Can Successfully Support Patients With Severe Acute Respiratory Distress Syndrome in Lieu of Mechanical Ventilation. *Critical Care Medicine* 46 (11): e1070-e1073, 2018 doi: 10.1097/ccm.0000000000003354.

Ventilator Management

39. Araos J, Alegria L, Garcia P, *et al*: Near-Apneic Ventilation Decreases Lung Injury and Fibroproliferation in an ARDS Model with ECMO. *Am J Respir Crit Care Med*, 2018 doi: 10.1164/rccm.201805-0869OC.
40. Cressoni M, Gotti M, Chiurazzi C, *et al*: Mechanical Power and Development of Ventilator-induced Lung Injury. *Anesthesiology* 124 (5): 1100-8, 2016 doi: 10.1097/ALN.0000000000001056.
41. Gattinoni L, Tonetti T, Cressoni M, *et al*: Ventilator-related causes of lung injury: the mechanical power. *Intensive Care Med* 42 (10): 1567-75, 2016 doi: 10.1007/s00134-016-4505-2.
42. Schmidt M, Jaber S, Zogheib E, Godet T, Capellier G, Combes A: Feasibility and safety of low-flow extracorporeal CO2 removal managed with a renal replacement platform to enhance lung-protective ventilation of patients with mild-to-moderate ARDS. *Crit Care* 22 (1): 122, 2018 doi: 10.1186/s13054-018-2038-5.

43. Schmidt M, Pellegrino V, Combes A, Scheinkestel C, Cooper DJ, Hodgson C: Mechanical ventilation during extracorporeal membrane oxygenation. *Critical care (London, England)* [Review] 18 (1): 203, 2014 doi: 10.1186/cc13702.
44. Frank JA, Gutierrez JA, Jones KD, Allen L, Dobbs L, Matthay MA: Low tidal volume reduces epithelial and endothelial injury in acid-injured rat lungs. *American Journal of Respiratory and Critical Care Medicine* 165 (2): 242-249, 2002 doi: 10.1164/rccm.2108087.
45. Yoshida T, Torsani V, Gomes S, *et al*: Spontaneous effort causes occult pendelluft during mechanical ventilation. *Am J Respir Crit Care Med* 188 (12): 1420-7, 2013 doi: 10.1164/rccm.201303-0539OC.
46. Gattinoni L, Tonetti T, Quintel M: Regional physiology of ARDS. *Crit Care* 21 (Suppl 3): 312, 2017 doi: 10.1186/s13054-017-1905-9.
47. Morais CCA, Koyama Y, Yoshida T, *et al*: High Positive End-Expiratory Pressure Renders Spontaneous Effort Noninjurious. *Am J Respir Crit Care Med* 197 (10): 1285-1296, 2018 doi: 10.1164/rccm.201706-1244OC.
48. Brower RG, Lanken PN, MacIntyre N, *et al*: Higher versus lower positive end-expiratory pressures in patients with the acute respiratory distress syndrome. *N Engl J Med* 351 (4): 327-36, 2004 doi: 10.1056/NEJMoa032193.
49. Mercat A, Richard JC, Vielle B, *et al*: Positive end-expiratory pressure setting in adults with acute lung injury and acute respiratory distress syndrome: a randomized controlled trial. *JAMA* 299 (6): 646-55, 2008 doi: 10.1001/jama.299.6.646.
50. Sidebotham D, McGeorge A, McGuinness S, Edwards M, Willcox T, Beca J: Extracorporeal membrane oxygenation for treating severe cardiac and respiratory failure in adults: part 2-technical considerations. *J Cardiothorac Vasc Anesth* 24 (1): 164-72, 2010 doi: 10.1053/j.jvca.2009.08.002.
51. Amato MBP, Meade MO, Slutsky AS, *et al*: Driving pressure and survival in the acute respiratory distress syndrome. *The New England journal of medicine* 372 (8): 747-755, 2015 doi: 10.1056/NEJMs1410639.