


NYU Langone Health

National Survey of Rapid Response Participants v3.0



Data Dictionary Codebook

04/26/2019 5:06pm

#	Variable / Field Name	Field Label Field Note	Field Attributes (Field Type, Validation, Choices, Calculations, etc.)	
Ins	strument: Hospital Inf	O (hospital_info)		
1	hospital_info	Hospital ID	text, Identifier	
2	name	Hospital Name: This will not be published and will be used only to avoid duplicate entries	text, Required, Identifier	
3	affilation	Hospital affiliation	radio, Required 1 University affiliated 2 Non-university affiliated	
4	state	State	text, Required	
5	icubeds	Number of ICU beds in your hospital	radio, Required 0 0 1 1-20 2 21-50 3 >50	
6	admit	Who is usually responsible for deciding who gets admitted to the ICU?	dropdown, Required 1 NP/PA 2 Internal medicine resident 3 Internal medicine attending 4 Critical care fellow 5 Critical care attending 6 ED resident 7 ED attending 8 Anesthesia resident 9 Anesthesia attending 11 RN 10 Other	

7	admit_other	If other, please explain	text, Required
	Show the field ONLY i	in care, product explain	toxi, Hequilou
	f:		
	[admit] = '10'		
8	im	ACGME Internal Medicine residency program?	yesno, Required
			1 Yes
			0 No
9	СС	ACGME Critical Care fellowship program?	yesno, Required
			1 Yes
			0 No
10	anes	ACGME Anesthesiology residency program?	yesno, Required
			1 Yes
			0 No
11	em_res	ACGME Emergency Medicine Residency?	yesno, Required
	_	, , , , , , , , , , , , , , , , , , ,	1 Yes
			0 No
12	hospital_info_complet	Section Header: Form Status	dropdown
'-	e	Complete?	0 Incomplete
			1 Unverified
			2 Complete
-			
Ins	trument: RRT Info (rr	t_info)	
13	rrt	Does your hospital have a rapid response team	yesno, Required
		(RRT)?	1 Yes
			0 No
14	rrt_247	Is the RRT available 24 hours a day?	yesno, Required
	Show the field ONLY i		1 Yes
	f: [rrt] = '1'		0 No
15	rrt_call	How are rapid response teams (RRT) called at	checkbox, Required
	Show the field ONLY i	your hospital?	1 rrt_call1 Pager
	f:	(Multiple selections allowed)	2 rrt_call2 Overhead call
	[rrt] = '1'		3 rrt_call3 Phone
			4 rrt_call4 Other
16	rrt_call_other	If other, how are RRTs called at your hospital?	text, Required
	Show the field ONLY i	out.or, from any first outload at your mospital:	toxi, Hoquilou
	f:		
	[rrt] = '1' and [rrt_call (4)] = '1'		
	(-1) - 1		

		National Survey of Kapid Kesponse Farticipants			
17	leader_rrt	Who is usually responsible for leading RRTs?	drop 1	odown, Required NP/PA	
	Show the field ONLY i f:		2	Internal medicine r	esident
	[rrt] = '1'		3	Internal medicine a	
			4	Critical care fellow	g
			5	Critical care attend	ing
			6	Critical care nursin	
			7	Anesthesia resider	
			8	Anesthesia attendi	
			10	Emergency depart	
			11	Emergency depart	
			9	Other	
10		Makhan wha is was allowed as a single facility of			
18	rrt_lead_other	If other, who is usually responsible for leading RRTs at your hospital?	lext	, Required	
	Show the field ONLY i f:				
	[rrt] = '1' and [leader_rr t] = '9'				
19	rrt_parameter	What parameters can result in an RRT being	che	ckbox, Required	
	Show the field ONLY i	called? (Multiple selections allowed)	1	rrt_parameter1	Early warning score (NEWS,
	f: [rrt] = '1'				MEWS etc)
			2	rrt_parameter2	Single vital sign abnormality (eg HR, RR etc)
			3	rrt_parameter3	Clinical concern
			4	rrt_parameter4	Other
20	rrt_para_other Show the field ONLY i f: [rrt] = '1' and [rrt_para meter(4)] = '1'	If other, what parameters can result in an RRT being called at your hospital?	text	, Required	
21	rrt_variation	Members of the RRT usually change:	radi		
	Show the field ONLY i		1	Every day	
	f: [rrt] = '1'		2	Every week	
			3	Every month	
			4	Rarely	
22	np_rrt	Section Header: Who is a member of your RRT?	radi	o (Matrix), Required	
	Show the field ONLY i	Nurse Practitioner	1	Always	
	f: [rrt] = '1'		2	Sometimes	
			3	Never	

7/2017	<u> </u>	Transonal burvey of Rapid Response Farticipants	1
23	pa_rrt Show the field ONLY i f: [rrt] = '1'	Physician Assistant	radio (Matrix), Required 1 Always 2 Sometimes 3 Never
24	imres_rrt Show the field ONLY i f: [rrt] = '1'	Internal Medicine Resident	radio (Matrix), Required 1 Always 2 Sometimes 3 Never
25	imatt_rrt Show the field ONLY i f: [rrt] = '1'	Internal Medicine Attending	radio (Matrix), Required 1 Always 2 Sometimes 3 Never
26	anesres_rrt Show the field ONLY i f: [rrt] = '1'	Anesthesia Resident	radio (Matrix), Required 1 Always 2 Sometimes 3 Never
27	anesatt_rrt Show the field ONLY i f: [rrt] = '1'	Anesthesia Attending	radio (Matrix), Required 1 Always 2 Sometimes 3 Never
28	em_res_rrt Show the field ONLY i f: [rrt] = '1'	EM Resident	radio (Matrix), Required 1 Always 2 Sometimes 3 Never
29	em_att_rrt Show the field ONLY i f: [rrt] = '1'	EM Attending	radio (Matrix), Required 1 Always 2 Sometimes 3 Never
30	ccf_rrt Show the field ONLY i f: [rrt] = '1'	Critical Care Fellow	radio (Matrix), Required 1 Always 2 Sometimes 3 Never
31	cca_rrt Show the field ONLY i f: [rrt] = '1'	Critical Care Attending	radio (Matrix), Required 1 Always 2 Sometimes 3 Never
32	ccn_rrt Show the field ONLY i f: [rrt] = '1'	Critical Care Nurse	radio (Matrix), Required 1 Always 2 Sometimes 3 Never

/2019	National Survey of Rapid Response Participants v3.0 REDCap				
33	nm_rrt Show the field ONLY i f: [rrt] = '1'	Nurse Manager	radio (Matrix), Required 1 Always 2 Sometimes 3 Never		
34	rt_rrt Show the field ONLY i f: [rrt] = '1'	Respiratory Therapist	radio (Matrix), Required 1 Always 2 Sometimes 3 Never		
35	pharm_rrt Show the field ONLY i f: [rrt] = '1'	Pharmacist	radio (Matrix), Required 1 Always 2 Sometimes 3 Never		
36	rrt_other Show the field ONLY i f: [rrt] = '1'	Do other members of staff regularly attend RRTs? If so, please explain:	notes		
37	rrt_info_complete	Section Header: Form Status Complete?	dropdown 0 Incomplete 1 Unverified 2 Complete		
Ins	trument: Code Info (code_info)			
38	cat	Does your hospital have a cardiac arrest team?	yesno 1 Yes 0 No		
39	code_callv1 Show the field ONLY i f: [cat] = '1'	How are cardiac arrests called at your hospital? (Multiple selections allowed)	checkbox, Required 1 code_callv11 Pager 2 code_callv12 Overhead call 3 code_callv13 Phone 4 code_callv14 Other		
40	code_call_other Show the field ONLY i f: [cat] = '1' and [code_c allv1(4)] = '1'	If other, how are cardiac arrests called at your hospital?	text, Required		

	<u> </u>		<u>.</u>
41	code_leadv1 Show the field ONLY i f: [cat] = '1' code_lead_other	Who is usually responsible for leading in-hospital cardiac arrests? If other, who is responsible for leading cardiac	dropdown, Required 1 NP/PA 2 Internal medicine resident 3 Internal medicine attending 4 Critical care fellow 5 Critical care attending 6 Critical care nursing 7 Anesthesia resident 8 Anesthesia attending 10 Emergency department resident 11 Emergency department attending 9 Other text, Required
	Show the field ONLY i f: [cat] = '1' and [code_le adv1] = '9'	arrests at your hospital?	· '
43	identical	Is your cardiac arrest team identical to your rapid response team?	yesno, Required 1 Yes 0 No
44	np_code Show the field ONLY i f: [identical] = '0'	Section Header: Who is present at cardiac arrests? Nurse Practitioner	radio (Matrix), Required 1 Always 2 Sometimes 3 Never
45	pa_code Show the field ONLY i f: [identical] = '0'	Physician Assistant	radio (Matrix), Required 1 Always 2 Sometimes 3 Never
46	imres_code Show the field ONLY i f: [identical] = '0'	Internal Medicine Resident	radio (Matrix), Required 1 Always 2 Sometimes 3 Never
47	imatt_code Show the field ONLY i f: [identical] = '0'	Internal Medicine Attending	radio (Matrix), Required 1 Always 2 Sometimes 3 Never
48	anesres_code Show the field ONLY i f: [identical] = '0'	Anesthesia Resident	radio (Matrix), Required 1 Always 2 Sometimes 3 Never

49	anesatt_code Show the field ONLY i	Anesthesia Attending	radio (Matrix), Required
	f:		2 Sometimes
	[identical] = '0'		3 Never
50	em_res_code	EM Resident	radio (Matrix), Required
	Show the field ONLY i		1 Always 2 Sometimes
	[cat] = '1' and [identica l] = '0'		3 Never
51	em_att_code	EM Attending	radio (Matrix), Required
	Show the field ONLY i		1 Always
	f:		2 Sometimes
	[cat] = '1' and [identica 1] = '0'		3 Never
52	ccf_code	Critical Care Fellow	radio (Matrix), Required
	Show the field ONLY i		1 Always
	f: [identical] = '0'		2 Sometimes
			3 Never
53	cca_code	Critical Care Attending	radio (Matrix), Required
	Show the field ONLY i		1 Always
	f: [identical] = '0'		2 Sometimes
			3 Never
54	ccn_code	Critical Care Nurse	radio (Matrix), Required
	Show the field ONLY i		1 Always
	f: [identical] = '0'		2 Sometimes
			3 Never
55	nm_code	Nurse Manager	radio (Matrix), Required
	Show the field ONLY i		1 Always
	f: [identical] = '0'		2 Sometimes
	[3 Never
56	rt_code	Respiratory Therapist	radio (Matrix), Required
	Show the field ONLY i		1 Always
	f: [identical] = '0'		2 Sometimes
	[identical] = 0		3 Never
57	pharm_code	Pharmacist	radio (Matrix), Required
	Show the field ONLY i		1 Always
	f: [identical] = '0'		2 Sometimes
	[[3 Never
58	code_other	Do other members of staff regularly attend	notes, Required
	Show the field ONLY i	cardiac arrests? If so, please explain:	
	f: [identical] = '0'		
<u> </u>			

5/2019		National Survey of Rapid Response Farticipants	
60	airway_other Show the field ONLY i f: [airway] = '9'	Who is responsible for airway management during cardiac arrests? If other, who is responsible for airway management during cardiac arrests?	dropdown, Required 1 Anesthesia Resident 3 Anesthesia Attending 4 CRNA 5 ED Attending 6 ED Resident 7 Critical Care Fellow 8 Critical Care Attending 9 Other text, Required
61	airway_equipment	Select all of the following advanced airway	checkbox, Required
01	ali way_equipment	equipment that are either brought to the arrest by	1 airway_equipment1 LMA
		the responding providers or available in the code carts:	2 airway_equipment2 Bougie
		cars.	3 airway_equipment3 Portable video laryngoscope (such as McGrath Mac)
			4 airway_equipment4 Airtraq
			5 airway_equipment5 Less portable video laryngoscope platforms (Glide Scope, Cmac)
			6 airway_equipment6 Fiberoptic Scope
			7 airway_equipment7 Other
62	airway_tools_other Show the field ONLY i f: [airway_equipment(7)] = '1'	If other, please specify:	text, Required
63	attending_airway	Is there regular (100% of the time) Attending MD supervision of airway management during cardiac arrests?	yesno, Required 1 Yes 0 No
64	etco2	Do you routinely use continuous waveform capnography (end tidal CO2) during cardiac arrest?	yesno, Required 1 Yes 0 No

65	mech_cpr	Does your hospital use a mechanical CPR	yesno, Required		
00	тпооп_орг	device?	1 Yes 0 No		
		Maria da isso			
66	mech_cpr_device	Which device?	text, Required		
	Show the field ONLY i f:				
	[mech_cpr] = '1'				
67	when_mech_cpr	Please select the situations when a mechanical	checkbox, Required		
	Show the field ONLY i	CPR device is used (multiple selections allowed):	1 when_mech_cpr1 Out of hospital		
	f: [mech_cpr] = '1'		cardiac		
	[arrest		
			2 when_mech_cpr2 All in hospital		
			cardiac		
			arrest		
			3 when_mech_cpr3 Refractory in hospital		
			cardiac		
			arrest only		
			4 when_mech_cpr4 Other		
68	mech_cpr_ind_other	If other, please specify:	text, Required		
	Show the field ONLY i				
	f: [when_mech_cpr(4)] =				
	11'				
69	ttm	Which best characterizes your practice of targeted temperature management for in hospital	radio, Required		
		arrests?	1 Never for in hospital arrests		
			2 Only on VF/VT arrests.		
			3 On VF/VT and select PEA/asystole cases		
			4 On all arrests irrespective of rhythm		
			if they meet neurologic criteria		
70	ttm_target	If you perform TTM, which temperature target do you use:	radio, Required		
	Show the field ONLY i f: [ttm] = '2' or [ttm] = '3'	, , , , , , , , , , , , , , , , , , , ,	1 Mild hypothermia : 33C-34C		
			2 Maintain normothemia 36C		
	or [ttm] = '4'		3 Combination of a and b depending on the clinical situation		
71	method_ttm	If you perform TTM, which method of cooling do	checkbox, Required		
	Show the field ONLY i	you use:	1 method_ttm1 Surface		
	f: [ttm] = '2' and [ttm] =		2 method_ttm2 Endovascular		
	'3' and [ttm] = '4'		3 method_ttm3 Other		
72	ttm_method_other	If other, please specify:	text, Required		
	Show the field ONLY i				
	f: [method_ttm(3)] = '1'				
Ь	(-/1				

73	pci	Which patients go for emergent PCI (< 6 hours) after cardiac arrest?		, Required
		after cardiac arrest?	5	All VF/VT cardiac arrests, unless obvious alternative explanation
			6	Most VF/VT cardiac arrests, regardless of EKG
			7	Only VF/VT cardiac arrests with ST elevation after ROSC
			8	VF/VT cardiac arrests with ST elevations post ROSC do not always undergo emergent PCI
			9	VF/VT cardiac arrests rarely undergo emergent PCI
			10	Other
74	pci_other	If other, please specify	text,	Required
	Show the field ONLY i f: [pci] = '10'			
75	ecpr	Do you have ECMO CPR (ECPR) available for in	vesn	o, Required
		hospital arrests?		Yes
			0 1	No
76	ecpr_team	ECMO CPR is available for in hospital arrests:	radio	, Required
	Show the field ONLY i	(Please select one that fits best)		Rarely
	f: [ecpr] = '1'		2 ECPR can be done but only if	
				resources happen to be available (eg. arrest occurs during daytime nours and all staff are available)
			3 /	As part of a structured in hospital ECPR program that has a 24 hour on call ECMO team
77	cann_ecmo	Who performs cannulation for ECMO CPR?	radio	, Required
	Show the field ONLY i		1 (Critical Care
	f: [ecpr] = '1'		2 (Cardiology
	[οορι] – ι		3 (Cardiothoracic Surgery
			5 E	Emergency Medicine
			4 (Other
78	cann_ecmo_other	If other, please specify:	text,	Required
	Show the field ONLY i			
	f: [cann_ecmo] = '4'			
79	io	Do you place intraosseous lines during cardiac	vesn	o, Required
		arrest?		Yes
			1 0	No
80	code_info_complete	Section Header: Form Status	drong	down
		Complete?		ncomplete
			l 	 Unverified
			2 (Complete