

Supplementary Table 1: Proportions of antiplatelet treatment from discharge to 12 months.

Variables	TIVOLI (<i>n</i> = 212)	MiStent (<i>n</i> = 216)	P
Discharge, <i>n</i> (%)			0.39
DAPT	193 (91.04)	201 (93.06)	
Aspirin	19 (8.96)	14 (6.48)	
Clopidogrel	0 (0)	1 (0.46)	
None	0 (0)	0 (0)	
1-month, <i>n</i> (%)			0.60
DAPT	185 (87.26)	189 (87.50)	
Aspirin	26 (12.26)	27 (12.50)	
Clopidogrel	0 (0)	0 (0)	
None	1 (0.47)	0 (0)	
6-month, <i>n</i> (%)			0.26
DAPT	199 (94.76)	198 (92.09)	
Aspirin	9 (4.29)	13 (6.05)	
Clopidogrel	0 (0)	3 (1.40)	
None	2 (0.95)	1 (0.47)	
9-month, <i>n</i> (%)			0.91
DAPT	191 (93.17)	197 (91.63)	
Aspirin	11 (5.37)	13 (6.05)	
Clopidogrel	2 (0.98)	3 (1.40)	
None	1 (0.49)	2 (0.93)	
12-month, <i>n</i> (%)			0.49
DAPT	161 (79.31)	157 (73.36)	
Aspirin	37 (18.23)	49 (22.90)	
Clopidogrel	3 (1.48)	6 (2.80)	
None	2 (0.99)	2 (0.93)	

DAPT: Dual antiplatelet therapy.