

SDC 1. Demographic characteristics of infants with or without congenital cytomegalovirus infection in Lagos, Nigeria

	CMV Infected (n=10) Cases	CMV Uninfected (n=100) Controls	p-value
Maternal age (years)			0,88
<20	0 (0)	1 (1,0)	
20 – 35	8 (80,0)	84 (84,0)	
>35	2 (20,0)	15 (15,0)	
Mean ± SD	29,7 ± 6,1	29,39 ± 4,9	0,85
Ethnicity			0,95
Yoruba	6 (60,0)	59 (59,0)	
Non-Yoruba	4 (40,0)	41 (41,0)	
Gravidity			0,70
1	5 (50,0)	39 (39,0)	
2-4	4 (40,0)	54 (54,0)	
>4	1 (10,0)	7 (7,0)	
Parity			0,06
Primiparous	8 (80,0)	49 (49,0)	
Multiparous	2 (20,0)	51 (51,0)	
HIV status			0,50
Negative	8 (100)	86 (94,5)	
Positive	0 (0,0)	5 (5,5)	
Fetal gestation			0,18
Singleton	7 (70,0)	86 (86,0)	
Multi	3 (30,0)	14 (14,0)	
Mode of delivery			0,54
Cesarean	5 (50,0)	40 (40,0)	
Vaginal	5 (50,0)	60 (60,0)	
Status at screening			0,76
Inborn	5 (50,0)	55 (55,0)	
Out-born	5 (50,0)	45 (45,0)	
Gestational age			0,18
Full-term (≥37wks)	7 (70,0)	86 (86,0)	
Preterm (<37wks)	3 (30,0)	14 (14,0)	
Birth weight			0,51
Normal (≥2500g)	7 (70,0)	79 (79,0)	
Low (<2500g)	3 (30,0)	21 (21,0)	
Neonatal jaundice			0,95
None	6 (60,0)	58 (61,1)	
Yes	4 (40,0)	37 (38,9)	