

Potential antipruritic neuronal targets of nalfurafine in the murine spinal dorsal horn
Kotaro Honda, Ph.D.

SDG, Table 1. Cell counts and apoptosis rates of KOR-expressing cells

SDG, Table 1-1. Blank-saporin application

Actual cell numbers		GRPR-single positive	KOR-single positive	Double-positive
Depth from surface of spinal dorsal horn	0–50 μm	178	45	35
	50–100 μm	55	57	16
Rates vs GRPR-single positive		GRPR-single positive	KOR-single positive	Double-positive
Depth from surface of spinal dorsal horn	0–50 μm	1	0.253	0.197
	50–100 μm	1	1.036	0.291

SDG, Table 1-2. Dynorphin-saporin application

Actual cell numbers		GRPR-single positive	KOR-single positive	Double-positive
Depth from surface of spinal dorsal horn	0–50 μm	116	14	3
	50–100 μm	42	24	2
Rates vs GRPR-single positive		GRPR-single positive	KOR-single positive	Double-positive
Depth from surface of spinal dorsal horn	0–50 μm	1	0.121	0.026
	50–100 μm	1	0.571	0.048

SDG, Table 1-3. Analysis of the apoptosis rate by application of dyn-saporin

Rata vs GRPR-single positive		Before KOR-single positive	Before Double-positive	After KOR-single positive	After Double-positive	Rate differences	Apoptosis rates
Depth from surface of spinal dorsal horn	0–50 μm	0.253		0.121		0.132	52.261
			0.197		0.026	0.171	86.847
	50–100 μm	1.036		0.571		0.465	44.862
			0.291		0.048	0.243	83.631