Copyright  $\ @$  by The Journal of Bone and Joint Surgery, Incorporated

THORNE ET AL.

No Increased Risk of Nonunion with Bisphosphonate Use in a Medicare Claims Cohort Following Operatively Treated Long-Bone Fractures

http://dx.doi.org/10.2106/JBJS.22.01127

Page

# The following content was supplied by the authors as supporting material and has not been copy-edited or verified by JBJS.

Supplemental Data.

#### **Ankle fractures:**

ICD 10 Codes: S82.301A, S82.301B, 82.301C, S82.302A, S82.302B, S82.302C, S82.309A, S82.309B, S82.309C, S82.391A, S82.391B, S82.391C, S82.392A, S82.392B, S82.392C, S82.399A, S82.399B, S82.399C, S82.51XA, S82.51XB, S82.51XC, S82.52X, S82.52XB, S82.52XC, S82.53, S82.53XA, S82.53XB, S82.53XC, S82.61XA, S82.61XB, S82.61XC, S82.62XA, S82.62XB, S82.62XC, S82.63XA, S82.63XB, S82.63XC, S82.841A, S82.841B, S82.841C, S82.842A, S82.842B, S82.842C, S82.843A, S82.843B, S82.843C, S82.844A, S82.844B, S82.844C, S82.851A, S82.851B, S82.851C, S82.852A, S82.852B, S82.852C, S82.853A, S82.853B, S82.853C, S82.871A, S82.871B, S82.871C, S82.872A, S82.872B, S82.872C, S82.873A, S82.873B, S82.873C

**CPT Codes:** 27766, 27769, 27792, 27814, 27822, 27823, 27826, 27827, 27828, 27826, 27827, 27828

#### **Ankle fractures Non-union:**

ICD 10 Codes: S82.301K, S82.301M, S82.301N, S82.302K, S82.302M, S82.302N, S82.309K, S82.309M, S82.309N, S82.309I, S82.52XI, S82.52XI, S82.52XI, S82.52XI, S82.52XI, S82.52XI, S82.52XI, S82.52XI, S82.62XI, S82.62XI, S82.62XI, S82.62XI, S82.62XI, S82.62XI, S82.62XI, S82.62XI, S82.841II, S82.841II, S82.841II, S82.842II, S82.842II, S82.851II, S82.851II, S82.852II, S82.852II, S82.852II, S82.852II, S82.871II, S82.871II, S82.871II, S82.871II, S82.871II, S82.871II, S82.873II, S

**CPT Codes:** 27720, 27722, 27724, 27726

# **Tibial plateaus:**

ICD 10 Codes: S82.101A, S82.101B, S82.101C, S82.102A, S82.102B, S82.102C, S82.109A, S82.109B, S82.109C, S82.121A, S82.121B, S82.121C, S82.122A, S82.122B, S82.122C, S82.123A, S82.123B, S82.123C, S82.131A, S82.131B, S82.131C, S82.132A, S82.132B, S82.132C, S82.132A, S82.133B, S82.133C, S82.141A, S82.141B, S82.141C, S82.142A, S82.142B, S82.142C, S82.143A, S82.143B, S82.143C, S82.191A, S82.191B, S82.191C, S82.192A, S82.192B, S82.192C, S82.199A, S82.199B, S82.199C

**CPT Codes:** 27535, 27536

# **Tibial plateaus non-union:**

Copyright  $\ @$  by The Journal of Bone and Joint Surgery, Incorporated Thorne et al.

No Increased Risk of Nonunion with Bisphosphonate Use in a Medicare Claims Cohort Following Operatively Treated Long-Bone Fractures

http://dx.doi.org/10.2106/JBJS.22.01127

Page 2

ICD 10 Codes: S82.101K, S82.101M, S82.101N, S82.102K, S82.102M, S82.102N, S82.109K, S82.109M, S82.109N, S82.121K, S82.121M, S82.121N, S82.122K, S82.122M, S82.122N, S82.123K, S82.123M, S82.123N, S82.131K, S82.131M, S82.131N, S82.132K, S82.132M, S82.132N, S82.133N, S82.133N, K, M, N, S82.141K, S82.141M, S82.141N, S82.142K, S82.142M, S82.142N, S82.143K, S82.143M, S82.143N, S82.191K, S82.191M, S82.191N, S82.192A, S82.192B, S82.192C, S82.199K, S82.199M, S82.199N

CPT Codes: 27720, 27722, 27724

## Femoral shaft:

ICD 10 Codes: \$72.301A, \$72.301B, \$72.301C, \$72.302A, \$72.302B, \$72.302C, \$72.309A, \$72.309B, \$72.309C, \$72.321A, \$72.321B, \$72.321C, \$72.322A, \$72.322B, \$72.322C, \$72.323A, \$72.323B, \$72.323C, \$72.324A, \$72.324B, \$72.324C, \$72.325A, \$72.325B, \$72.325C, \$72.326A, \$72.326B, \$72.326C, \$72.331A, \$72.331B, \$72.331C, \$72.332A, \$72.332B, \$72.332C, \$72.333A, \$72.333B, \$72.333C, \$72.334A, \$72.334B, \$72.334C, \$72.335B, \$72.335B, \$72.335C, \$72.336A, \$72.336B, \$72.336C, \$72.341A, \$72.341B, \$72.341C, \$72.342A, \$72.342B, \$72.342C, \$72.343A, \$72.343B, \$72.343C, \$72.344A, \$72.344B, \$72.344C, \$72.345A, \$72.345B, \$72.345C, \$72.346A, \$72.346B, \$72.346C, \$72.351A, \$72.351B, \$72.351C, \$72.352A, \$72.352B, \$72.352C, \$72.353A, \$72.353B, \$72.353C, \$72.354A, \$72.354B, \$72.354C, \$72.355B, \$72.355C, \$72.356A, \$72.356B, \$72.356C, \$72.361A, \$72.361B, \$72.361C, \$72.362A, \$72.362B, \$72.362C, \$72.363A, \$72.363B, \$72.366C, \$72.364A, \$72.364B, \$72.364C, \$72.365A, \$72.365B, \$72.365C, \$72.366A, \$72.366B, \$72.366C, \$72.391A, \$72.391B, \$72.391C, \$72.392A, \$72.392B, \$72.392C, \$72.399A, \$72.399B, \$72.399C.

CPT Codes: 27506

### Femoral shaft non-union:

ICD 10 Codes: \$72.301K, \$72.301M, \$72.301N, \$72.302K, \$72.302M, \$72.302N, \$72.309K, \$72.309M, \$72.309N, \$72.321K, \$72.321M, \$72.321N, \$72.322K, \$72.322M, \$72.322N, \$72.323K, \$72.323M, \$72.323N, \$72.324K, \$72.324M, \$72.324N, \$72.325K, \$72.325M, \$72.325N, \$72.326K, \$72.326M, \$72.326N, \$72.326N, \$72.331M, \$72.331N, \$72.332K, \$72.332M, \$72.332N, \$72.332N, \$72.333K, \$72.333M, \$72.333N, \$72.334K, \$72.334M, \$72.334N, \$72.335M, \$72.335N, \$72.335N, \$72.336K, \$72.336M, \$72.336N, \$72.341K, \$72.341M, \$72.341N, \$72.342K, \$72.342M, \$72.342N, \$72.343K, \$72.343M, \$72.343N, \$72.343N, \$72.344M, \$72.344N, \$72.345K, \$72.345M, \$72.345N, \$72.346K, \$72.346M, \$72.346N, \$72.351K, \$72.351M, \$72.351N, \$72.352K, \$72.352M, \$72.352N, \$72.353K, \$72.353M, \$72.353N, \$72.354K, \$72.354M, \$72.354N, \$72.355M, \$72.355N, \$72.356K, \$72.356M, \$72.356N, \$72.361K, \$72.361M, \$72.361N, \$72.362K, \$72.362M, \$72.362N, \$72.363K, \$72.363M, \$72.363N, \$72.364K, \$72.364M, \$72.364N, \$72.365K, \$72.365M, \$72.365N, \$72.366K, \$72.366M, \$72.366N, \$72.361K, \$72.364M, \$72.364N, \$72.365K, \$72.365M, \$72.365N, \$72.366K, \$72.366M, \$72.366N, \$72.361K, \$72.391M, \$72.391N, \$72.392K, \$72.392M, \$72.392N, \$72.399K, \$72.399M, \$72.399N.

**CPT Codes:** 27450, 27470, 27472

COPYRIGHT © BY THE JOURNAL OF BONE AND JOINT SURGERY, INCORPORATED

THORNE ET AL.

No Increased Risk of Nonunion with Bisphosphonate Use in a Medicare Claims Cohort Following Operatively Treated Long-Bone Fractures

http://dx.doi.org/10.2106/JBJS.22.01127

Page 3

#### **Tibial shaft:**

ICD 10 Codes: S82.201A, S82.201B, S82.201C, S82.202A, S82.202B, S82.202C, S82.221A, S82.221B, S82.221C, S82.222A, S82.222B, S82.222C, S82.223A, S82.223B, S82.223C, S82.209A, S82.209B, S82.209C, S82.231A, S82.231B, S82.231C, S82.232A, S82.232B, S82.232C, S82.233A, S82.233B, S82.233C, S82.241A, S82.241B, S82.241C, S82.242A, S82.242B, S82.242C, S82.243A, S82.243B, S82.243C, S82.251A, S82.251B, S82.251C, S82.252A, S82.252B, S82.252C, S82.253A, S82.253B, S82.253C, S82.254A, S82.254B, S82.255C, S82.255A, S82.255B, S82.255C, S82.256A, S82.256B, S82.256C, S82.261A, S82.261B, S82.261C, S82.262A, S82.262B, S82.262C, S82.263A, S82.263B, S82.263C, S82.264A, S82.264B, S82.264C, S82.265A, S82.265B, S82.265C, S82.266A, S82.266B, S82.266C, S82.291A, S82.291B, S82.291C, S82.292A, S82.292B, S82.292C, S82.299A, S82.299B, S82.299C.

**CPT Codes: 27759** 

#### **Tibial Shaft Non-union**

ICD 10 Codes: S82.201K, S82.201M, S82.201N, S82.202K, S82.202M, S82.202N, S82.209K, S82.209M, S82.209N, S82.221K, S82.221M, S82.221N, S82.222K, S82.222M, S82.222N, S82.223K, S82.223M, S82.223N, S82.231K, S82.231M, S82.231N, S82.232K, S82.232M, S82.232N, S82.233N, S82.233N, S82.241K, S82.241M, S82.241N, S82.242K, S82.242M, S82.242N, S82.243K, S82.243M, S82.243N, S82.251K, S82.251M, S82.251N, S82.252K, S82.252M, S82.252N, S82.253K, S82.253M, S82.253N, S82.254K, S82.254M, S82.255K, S82.255M, S82.255N, S82.255N, S82.256K, S82.256M, S82.256N, S82.261K. S82.261M, S82.261N, S82.262K, S82.262M, S82.262N, S82.263K, S82.263M, S82.263N, S82.264K, S82.264M, S82.264N, S82.265K, S82.265M, S82.265N, S82.266K, S82.266M, S82.266N, S82.266N, S82.291K, S82.291N, S82.292K, S82.292M, S82.292N, S82.299K, S82.299M, S82.299N, S8

**CPT Codes:** 27720, 27722, 27724, 27725

## **Intertrochanteric:**

**ICD 10 Codes:** S72.141A, S72.141B, S72.141C, S72.142A, S72.142B, S72.142C, S72.143A, S72.143B, S72.143C, S72.144A, S72.144B, S72.144C, S72.145A, S72.145B, S72.145C, S72.146A, S72.146B, S72.146C.

**CPT Codes: 27244,** 27245

## **Intertrochanteric Non-unions:**

**ICD10 Codes**: S72.141K, S72.141M, S72.141N, S72.142K, S72.142M, S72.142N, S72.143K, S72.143M, S72.143N, S72.144K, S72.144M, S72.144N, S72.145K, S72.145M, S72.145N, S72.146K, S72.146M, S72.146N.

**CPT Codes: 27165,** 27170, 27470, 27472

Copyright  ${\hbox{$\mathbb Q$}}$  by The Journal of Bone and Joint Surgery, Incorporated

THORNE ET AL.

No Increased Risk of Nonunion with Bisphosphonate Use in a Medicare Claims Cohort Following Operatively Treated Long-Bone Fractures

http://dx.doi.org/10.2106/JBJS.22.01127

Page 4

# **Upper Extremity**

#### **Forearm Fracture**

## **ICD10 Codes:**

#### Ulna:

```
$52.201, $52.201A, $52.201B, $52.201C, $52.202A, $52.202B, $52.202C; $52.209A, $52.209B, $52.209C; $52.221A, $52.221B, $52.221C; $52.222A, $52.222B, $52.222C; $52.223A, $52.223B, $52.223C, $52.231A, $52.231B, $52.231C; $52.232A, $52.232B, $52.232C; $52.233A, $52.233B, $52.233C; $52.241A, $52.241B, $52.241C; $52.242A, $52.242B, $52.242C; $52.243A, $52.243B, $52.243C; $52.251A, $52.251B, $52.251C, $52.252A, $52.252B, $52.252C; $52.253A, $52.253B, $52.253C, $52.254A, $52.254B, $52.254C; $52.255A, $52.255B, $52.255C; $52.256A, $52.256B, $52.256C; $52.256A, $52.256B, $52.256C; $52.261A, $52.261B, $52.261C; $52.262A, $52.262B, $52.262C; $52.263A, $52.263B, $52.263C; $52.271A, $52.271B, $52.271C; $52.272A, $52.272B, $52.272C; $52.279A, $52.279B, $52.279C; $52.291A, $52.291B, $52.291C; $52.292A, $52.292B, $52.292C; $52.299A, $52.299B, $52.299C.
```

## Radius:

```
S52.301A, S52.301B, S52.301C, S52.302A, S52.302B, S52.302C; S52.309A, S52.309B, S52.309C; S52.321A, S52.321B, S52.321C; S52.322A, S52.322B, S52.322C; S52.323A, S52.323B, S52.323C; S52.331A, S52.331B, S52.331C; S52.332A, S52.332B, S52.332C; S52.333A, S52.333B, S52.333C; S52.341, S52.341A, S52.341B, S52.341C; S52.342A, S52.342B, S52.342C; S52.343A, S52.343B, S52.343C; S52.351A, S52.351B, S52.351C; S52.352A, S52.352B, S52.352C; S52.353A, S52.353B, S52.353C; S52.354A, S52.354B, S52.354C; S52.355A, S52.355B, S52.355C; S52.356A, S52.356B, S52.356C; S52.361A, S52.361B, S52.361C; S52.362A, S52.362B, S52.362C; S52.363A, S52.363B, S52.363C; S52.371A, S52.371B, S52.371C; S52.372A, S52.372B, S52.372C; S52.379A, S52.379B, S52.379C; S52.391A, S52.391B, S52.391C; S52.392A, S52.392B, S52.392C; S52.399A, S52.399B, S52.399C.
```

CPT Codes ORIF: 25515, 25525, 25526, 25545, 25574, 25575

## Forearm Fracture (non-union):

#### Ulna:

```
$52.201K, $52.201M, $52.201N; $52.202K, $52.202M, $52.202N; $52.209K, $52.209M, $52.209N; $52.221K, $52.221M, $52.221N; $52.222K, $52.222M, $52.222N; $52.223K, $52.223M, $52.223N; $52.231K, $52.231M, $52.231N; $52.232K, $52.232M, $52.232N; $52.233K, $52.233M, $52.233N, $52.241K, $52.241M, $52.241N; $52.242K, $52.242M, $52.242N; $52.243K, $52.243M, $52.243N; $52.251K, $52.251M, $52.251N; $52.252K, $52.252M, $52.252N; $52.253K, $52.253M, $52.253N; $52.254K, $52.254M, $52.254N; $52.255M, $52.255N; $52.256K, $52.256M, $52.256N; $52.2561K, $52.261M, $52.261N; $52.262K, $52.262M, $52.262N; $52.263M, $52.263N;
```

COPYRIGHT © BY THE JOURNAL OF BONE AND JOINT SURGERY, INCORPORATED

THORNE ET AL.

No Increased Risk of Nonunion with Bisphosphonate Use in a Medicare Claims Cohort Following Operatively Treated Long-Bone Fractures

http://dx.doi.org/10.2106/JBJS.22.01127

Page 5

S52.271K, S52.271M, S52.271N; S52.272K, S52.272M, S52.272N; S52.279K, S52.279M, S52.279N; S52.291K, S52.291M, S52.291N; S52.292K, S52.292M, S52.292N; S52.299K, S52.299M, S52.299N.

## Radius:

\$52.301K, \$52.301M, \$52.301N; \$52.302K, \$52.302M, \$52.302N; \$52.309K, \$52.309M, \$52.309N; \$52.321K, \$52.321M, \$52.321N; \$52.322K, \$52.322M, \$52.322N; \$52.323K, \$52.323M, \$52.323N; \$52.331K, \$52.331M, \$52.331N; \$52.332K, \$52.332M, \$52.332N; \$52.333K, \$52.333M, \$52.333N, \$52.341K, \$52.341M, \$52.341N; \$52.342K, \$52.342M, \$52.342N; \$52.342N; \$52.343M, \$52.343N, \$52.351K, \$52.351M, \$52.351N; \$52.352K, \$52.352M, \$52.352N; \$52.353K, \$52.353M, \$52.353N; \$52.354K, \$52.354M, \$52.354N; \$52.355K, \$52.355M, \$52.355N; \$52.356K, \$52.356M, \$52.356N; \$52.361K, \$52.361M, \$52.361N; \$52.362K, \$52.362M, \$52.362N; \$52.363K, \$52.363M, \$52.363N; \$52.371K, \$52.371M, \$52.371N; \$52.372K, \$52.372M, \$52.372N; \$52.379K, \$52.379M, \$52.379N; \$52.391K, \$52.391M, \$52.391N; \$52.392K, \$52.392M, \$52.392N; \$52.399K, \$52.399M, \$52.399N.

# Forearm Fracture Nonunion:25400, 25405, 25415, 25420

#### **Humeral Shaft Fractures**

ICD10 Codes: \$42.301A, \$42.301B, \$42.301C; \$42.302A, \$42.302B, \$42.302C; \$42.309A, \$42.309B, \$42.309C; \$42.321A, \$42.321B, \$42.321C; \$42.322A, \$42.322B, \$42.322C, \$42.323A, \$42.323B, \$42.323C; \$42.324A, \$42.324B, \$42.324C; \$42.331A, \$42.331B, \$42.331C; \$42.332A, \$42.332B, \$42.332C; \$42.333A, \$42.333B, \$42.333C; \$42.241A, \$42.241B, \$42.241C; \$42.242A, \$42.242B, \$42.242C; \$42.243A, \$42.243B, \$42.243C; \$42.351A, \$42.351B, \$42.351C; \$42.352A, \$42.352B, \$42.352C; \$42.353A, \$42.353B, \$42.353C; \$42.354A, \$42.354B, \$42.354C; \$42.355A, \$42.355B, \$42.355C; \$42.355A, \$42.356B, \$42.356C, \$42.361A, \$42.361B, \$42.361C; \$42.362A, \$42.362B, \$42.362C, \$42.363A, \$42.363B, \$42.363C, \$42.391A, \$42.391B, \$42.391C, \$42.392A, \$42.392B, \$42.392C, \$42.399A, \$42.399B, \$42.399C.

**CPT Codes ORIF: 24515** 

CPT Codes IM: 24516

## **Humeral Shaft Non-union**

ICD10 Codes: S42.301K, S42.301M, S42.301N; S42.302K, S42.302M, S42.302N; S42.309K, S42.309M, S42.309N; S42.321K, S42.321M, S42.321N; S42.322K, S42.322M, S42.322N; S42.323K, S42.323M, S42.323N; S42.324K, S42.324M, S42.324N; S42.331K, S42.331M, S42.331N; S42.332K, S42.332M, S42.332N; S42.333K, S42.333M, S42.333N; S42.241K, S42.241M, S42.241N; S42.242K, S42.242M, S42.242N; S42.243K, S42.243M, S42.243N; S42.351K, S42.351M, S42.351N; S42.352K, S42.352M, S42.352N; S42.353K, S42.353M, S42.353N; S42.354K, S42.354M, S42.354N; S42.355K, S42.355M, S42.355N; S42.356K, S42.356M, S42.356N; S42.361K, S42.361M, S42.361N; S42.362K, S42.362M, S42.362N; S42.363K, S42.363M, S42.363N; S42.391K, S42.391M, S42.391N; S42.392K, S42.392M, S42.392N; S42.399K, S42.399N.

Copyright © by The Journal of Bone and Joint Surgery, Incorporated Thorne et al. No Increased Risk of Nonunion with Bisphosphonate Use in a Medicare Claims Cohort Following Operatively Treated Long-Bone Fractures http://dx.doi.org/10.2106/JBJS.22.01127 Page 6

**CPT Codes**: 24430, 24435