

**The following content was supplied by the authors as supporting material and has not been copy-edited or verified by JBJS.**

**Supplementary Table 1.** Lazarus et al.<sup>43</sup> Grading of Keeled Glenoid Components

Grade	Description
0	No radiolucency
1	Radiolucency at superior and/or inferior flange
2	Incomplete radiolucency at keel
3	Complete radiolucency ( $\leq 2$ mm wide) around keel
4	Complete radiolucency ( $> 2$ mm wide) around keel
5	Gross loosening

**Supplementary Table 2.** Lazarus et al.<sup>43</sup> Grading of Pegged Glenoid Components

Grade	Description
0	No radiolucency
1	Incomplete radiolucency around one or two pegs
2	Complete radiolucency ( $\leq 2$ mm wide) around one peg only, with or without incomplete radiolucency around one other peg
3	Complete radiolucency ( $\leq 2$ mm wide) around two or more pegs
4	Complete radiolucency ( $> 2$ mm wide) around two or more pegs
5	Gross loosening

## REFERENCES

1. Wagner ER, Farley KX, Higgins I, Wilson JM, Daly CA, Gottschalk MB. The incidence of shoulder arthroplasty: rise and future projections compared with hip and knee arthroplasty. *J Shoulder Elbow Surg.* 2020 Dec;29(12):2601-9.
2. Palsis JA, Simpson KN, Matthews JH, Traven S, Eichinger JK, Friedman RJ. Current Trends in the Use of Shoulder Arthroplasty in the United States. *Orthopedics.* 2018 May 1;41(3):e416-23.
3. Rauck RC, Eck EP, Chang B, Craig EV, Dines JS, Dines DM, Warren RF, Gulotta LV. Survivorship of a Medialized Glenoid and Lateralized Onlay Humerus Reverse Shoulder Arthroplasty Is High at Midterm Follow-up. *HSS J.* 2020 Dec;16(Suppl 2):293-9.
4. Wright TW, Bryant TL, Stevens CG, Bentley BC, Farmer KW. Midterm Follow-up of Divergent Peg Glenoid Components in Total Shoulder Arthroplasty. *J Surg Orthop Adv.* 2018 Spring;27(1):6-9.
5. Roberson TA, Bentley JC, Griscom JT, Kissenberth MJ, Tolan SJ, Hawkins RJ, Tokish JM. Outcomes of total shoulder arthroplasty in patients younger than 65 years: a systematic review. *J Shoulder Elbow Surg.* 2017 Jul;26(7):1298-306.
6. Peters LE, Sheth N, Bostrom MPG, Pellicci PM, Sculco TP. Preoperative Planning for Revision Total Hip Arthroplasty. *Tech Orthop.* 2001;16(3):205-21.
7. Goodman SB, Gallo J. Periprosthetic Osteolysis: Mechanisms, Prevention and Treatment. *J Clin Med.* 2019 Dec 1;8(12):2091.
8. Mehta N, Serino J, Hur ES, Smith S, Hamid KS, Lee S, Bohl DD. Pathogenesis, Evaluation, and Management of Osteolysis Following Total Ankle Arthroplasty. *Foot Ankle Int.* 2021 Feb;42(2):230-42.
9. Ryd L, Linder L. On the correlation between micromotion and histology of the bone-cement interface. Report of three cases of knee arthroplasty followed by roentgen stereophotogrammetric analysis. *J Arthroplasty.* 1989 Dec;4(4):303-9.
10. Rieker CB. Tribology of total hip arthroplasty prostheses: What an orthopaedic surgeon should know. *EFORT Open Rev.* 2017 Mar 13;1(2):52-7.
11. Willert HG, Bertram H, Buchhorn GH. Osteolysis in alloarthroplasty of the hip. The role of ultra-high molecular weight polyethylene wear particles. *Clin Orthop Relat Res.* 1990 Sep;(258):95-107.
12. Bell SN, Christmas MUSI, Coghlan JA. Proximal humeral osteolysis and glenoid radiolucent lines in an anatomic shoulder arthroplasty: a comparison of a ceramic and a metal humeral head component. *J Shoulder Elbow Surg.* 2020 May;29(5):913-23.
13. Kepler CK, Nho SJ, Bansal M, Ala OL, Craig EV, Wright TM, Warren RF. Radiographic and histopathologic analysis of osteolysis after total shoulder arthroplasty. *J Shoulder Elbow Surg.* 2010 Jun;19(4):588-95.
14. Denard PJ, Noyes MP, Walker JB, Shishani Y, Gobeze R, Romeo AA, Lederman E. Radiographic changes differ between two different short press-fit humeral stem designs in total shoulder arthroplasty. *J Shoulder Elbow Surg.* 2018 Feb;27(2):217-23.
15. Bitzer A, Rojas J, Patten IS, Joseph J, McFarland EG. Incidence and risk factors for aseptic baseplate loosening of reverse total shoulder arthroplasty. *J Shoulder Elbow Surg.* 2018 Dec;27(12):2145-52.
16. Gregory TM, Sankey A, Augereau B, Vandenbussche E, Amis A, Emery R, Hansen U. Accuracy of glenoid component placement in total shoulder arthroplasty and its effect on clinical and radiological outcome in a retrospective, longitudinal, monocentric open study. *PLoS One.* 2013 Oct 8;8(10):e75791.
17. Merolla G, Ciaramella G, Fabbri E, Walch G, Paladini P, Porcellini G. Total shoulder replacement using a bone ingrowth central peg polyethylene glenoid component: a prospective clinical and computed tomography study with short- to mid-term follow-up. *Int Orthop.* 2016 Nov;40(11):2355-63.
18. Casagrande DJ, Parks DL, Torngren T, Schrumpf MA, Harmsen SM, Norris TR, Kelly JD 2nd. Radiographic evaluation of short-stem press-fit total shoulder arthroplasty: short-term follow-up. *J Shoulder Elbow Surg.* 2016 Jul;25(7):1163-9.
19. Raiss P, Edwards TB, Deutsch A, Shah A, Bruckner T, Loew M, Boileau P, Walch G. Radiographic changes around humeral components in shoulder arthroplasty. *J Bone Joint Surg Am.* 2014 Apr 2;96(7):e54.
20. Romeo AA, Thorsness RJ, Sumner SA, Gobeze R, Lederman ES, Denard PJ. Short-term clinical outcome of an anatomic short-stem humeral component in total shoulder arthroplasty. *J Shoulder Elbow Surg.* 2018 Jan;27(1):70-4.
21. Inoue K, Suenaga N, Oizumi N, Yamaguchi H, Miyoshi N, Taniguchi N, Munemoto M, Egawa T, Tanaka Y. Humeral bone resorption after anatomic shoulder arthroplasty using an uncemented stem. *J Shoulder Elbow Surg.* 2017 Nov;26(11):1984-9.
22. Nagels J, Stokdijk M, Rozing PM. Stress shielding and bone resorption in shoulder arthroplasty. *J Shoulder Elbow Surg.* 2003 Jan-Feb;12(1):35-9.
23. Schnetzke M, Coda S, Raiss P, Walch G, Loew M. Radiologic bone adaptations on a cementless short-stem shoulder prosthesis. *J Shoulder Elbow Surg.* 2016 Apr;25(4):650-7.
24. Liberati A, Altman DG, Tetzlaff J, Mulrow C, Gøtzsche PC, Ioannidis JP, Clarke M, Devereaux PJ, Kleijnen J, Moher D. The PRISMA statement for reporting systematic reviews and meta-analyses of studies that evaluate healthcare interventions: explanation and elaboration. *BMJ.* 2009 Jul 21;339:b2700.
25. University of Oxford, Centre for Evidence-Based Medicine. OCEBM Levels of Evidence. Accessed January 24, 2021.  
<https://www.cebm.ox.ac.uk/resources/levels-of-evidence/ocebm-levels-of-evidence>
26. Slim K, Nini E, Forestier D, Kwiatkowski F, Panis Y, Chipponi J. Methodological Index for Non-Randomized Studies (MINORS): development and validation of a new instrument. *ANZ J Surg.* 2003 Sep;73(9):712-6.
27. Higgins JPT, Green S, editors. *Cochrane Handbook for Systematic Reviews of Interventions Version 5.1.0* (updated March 2011). The Cochrane Collaboration; 2011.

28. Ricchetti ET, Jun BJ, Cain RA, Youderian A, Rodriguez EJ, Kusin D, Subhas N, Patterson TE, Iannotti JP. Sequential 3-dimensional computed tomography analysis of implant position following total shoulder arthroplasty. *J Shoulder Elbow Surg.* 2018 Jun;27(6):983-92.
29. Churchill RS, Chuinard C, Wiater JM, Friedman R, Freehill M, Jacobson S, Spencer E Jr, Holloway GB, Wittstein J, Lassiter T, Smith M, Blaine T, Nicholson GP. Clinical and Radiographic Outcomes of the Simplicity Canal-Sparing Shoulder Arthroplasty System: A Prospective Two-Year Multicenter Study. *J Bone Joint Surg Am.* 2016 Apr 6;98(7):552-60.
30. Ricchetti ET, Jun BJ, Jin Y, Ho JC, Patterson TE, Dalton JE, Derwin KA, Iannotti JP. Relationship Between Glenoid Component Shift and Osteolysis After Anatomic Total Shoulder Arthroplasty: Three-Dimensional Computed Tomography Analysis. *J Bone Joint Surg Am.* 2021 Aug 4;103(15):1417-30.
31. Mazaleyrat M, Favard L, Garaud P, Boileau P, Berhouet J. Press-fit vs. cemented humeral stem fixation for reverse shoulder arthroplasty: functional outcomes at a mean follow-up of 9.5 years. *J Shoulder Elbow Surg.* 2021 Jan;30(1):72-9.
32. Bacle G, Nové-Josserand L, Garaud P, Walch G. Long-Term Outcomes of Reverse Total Shoulder Arthroplasty: A Follow-up of a Previous Study. *J Bone Joint Surg Am.* 2017 Mar 15;99(6):454-61.
33. Boileau P, Avidor C, Krishnan SG, Walch G, Kempf JF, Molé D. Cemented polyethylene versus uncemented metal-backed glenoid components in total shoulder arthroplasty: a prospective, double-blind, randomized study. *J Shoulder Elbow Surg.* 2002 Jul-Aug;11(4):351-9.
34. Ho JC, Ricchetti ET, Iannotti JP. Central-peg radiolucency progression of an all-polyethylene glenoid with hybrid fixation in anatomic total shoulder arthroplasty is associated with clinical failure and reoperation. *J Shoulder Elbow Surg.* 2021 May;30(5):1068-77.
35. Magosch P, Habermeyer P, Vetter P. Radiologic midterm results of cemented and uncemented glenoid components in primary osteoarthritis of the shoulder: a matched pair analysis. *Arch Orthop Trauma Surg.* 2021 Jul 6.
36. Favorito PJ, Freed RJ, Passanise AM, Brown MJ. Total shoulder arthroplasty for glenohumeral arthritis associated with posterior glenoid bone loss: results of an all-polyethylene, posteriorly augmented glenoid component. *J Shoulder Elbow Surg.* 2016 Oct;25(10):1681-9.
37. Parks DL, Casagrande DJ, Schrumpf MA, Harmsen SM, Norris TR, Kelly JD 2nd. Radiographic and clinical outcomes of total shoulder arthroplasty with an all-polyethylene pegged bone ingrowth glenoid component: prospective short- to medium-term follow-up. *J Shoulder Elbow Surg.* 2016 Feb;25(2):246-55.
38. Noyes MP, Meccia B, Spencer EE Jr. Five- to ten-year follow-up with a partially cemented all-polyethylene bone-ingrowth glenoid component. *J Shoulder Elbow Surg.* 2015 Sep;24(9):1458-62.
39. Ho JC, Sabesan VJ, Iannotti JP. Glenoid component retroversion is associated with osteolysis. *J Bone Joint Surg Am.* 2013 Jun 19;95(12):e82.
40. DeVito P, Judd H, Malarkey A, Elson L, McNeely E, Berglund D, Vakharia R, Levy JC. Medial calcar bone resorption after anatomic total shoulder arthroplasty: does it affect outcomes? *J Shoulder Elbow Surg.* 2019 Nov;28(11):2128-38.
41. Boileau P, Moineau G, Morin-Salvo N, Avidor C, Godenèche A, Lévigne C, Baba M, Walch G. Metal-backed glenoid implant with polyethylene insert is not a viable long-term therapeutic option. *J Shoulder Elbow Surg.* 2015 Oct;24(10):1534-43.
42. Wirth MA, Loredo R, Garcia G, Rockwood CAJ Jr, Southworth C, Iannotti JP. Total shoulder arthroplasty with an all-polyethylene pegged bone-ingrowth glenoid component: a clinical and radiographic outcome study. *J Bone Joint Surg Am.* 2012 Feb 1;94(3):260-7.
43. Lazarus MD, Jensen KL, Southworth C, Matsen FA 3rd. The radiographic evaluation of keeled and pegged glenoid component insertion. *J Bone Joint Surg Am.* 2002 Jul;84(7):1174-82.
44. Ho JC, Amini MH, Entezari V, Jun BJ, Alolabi B, Ricchetti ET, Iannotti JP. Clinical and Radiographic Outcomes of a Posteriorly Augmented Glenoid Component in Anatomic Total Shoulder Arthroplasty for Primary Osteoarthritis with Posterior Glenoid Bone Loss. *J Bone Joint Surg Am.* 2018 Nov 21;100(22):1934-48.
45. Molé D, Roche O, Riand N, Lévigne C, Walch G. Cemented Glenoid Component: Results in Osteoarthritis and Rheumatoid Arthritis. In: Walch G, Boileau P, editors. *Shoulder Arthroplasty.* Springer; 1999. p 163-71.
46. Patel AV, Matijakovich DJ, Brochin RL, et al. Mid-term outcomes after reverse total shoulder arthroplasty with latissimus dorsi transfer. *Shoulder Elbow.* 2021;175857322199634.
47. Brolin TJ, Cox RM, Horneff Iii JG, Namdari S, Abboud JA, Nicholson K, Ramsey ML. Humeral-sided Radiographic Changes Following Reverse Total Shoulder Arthroplasty. *Arch Bone Jt Surg.* 2020 Jan;8(1):50-7.
48. Aibinder WR, Bartels DW, Sperling JW, Sanchez-Sotelo J. Mid-term radiological results of a cementless short humeral component in anatomical and reverse shoulder arthroplasty. *Bone Joint J.* 2019 May;101-B(5):610-4.
49. Heuberer PR, Brandl G, Pauzenberger L, Laky B, Kriegleder B, Anderl W. Radiological changes do not influence clinical mid-term outcome in stemless humeral head replacements with hollow screw fixation: a prospective radiological and clinical evaluation. *BMC Musculoskelet Disord.* 2018 Jan 22;19(1):28.
50. Cole EW, Moulton SG, Gobezie R, Romeo AA, Walker JB, Lederman E, Denard PJ. Five-year radiographic evaluation of stress shielding with a press-fit standard length humeral stem. *JSES Int.* 2020 Jan 2;4(1):109-13.
51. Peduzzi L, Goetzmann T, Wein F, Roche O, Sirveaux F, Mole D, Jacquot A. Proximal humeral bony adaptations with a short uncemented stem for shoulder arthroplasty: a quantitative analysis. *JSES Open Access.* 2019 Nov 29;3(4):278-86.
52. Spormann C, Durchholz H, Audigé L, Flury M, Schwyzer HK, Simmen BR, Kolling C. Patterns of proximal humeral bone resorption after total shoulder arthroplasty with an uncemented rectangular stem. *J Shoulder Elbow Surg.* 2014 Jul;23(7):1028-35.
53. Healy WL, Iorio R, Clair AJ, Pellegrini VD, Della Valle CJ, Berend KR. Complications of Total Hip Arthroplasty: Standardized List, Definitions, and Stratification Developed by The Hip Society. *Clin Orthop Relat Res.* 2016 Feb;474(2):357-64.

54. Prock-Gibbs H, Pumilia CA, Meckmongkol T, Lovejoy J, Mumith A, Coathup M. Incidence of Osteolysis and Aseptic Loosening Following Metal-on-Highly Cross-Linked Polyethylene Hip Arthroplasty: A Systematic Review of Studies with Up to 15-Year Follow-up. *J Bone Joint Surg Am.* 2021 Apr 21;103(8):728-40.
55. Saleh KJ, Thongtrangan I, Schwarz EM. Osteolysis: medical and surgical approaches. *Clin Orthop Relat Res.* 2004 Oct;(427):138-47.
56. Garrigues GE, Zmistowski B, Cooper AM, Green A; ICM Shoulder Group. Proceedings from the 2018 International Consensus Meeting on Orthopedic Infections: the definition of periprosthetic shoulder infection. *J Shoulder Elbow Surg.* 2019 Jun;28(6S):S8-12.
57. Denard PJ, Noyes MP, Walker JB, et al. Proximal stress shielding is decreased with a short stem compared with a traditional-length stem in total shoulder arthroplasty. *Journal of Shoulder and Elbow Surgery.* 2018 Jan 1;27(1):53-58.
58. Denard PJ, Hsu JE, Whitson A, Neradilek MB, Matsen FA 3rd. Radiographic outcomes of impaction-grafted standard-length humeral components in total shoulder and ream-and-run arthroplasty: is stress shielding an issue? *Journal of Shoulder and Elbow Surgery.* 2019 Nov 1;28(11):2181-2190.
59. Denard PJ, Haidamus G, Gobezie R, Romeo AA, Lederman E. Short-term evaluation of humeral stress shielding following reverse shoulder arthroplasty using press-fit fixation compared with cemented fixation. *Journal of Shoulder and Elbow Surgery.* 2020 May 1;29(5):906-912.