

Online Appendix 1: Measures Considered for the CPG.

	Measure rated 2- 4/4 by ANPT EDGE Task Forces	Measure is Generic (NOT condition specific)	≥ 75% of Measure items address gait, balance, transfers &/or patient stated goals	Measure has published data in ≥ 2 neurological populations	Measure can be considered a true Outcome Measure	Measure Meets Clinical Utility Filter	Measure has at least 1 article each in reliability & responsiveness
3D Accelerometry Gait	New	✓	✓	✓			
4 Meter gait speed	New	✓	✓	✓	✓	✓	
6 Meter Timed Walk Test	New	✓	✓				
10 Meter walk test	✓	✓	✓	✓	✓	✓	✓
10 Second Step Test	New	✓	✓				
100 Meter Walk Test	New	✓	✓				
12 Minute Walk / Run	✓	✓	✓	✓	✓	✓	
12 Step Ascend and Descend test	New	✓	✓	✓	✓		
12-Item MS Walking Scale	✓						
2 Minute Walk Test	✓	✓	✓	✓	✓	✓	✓
3 Meter Timed Tandem Walk	New	✓	✓				
30 meter timed walks	New	✓	✓				
30 seconds chair stand test	✓	✓	✓	✓	✓	✓	
360 Degree Turn Test	✓	✓	✓				
400 Meter Walk Time	New	✓	✓				

Table lists all the Measures reviewed in this CPG. The Table identifies each filter. Checkmarks indicate where a Measure met the filter. Blank cells indicate that a Measure did NOT meet the filter. New = Measure not considered by an EDGE taskforce but identified during the CPG process, NR = not recommended by an EDGE Task Force

	Measure rated 2-4/4 by ANPT EDGE Task Forces	Measure is Generic (NOT condition specific)	≥ 75% of Measure items address gait, balance, transfers &/or patient stated goals	Measure has published data in ≥ 2 neurological populations	Measure can be considered a true Outcome Measure	Measure Meets Clinical Utility Filter	Measure has at least 1 article each in reliability & responsiveness
5 Time Sit to Stand	✓	✓	✓				
6 minute walk test	✓	✓	✓	✓	✓	✓	✓
6 Spot Step Test	New	✓	✓				
6-Minute Arm Test	✓	✓					
6-Minute Step Test	New	✓					
9 Hole Peg Test	✓	✓					
Able Scale	New	✓	✓				
Action Research Arm Test	✓	✓					
Activities Specific Balance Confidence Scale	✓	✓	✓	✓	✓	✓	✓
Activities-specific Balance Confidence 6	New	✓	✓	✓	✓	✓	
Activities-specific Fall Caution Scale	New	✓	✓	✓	✓	✓	
Activity Measure for Post Acute Care	✓	✓	✓	✓	✓		
Agitated Behavior Scale	✓	✓					
Ambulatory Self-confidence Questionnaire	New	✓	✓				
Apathy Evaluation Scale	✓	✓					

Table lists all the Measures reviewed in this CPG. The Table identifies each filter. Checkmarks indicate where a Measure met the filter. Blank cells indicate that a Measure did NOT meet the filter. New = Measure not considered by an EDGE taskforce but identified during the CPG process, NR = not recommended by an EDGE Task Force

	Measure rated 2- 4/4 by ANPT EDGE Task Forces	Measure is Generic (NOT condition specific)	≥ 75% of Measure items address gait, balance, transfers &/or patient stated goals	Measure has published data in ≥ 2 neurological populations	Measure can be considered a true Outcome Measure	Measure Meets Clinical Utility Filter	Measure has at least 1 article each in reliability & responsiveness
Arm Motor Ability Test	✓	✓					
Ashworth Scale	✓	✓					
Ashworth Scale, Modified	✓	✓					
Assessment of Life Habits	✓	✓					
Awareness Questionnaire	✓	✓					
Balance Error Scoring System	✓	✓	✓	✓	✓	✓	
Balance Evaluations Systems Test	✓	✓	✓	✓	✓		
Balance Outcome Measure for Elder Rehabilitation	✓	✓	✓				
Barthel Index	✓	✓					
Berg Balance Scale	✓	✓	✓	✓	✓	✓	✓
Berg Balance Scale 3P	New	✓	✓				
Berg Balance Scale 9	New	✓	✓	✓	✓	✓	
Berg Balance Scale Short Form	New	✓	✓				
Bioesthesiometer	✓	✓					
Bow and Lean Test	✓						
Box & Blocks Test	✓	✓					

Table lists all the Measures reviewed in this CPG. The Table identifies each filter. Checkmarks indicate where a Measure met the filter. Blank cells indicate that a Measure did NOT meet the filter. New = Measure not considered by an EDGE taskforce but identified during the CPG process, NR = not recommended by an EDGE Task Force

	Measure rated 2- 4/4 by ANPT EDGE Task Forces	Measure is Generic (NOT condition specific)	≥ 75% of Measure items address gait, balance, transfers &/or patient stated goals	Measure has published data in ≥ 2 neurological populations	Measure can be considered a true Outcome Measure	Measure Meets Clinical Utility Filter	Measure has at least 1 article each in reliability & responsiveness
Brief BESTest	✓	✓	✓	✓	✓	✓	
Brief Fatigue Index/Inventory	NR						
Brunnel Balance Test	✓	✓	✓	✓	✓	✓	
Bryce-Ragnarsson Pain Taxonomy	✓						
Canadian Occupational Performance Measure	✓	✓	✓	✓	✓		
Capabilities of UE Functioning Instrument	✓						
Chedoke Arm Hand Inventory	✓						
Chedoke-McMaster Stroke Assessment	✓						
Chester Step Test	New	✓					
Classification for Chronic Pain in SCI	✓						
Clinical Mobility Scale	New	✓	✓				
Clinical Outcome Variables Scale	New	✓	✓	✓	✓	✓	
Clinical Test of Sensory Interaction in Balance	✓	✓	✓	✓	✓		
Cognitive Log	✓	✓					

Table lists all the Measures reviewed in this CPG. The Table identifies each filter. Checkmarks indicate where a Measure met the filter. Blank cells indicate that a Measure did NOT meet the filter. New = Measure not considered by an EDGE taskforce but identified during the CPG process, NR = not recommended by an EDGE Task Force

	Measure rated 2-4/4 by ANPT EDGE Task Forces	Measure is Generic (NOT condition specific)	≥ 75% of Measure items address gait, balance, transfers &/or patient stated goals	Measure has published data in ≥ 2 neurological populations	Measure can be considered a true Outcome Measure	Measure Meets Clinical Utility Filter	Measure has at least 1 article each in reliability & responsiveness
Coma Recovery Scale-Revised	✓	✓					
Community Balance and Mobility Scale	✓	✓	✓	✓	✓		
Community Integration Measure	✓	✓					
Community Integration Questionnaire	✓	✓					
Community Integration Questionnaire II	NR						
Continuous Scale Physical Functional Performance Test	✓	✓					
Craig Handicap Assessment and Reporting Technique	✓	✓					
Craig Hospital Inventory of Environmental Factors	✓	✓					
Deep Head Hanging for Anterior Canal	✓						
Disability Rating Scale - TBI	✓						
Disability Rating Scale- vestibular	✓						
Disease Steps	✓						
Disorders of Consciousness Scale	✓	✓					
Dix-Hallpike	✓						

Table lists all the Measures reviewed in this CPG. The Table identifies each filter. Checkmarks indicate where a Measure met the filter. Blank cells indicate that a Measure did NOT meet the filter. New = Measure not considered by an EDGE taskforce but identified during the CPG process, NR = not recommended by an EDGE Task Force

	Measure rated 2-4/4 by ANPT EDGE Task Forces	Measure is Generic (NOT condition specific)	≥ 75% of Measure items address gait, balance, transfers &/or patient stated goals	Measure has published data in ≥ 2 neurological populations	Measure can be considered a true Outcome Measure	Measure Meets Clinical Utility Filter	Measure has at least 1 article each in reliability & responsiveness
Dizziness Beliefs Scale	New	✓					
Dizziness Handicap Inventory	✓	✓					
Dizziness Handicap Inventory - Screening Version	New	✓					
Dizziness Handicap Inventory - Short Form	New	✓					
Donovan SCI Pain Classification	✓						
Dynamic Gait Index - Modified	New	✓	✓				
Dynamic Gait Index	✓	✓	✓	✓	✓	✓	✓
Dynamic Gait Index 4 item	New	✓	✓	✓	✓	✓	✓
Dynamic Visual Acuity	✓						
Dynamic Visual Acuity Computerized	✓						
Dynamometry	✓	✓					
Elderly Mobility Scale	New	✓	✓				
Emory Functional Ambulation Profile - Modified	New	✓	✓				
Emory Functional Ambulation Profile	New	✓	✓				

Table lists all the Measures reviewed in this CPG. The Table identifies each filter. Checkmarks indicate where a Measure met the filter. Blank cells indicate that a Measure did NOT meet the filter. New = Measure not considered by an EDGE taskforce but identified during the CPG process, NR = not recommended by an EDGE Task Force

	Measure rated 2- 4/4 by ANPT EDGE Task Forces	Measure is Generic (NOT condition specific)	≥ 75% of Measure items address gait, balance, transfers &/or patient stated goals	Measure has published data in ≥ 2 neurological populations	Measure can be considered a true Outcome Measure	Measure Meets Clinical Utility Filter	Measure has at least 1 article each in reliability & responsiveness
EQUI-SCALE	New	✓					
EuroQOL	✓	✓					
Expanded Disability Status Scale & Kurtzke Functional Systems Scale	NR						
Falls Efficacy Scale - Modified	NR						
Falls Efficacy Scale	✓	✓	✓	✓	✓	✓	
Falls Efficacy Scale International	New	✓	✓	✓	✓	✓	✓
Falls Efficacy Scale International Short Form	New	✓	✓				
Fatigue Descriptive Scale	✓						
Fatigue Scale for Motor and Cognitive Functions	✓						
Fatigue Severity Scale	✓	✓					
Figure-of-Eight Walk Test	New	✓	✓				
Functional Tests for Persons who Self Propel a Manual Wheelchair	NR						
Four Square Step Test	✓	✓	✓	✓	✓	✓	✓

Table lists all the Measures reviewed in this CPG. The Table identifies each filter. Checkmarks indicate where a Measure met the filter. Blank cells indicate that a Measure did NOT meet the filter. New = Measure not considered by an EDGE taskforce but identified during the CPG process, NR = not recommended by an EDGE Task Force

	Measure rated 2- 4/4 by ANPT EDGE Task Forces	Measure is Generic (NOT condition specific)	≥ 75% of Measure items address gait, balance, transfers &/or patient stated goals	Measure has published data in ≥ 2 neurological populations	Measure can be considered a true Outcome Measure	Measure Meets Clinical Utility Filter	Measure has at least 1 article each in reliability & responsiveness
Frailty and Injuries Cooperative Studies of Intervention Techniques Balance Scale	New	✓					
Freezing of Gait Questionnaire	✓						
Fugl-Meyer Assessment of Motor Performance	✓						
Fugl-Meyer Sensory Exam	✓						
Fukada Stepping Test	✓						
Fullerton Advanced Balance Scale	✓	✓	✓	✓	✓	✓	
Function in Sitting Test	✓	✓	✓	✓	✓	✓	
Functional Ambulation Categories	✓	✓	✓				
Functional Assessment Measure	✓	✓					
Functional Assessment of MS	✓						
Functional Axial Rotation	✓	✓					
Functional Gait Assessment	✓	✓	✓	✓	✓	✓	✓
Functional Independence Measure	✓	✓					
Functional Independence Measure	New	✓	✓	✓	✓		

Table lists all the Measures reviewed in this CPG. The Table identifies each filter. Checkmarks indicate where a Measure met the filter. Blank cells indicate that a Measure did NOT meet the filter. New = Measure not considered by an EDGE taskforce but identified during the CPG process, NR = not recommended by an EDGE Task Force

	Measure rated 2- 4/4 by ANPT EDGE Task Forces	Measure is Generic (NOT condition specific)	≥ 75% of Measure items address gait, balance, transfers &/or patient stated goals	Measure has published data in ≥ 2 neurological populations	Measure can be considered a true Outcome Measure	Measure Meets Clinical Utility Filter	Measure has at least 1 article each in reliability & responsiveness
Locomotor							
Functional Mobility Assessment	New	✓					
Functional Obstacle Course	New	✓	✓				
Functional Reach Test	✓	✓	✓	✓	✓	✓	✓
Functional Reach Test Modified - Sitting	✓	✓	✓	✓	✓	✓	
Functional Reach Test Multidirectional - Standing	✓	✓	✓	✓	✓	✓	
Functional Self-Assessment	✓	✓					
Functional Status Examination	✓	✓					
Gait Efficacy Scale - Modified	✓	✓	✓				
Gait Efficacy Scale	New	✓	✓				
Gaze Stabilization Test (Neurocom)	✓						
Geriatric Fear of Falling Measurement	New	✓	✓				
Glasgow Coma Scale	✓	✓					
Glasgow Outcome Scale-Extended	✓	✓					
Glenrose Ambulation Rating Scale	New	✓	✓				
Global Fatigue Index	✓	✓					

Table lists all the Measures reviewed in this CPG. The Table identifies each filter. Checkmarks indicate where a Measure met the filter. Blank cells indicate that a Measure did NOT meet the filter. New = Measure not considered by an EDGE taskforce but identified during the CPG process, NR = not recommended by an EDGE Task Force

	Measure rated 2-4/4 by ANPT EDGE Task Forces	Measure is Generic (NOT condition specific)	≥ 75% of Measure items address gait, balance, transfers &/or patient stated goals	Measure has published data in ≥ 2 neurological populations	Measure can be considered a true Outcome Measure	Measure Meets Clinical Utility Filter	Measure has at least 1 article each in reliability & responsiveness
Goal Attainment Scale	✓	✓	✓	✓	✓	✓	
Graded and Redefined Assessment of Sensibility Strength and Prehension	✓						
Grasp and Release Test	✓						
Guy's Neurological Disability Scale	✓						
Hand Held Myometry	✓	✓					
Hauser Ambulation Index	✓						
Head Impulse Test / Head Thrust Test	✓						
Head Shake SOT	✓						
Head Shake/ Head Shaking Nystagmus Test	✓						
Hierarchical Balance Short Forms	New	✓	✓				
High Level Mobility and Assessment Tool	✓	✓	✓				
History of Falls Questionnaire	NR						
Home and Community Environment	✓	✓					
Impact on Participation and Autonomy	✓	✓					

Table lists all the Measures reviewed in this CPG. The Table identifies each filter. Checkmarks indicate where a Measure met the filter. Blank cells indicate that a Measure did NOT meet the filter. New = Measure not considered by an EDGE taskforce but identified during the CPG process, NR = not recommended by an EDGE Task Force

	Measure rated 2- 4/4 by ANPT EDGE Task Forces	Measure is Generic (NOT condition specific)	≥ 75% of Measure items address gait, balance, transfers &/or patient stated goals	Measure has published data in ≥ 2 neurological populations	Measure can be considered a true Outcome Measure	Measure Meets Clinical Utility Filter	Measure has at least 1 article each in reliability & responsiveness
International Spinal Cord Injury Pain Classification	✓						
International Standards for Neurological Classification of Spinal Cord Injury, ASIA Impairment Scale	✓						
Jebesen-Taylor Hand Function Test	✓	✓					
Joint Position Error Test	✓	✓					
L test	New	✓	✓				
Life Satisfaction Questionnaire	✓	✓	✓				
Lower Extremity Functional Scale	New	✓					
Manual Muscle Test	✓	✓					
Maximal Inspiratory/Expiratory Pressure	✓	✓					
Maximal Width of the Base of Support	New	✓	✓				
Mayo Portland Adaptability Inventory-4	✓	✓					
MDS-UPDRS Revision	✓						
Medical Outcomes Study Short Form 36	✓	✓					
Medical Outcomes Study-Form Health	✓	✓					

Table lists all the Measures reviewed in this CPG. The Table identifies each filter. Checkmarks indicate where a Measure met the filter. Blank cells indicate that a Measure did NOT meet the filter. New = Measure not considered by an EDGE taskforce but identified during the CPG process, NR = not recommended by an EDGE Task Force

	Measure rated 2- 4/4 by ANPT EDGE Task Forces	Measure is Generic (NOT condition specific)	≥ 75% of Measure items address gait, balance, transfers &/or patient stated goals	Measure has published data in ≥ 2 neurological populations	Measure can be considered a true Outcome Measure	Measure Meets Clinical Utility Filter	Measure has at least 1 article each in reliability & responsiveness
Survey - 12							
Metronome Paced Square Step Test	New	✓	✓				
Mini BEST Test	✓	✓	✓	✓	✓	✓	✓
Mini Mental Status Exam	✓	✓					
MODIFIED CTSIB - No Dome	✓	✓	✓	✓	✓	✓	
Modified DGI	✓	✓	✓	✓	✓	✓	
Modified Fatigue Impact Scale	✓	✓					
Modified Parkinson's Activity Scale	✓						
Modified Rankin Scale	✓	✓					
Modified Romberg Test Using a Foam Pad	New	✓	✓				
Montreal Cognitive Assessment	✓	✓					
Moss Attention Rating Scale	✓	✓					
Motion Sensitivity Quotient	✓	✓					
Motivation for Traumatic Brain Injury Rehabilitation Questionnaire	✓						
Motor Activity Log	✓	✓					

Table lists all the Measures reviewed in this CPG. The Table identifies each filter. Checkmarks indicate where a Measure met the filter. Blank cells indicate that a Measure did NOT meet the filter. New = Measure not considered by an EDGE taskforce but identified during the CPG process, NR = not recommended by an EDGE Task Force

	Measure rated 2- 4/4 by ANPT EDGE Task Forces	Measure is Generic (NOT condition specific)	≥ 75% of Measure items address gait, balance, transfers &/or patient stated goals	Measure has published data in ≥ 2 neurological populations	Measure can be considered a true Outcome Measure	Measure Meets Clinical Utility Filter	Measure has at least 1 article each in reliability & responsiveness
Motricity Index	✓	✓					
Movement Ability Measure	✓	✓					
Multi-Component Fatigue Scale	NR						
Multidimensional Pain Inventory SCI version	✓						
Multiple Sclerosis Functional Composite	✓						
Multiple Sclerosis Impact Scale - 29	✓						
Multiple Sclerosis International Quality of Life Questionnaire	✓						
Multiple Sclerosis Quality of Life - 54	✓						
Multiple Sclerosis Quality of Life Inventory	✓						
Multiple Sclerosis Spasticity Scale	✓						
Narrow Path Walking Test	New	✓	✓				
Needs Assessment Checklist	✓						
Neuro QOL	✓	✓					

Table lists all the Measures reviewed in this CPG. The Table identifies each filter. Checkmarks indicate where a Measure met the filter. Blank cells indicate that a Measure did NOT meet the filter. New = Measure not considered by an EDGE taskforce but identified during the CPG process, NR = not recommended by an EDGE Task Force

	Measure rated 2- 4/4 by ANPT EDGE Task Forces	Measure is Generic (NOT condition specific)	≥ 75% of Measure items address gait, balance, transfers &/or patient stated goals	Measure has published data in ≥ 2 neurological populations	Measure can be considered a true Outcome Measure	Measure Meets Clinical Utility Filter	Measure has at least 1 article each in reliability & responsiveness
Neuro-QOL - Lower Extremity Function (Mobility) Short Form	New	✓	✓	✓	✓	✓	
Neurological Outcome Scale for Traumatic Brain Injury	✓						
Neuropathic Pain Scale	✓	✓					
NIH Stroke Scale	✓						
Nottingham Assessment of Somatosensation	✓	✓					
Numeric Pain Rating Scale	✓	✓					
Outpatient Physical Therapy Improvement in Movement Assessment Log	✓	✓					
Orientation Log	✓	✓					
Orpington Prognostic Scale	✓						
Ottawa Sitting Scale	New	✓	✓				
Parallel Walk Test	New	✓	✓				
Parkinson's Fatigue Scale	✓						

Table lists all the Measures reviewed in this CPG. The Table identifies each filter. Checkmarks indicate where a Measure met the filter. Blank cells indicate that a Measure did NOT meet the filter. New = Measure not considered by an EDGE taskforce but identified during the CPG process, NR = not recommended by an EDGE Task Force

	Measure rated 2-4/4 by ANPT EDGE Task Forces	Measure is Generic (NOT condition specific)	≥ 75% of Measure items address gait, balance, transfers &/or patient stated goals	Measure has published data in ≥ 2 neurological populations	Measure can be considered a true Outcome Measure	Measure Meets Clinical Utility Filter	Measure has at least 1 article each in reliability & responsiveness
Parkinson's ADL Scale	✓						
Participation Assessment with Recombined Tools- Objective	✓	✓					
Participation Measure for Post-Acute Care	NR						
Participation Objective, Participation Subjective	NR						
Participation Survey of Mobility Limited People	NR						
Patient Competency Rating Scale	NR						
Patient Health Questionnaire	✓	✓					
Patient-specific Functional Scale	✓	✓	✓	✓	✓	✓	
Parkinson's Disease Quality of Life - 39	✓						
Parkinson's Disease Quality of Life - 8	✓						
Penn Spasm Frequency Scale	✓	✓					
Performance Test of Activities of Daily Living	New	✓					

Table lists all the Measures reviewed in this CPG. The Table identifies each filter. Checkmarks indicate where a Measure met the filter. Blank cells indicate that a Measure did NOT meet the filter. New = Measure not considered by an EDGE taskforce but identified during the CPG process, NR = not recommended by an EDGE Task Force

	Measure rated 2- 4/4 by ANPT EDGE Task Forces	Measure is Generic (NOT condition specific)	≥ 75% of Measure items address gait, balance, transfers &/or patient stated goals	Measure has published data in ≥ 2 neurological populations	Measure can be considered a true Outcome Measure	Measure Meets Clinical Utility Filter	Measure has at least 1 article each in reliability & responsiveness
Physical Activity Recall Assessment for People with Spinal Cord Injury	✓						
Physical Performance Test - 8-item	New	✓	✓				
Physical Performance Test- Modified	New	✓	✓				
Physical Performance Test*	New	✓	✓				
Physiologic Cost Index	NR						
Physiotherapy Functional Mobility Profile	New	✓					
Pittsburgh Rehabilitation Participation Scale	NR						
Postural Assessment Scale for Stroke Patients	✓						
Postural Assessment Scale for Stroke Patients - 5 item	New						
Postural Assessment Scale for Stroke Patients 3 item	New						
Profile Parkinson's Disease	✓						

Table lists all the Measures reviewed in this CPG. The Table identifies each filter. Checkmarks indicate where a Measure met the filter. Blank cells indicate that a Measure did NOT meet the filter. New = Measure not considered by an EDGE taskforce but identified during the CPG process, NR = not recommended by an EDGE Task Force

	Measure rated 2- 4/4 by ANPT EDGE Task Forces	Measure is Generic (NOT condition specific)	≥ 75% of Measure items address gait, balance, transfers &/or patient stated goals	Measure has published data in ≥ 2 neurological populations	Measure can be considered a true Outcome Measure	Measure Meets Clinical Utility Filter	Measure has at least 1 article each in reliability & responsiveness
Purdue Pegboard test	✓	✓					
Push-release test	New	✓	✓	✓	✓	✓	
Quadriplegia Index of Function	✓						
Quadriplegia Index of Function Short Form	✓						
Quality of Life after Brain Injury	✓						
Quality of Life Index, Spinal Cord Version	✓						
Quality of Well Being	✓	✓					
Quebec User Evaluation of Satisfaction with Assistive Technology	✓	✓					
Rancho Levels of Cognitive Functioning	✓	✓					
Rapid Step-up Test - 10 reps	✓	✓	✓				
Rate of Perceived Exertion	NR						
Reintegration to Normal Living Index	✓	✓					
Retropulsive Pull Test	✓	✓	✓				
Rivermead Assessment of	NR						

Table lists all the Measures reviewed in this CPG. The Table identifies each filter. Checkmarks indicate where a Measure met the filter. Blank cells indicate that a Measure did NOT meet the filter. New = Measure not considered by an EDGE taskforce but identified during the CPG process, NR = not recommended by an EDGE Task Force

	Measure rated 2- 4/4 by ANPT EDGE Task Forces	Measure is Generic (NOT condition specific)	≥ 75% of Measure items address gait, balance, transfers &/or patient stated goals	Measure has published data in ≥ 2 neurological populations	Measure can be considered a true Outcome Measure	Measure Meets Clinical Utility Filter	Measure has at least 1 article each in reliability & responsiveness
Somatosensory Performance							
Rivermead Mobility Index	✓	✓	✓	✓	✓	✓	✓
Rivermead Mobility Index - Modified	✓	✓	✓	✓	✓	✓	✓
Rivermead Motor Assessment	✓	✓					
Roll Test	✓						
Romberg	✓	✓	✓	✓	✓	✓	
Romberg - Sharpened	✓	✓	✓				
Rush Dyskinesia Rating Scale	✓	✓					
Saint Louis Mental Status Examination	✓	✓					
Satisfaction with Life Scale	✓	✓					
Scale for the Assessment an Rating of Ataxia	✓	✓					
Scripps Neurological Rating Scale	✓						
Seated Cervical Rotation Test	NR						
Self- Reported Disability Scale in Patients with Parkinson's Disease	✓						
Self-Efficacy Exercise Scale	✓	✓					

Table lists all the Measures reviewed in this CPG. The Table identifies each filter. Checkmarks indicate where a Measure met the filter. Blank cells indicate that a Measure did NOT meet the filter. New = Measure not considered by an EDGE taskforce but identified during the CPG process, NR = not recommended by an EDGE Task Force

	Measure rated 2-4/4 by ANPT EDGE Task Forces	Measure is Generic (NOT condition specific)	≥ 75% of Measure items address gait, balance, transfers &/or patient stated goals	Measure has published data in ≥ 2 neurological populations	Measure can be considered a true Outcome Measure	Measure Meets Clinical Utility Filter	Measure has at least 1 article each in reliability & responsiveness
Semmes Weinstein Monofilaments	✓	✓					
Sensory Organization Test	✓	✓	✓	✓	✓		
Sensory Stimulation Assessment Measure	✓	✓					
Short Physical Performance Battery	New	✓	✓				
Shuttle walk test	New	✓	✓				
Sickness Impact Profile 68	✓	✓					
Side Lying Test	✓						
Single Leg Stance	✓	✓	✓	✓	✓	✓	✓
Sollerman Hand Function Test	✓	✓					
Spinal Cord Assessment Tool for Spastic Reflexes	✓						
Spinal Cord Independence Measure	✓						
Spinal Cord Injury Functional Ambulation Inventory	✓						
Spinal Cord Injury Functional Ambulation Profile	✓						

Table lists all the Measures reviewed in this CPG. The Table identifies each filter. Checkmarks indicate where a Measure met the filter. Blank cells indicate that a Measure did NOT meet the filter. New = Measure not considered by an EDGE taskforce but identified during the CPG process, NR = not recommended by an EDGE Task Force

	Measure rated 2- 4/4 by ANPT EDGE Task Forces	Measure is Generic (NOT condition specific)	≥ 75% of Measure items address gait, balance, transfers &/or patient stated goals	Measure has published data in ≥ 2 neurological populations	Measure can be considered a true Outcome Measure	Measure Meets Clinical Utility Filter	Measure has at least 1 article each in reliability & responsiveness
Spinal Cord Injury Lifestyle Scale	✓						
Spinal Cord Injury Spasticity Evaluation Tool	✓						
Static Balance Test	✓	✓	✓				
Static Standing Balance Test	New	✓	✓				
Step Test	New	✓	✓				
Stops Walking When Talking Test	NR						
Stroke Adapted Sickness Impact Scale - 30	✓						
Stroke Impact Scale	✓						
Stroke Rehabilitation Assessment of Movement	✓						
Stroke-Specific Quality of Life Scale	✓						
Subjective Visual Vertical	✓						
Supervision Rating Scale	NR						
Supine to Stand	NR						
Survey of Activities and Fear of Falling in	New	✓					

Table lists all the Measures reviewed in this CPG. The Table identifies each filter. Checkmarks indicate where a Measure met the filter. Blank cells indicate that a Measure did NOT meet the filter. New = Measure not considered by an EDGE taskforce but identified during the CPG process, NR = not recommended by an EDGE Task Force

	Measure rated 2- 4/4 by ANPT EDGE Task Forces	Measure is Generic (NOT condition specific)	≥ 75% of Measure items address gait, balance, transfers &/or patient stated goals	Measure has published data in ≥ 2 neurological populations	Measure can be considered a true Outcome Measure	Measure Meets Clinical Utility Filter	Measure has at least 1 article each in reliability & responsiveness
the Elderly							
Sydney Psychosocial Reintegration Scale	✓	✓					
Tardieu Scale, Modified Tardieu Scale	✓	✓					
Tetraplegia Hand Activity Questionnaire	✓						
Timed 10-Meter Backwards Walk	✓	✓	✓	✓	✓	✓	
Timed 100-Meter Walk Test	New	✓	✓				
Timed 25 Foot Walk	✓	✓	✓				
Timed Up and Go Test	✓	✓	✓	✓	✓	✓	✓
Timed Up and Go-Cognitive	✓	✓	✓	✓	✓	✓	
Timed Up and Go - Expanded	New	✓	✓				
Tinetti Performance Oriented Mobility Assessment	✓	✓	✓	✓	✓	✓	✓
Tool for Assessing Mobility in Wheelchair-Dependent Paraplegics (Harvey Mobility Assessment Tool)	✓						
Trunk Control Test	✓	✓					
Trunk Impairment Scale	✓	✓	✓	✓	✓	✓	✓

Table lists all the Measures reviewed in this CPG. The Table identifies each filter. Checkmarks indicate where a Measure met the filter. Blank cells indicate that a Measure did NOT meet the filter. New = Measure not considered by an EDGE taskforce but identified during the CPG process, NR = not recommended by an EDGE Task Force

	Measure rated 2- 4/4 by ANPT EDGE Task Forces	Measure is Generic (NOT condition specific)	≥ 75% of Measure items address gait, balance, transfers &/or patient stated goals	Measure has published data in ≥ 2 neurological populations	Measure can be considered a true Outcome Measure	Measure Meets Clinical Utility Filter	Measure has at least 1 article each in reliability & responsiveness
TUG Modified with Dual Task Conditions	✓	✓	✓	✓	✓	✓	
UCLA Dizziness Questionnaire	New	✓					
Unified Dyskinesia Rating Scale	✓	✓					
Van Lieshout Test Short Version	✓						
Vertigo Handicap Questionnaire	✓	✓					
Vertigo Symptoms Scale	✓	✓					
Vestibular Activities and Participation	NR						
Vestibular Disorders Activities of Daily Living Scale	✓	✓					
Vestibular Rehabilitation Benefit Questionnaire	NR						
Visual Analog Scale (Fatigue)	✓	✓					
Visual Analog Scale Vestibular	✓	✓					
Visual Vertigo Analogue Scale	✓	✓					
VO2 Max	✓	✓					
Walking and Remembering Test	✓	✓	✓				
Walking Impact Scale - 12	New	✓	✓	✓	✓	✓	

Table lists all the Measures reviewed in this CPG. The Table identifies each filter. Checkmarks indicate where a Measure met the filter. Blank cells indicate that a Measure did NOT meet the filter. New = Measure not considered by an EDGE taskforce but identified during the CPG process, NR = not recommended by an EDGE Task Force

	Measure rated 2- 4/4 by ANPT EDGE Task Forces	Measure is Generic (NOT condition specific)	≥ 75% of Measure items address gait, balance, transfers &/or patient stated goals	Measure has published data in ≥ 2 neurological populations	Measure can be considered a true Outcome Measure	Measure Meets Clinical Utility Filter	Measure has at least 1 article each in reliability & responsiveness
Walking Index For Spinal Cord Injury	✓						
Walking While Talking	✓	✓	✓	✓	✓	✓	
Western Neuro Sensory Stimulation Profile	✓	✓					
Wheelchair Skills Test	✓	✓					
Wheelchair Users Shoulder Pain Index	✓	✓					
Wolf Motor Function Test	✓	✓					
World Health Organization Quality of Life-BREF	✓	✓					

Table lists all the Measures reviewed in this CPG. The Table identifies each filter. Checkmarks indicate where a Measure met the filter. Blank cells indicate that a Measure did NOT meet the filter. New = Measure not considered by an EDGE taskforce but identified during the CPG process, NR = not recommended by an EDGE Task Force

	Measure rated 2- 4/4 by ANPT EDGE Task Forces	Measure is Generic (NOT condition specific)	≥ 75% of Measure items address gait, balance, transfers &/or patient stated goals	Measure has published data in ≥ 2 neurological populations	Measure can be considered a true Outcome Measure	Measure Meets Clinical Utility Filter	Measure has at least 1 article each in reliability & responsiveness
RETAINED after this filter	EDGE-222	EDGE-146 New-65 ALL - 211	EDGE-54 New-52 ALL -106	EDGE-41 New-13 ALL-54	EDGE-41 New-12 ALL-53	EDGE-35 New-10 ALL-45	EDGE-16 New- 2 ALL-18
EXCLUDED with this filter	EDGE- 21	EDGE-76 New-2 ALL-78	EDGE-92 New-13 ALL-105	EDGE-13 New-39 ALL-52	EDGE-0 New-1 ALL-1	EDGE-6 New-2 ALL-8	EDGE-19 New-8 ALL-27

Table lists all the Measures reviewed in this CPG. The Table identifies each filter. Checkmarks indicate where a Measure met the filter. Blank cells indicate that a Measure did NOT meet the filter. New = Measure not considered by an EDGE taskforce but identified during the CPG process, NR = not recommended by an EDGE Task Force