

Wound, Ostomy and Continence Nurses Society. (2016). *Guideline for Prevention and Management of Pressure Ulcers (Injuries)*. WOCN Clinical Practice Guideline Series 2. Mt. Laurel, NJ: Author.

References

- Adunsky, A., & Ohry, A. (2005). Decubitus direct current treatment (DDCT) of pressure ulcers: Results of a randomized double-blinded placebo controlled study. *Archives of Gerontology and Geriatrics*, 41(3), 261–269.
- Agency for Healthcare Research and Quality. (2009). *Negative pressure wound therapy: Technology assessment*. Rockville, MD: Author. Retrieved from <http://archive.ahrq.gov/research/findings/ta/negative-pressure-wound-therapy/>
- Agency for Healthcare Research and Quality. (2014). Preventing pressure ulcers in hospitals. A tool kit for improving quality of care. Retrieved from <http://www.ahrq.gov/professionals/systems/hospital/pressureulcertoolkit/index.html>
- Ahmetovic, A., Mushawar, V. K., Sommer, R., Schnepf, D., Kawasaki, L., Warwaruk-Rogers, R.,...Chan, K. M. (2015). Safety and feasibility of intermittent-electrical stimulation for the prevention of deep tissue injury. *Advances in Wound Care*, 4(3), 192–201. <http://dx.doi.org/10.1089/wound.2014.0569>
- Ahn, H., Stechmiller, J., Fillingim, R., Lyon, D., & Garvan, C. (2015). Bodily pain intensity in nursing home residents with pressure ulcers: Analysis of national Minimum Data Set 3.0. *Research in Nursing & Health*, 38(3), 207–212.
- Ahn, H., Stechmiller, J., & Hargas, A. (2013). Pressure ulcer-related pain in nursing home residents with cognitive impairment. *Advances in Skin & Wound Care*, 26(8), 375–380; quiz 381–382. <http://dx.doi.org/10.1097/01.ASW.0000432050.51725.51>
- Aljezawi, M., & Tubaishat, A. (2014). Nosocomial pressure ulcer risk factors in a relatively young adult population: Results from a purposeful selection logistic regression model. *Journal of Dermatology Nurses' Association*, 6(5), 244–250.
- Allen, B. (2013). Effects of a comprehensive nutritional program on pressure ulcer healing, length of hospital stay, and charges to patients. *Clinical Nursing Research*, 22(2), 186–205. <http://dx.doi.org/10.1177/1054773812457673>
- Allman, R. M., Goode, P. S., Patrick, M. M., Burst, N., & Bartolucci, A. A. (1998). Pressure ulcer risk factors among hospitalized patients with activity limitations. *Journal of the American Medical Association*, 273(11), 865–870.
- American Medical Directors Association. (2008; Reaffirmed 2013). Pressure ulcers in the long-term care setting. Columbia, MD: American Medical Directors Association. Retrieved from <http://www.guideline.gov/content.aspx?id=12381>

American Nurses Association. (2014). Streamlined evidence-based RN tool: Catheter-associated urinary tract infection (CAUTI) prevention, *Online Journal of Issues in Nursing*. Retrieved March 19, 2015, from <http://nursingworld.org/ANA-CAUTI-Prevention-Tool>

Anthony, D., Papanikolaou, P., Parboteeah, S., & Saleh, M. (2010). Do risk assessment scales for pressure ulcers work? *Journal of Tissue Viability*, 19(4), 132–136.
<http://dx.doi.org/10.1016/j.jtv.2009.11.006>

Anthony, D., Willock, J., & Baharestani, M. (2010). A comparison of Braden Q, Garvin and Glamorgan risk assessment scales in paediatrics. *Journal of Tissue Viability*, 19(3), 98–105.

Antokal, S., Brienza, D., Bryan, N., Herbe, L., Logan, S., Maguire, J.,...Siddiqui, A. (2012). Friction induced skin injuries—Are they pressure ulcers? A National Pressure Ulcer Advisory Panel white paper. Retrieved from <http://www.npuap.org/wp-content/uploads/2012/01/NPUAP-Friction-White-Paper.pdf>

Argenta, L. C., & Morykwas, M. J. (1997). Vacuum-assisted closure: A new method for wound control and treatment: Clinical experience. *Annals of Plastic Surgery*, 38(6), 563–577.

Armstrong, D. G., Ayello, E. A., Capitulo, K. L., Fowler, E., Krasner, D. L., Levine, J. M.,...Smith, A. P. (2008). New opportunities to improve pressure ulcer prevention and treatment: Implications of the CMS inpatient hospital care present on admission (POA) indicators/hospital-acquired conditions (HAC) policy. A consensus paper from the International Expert Wound Care Advisory Panel. *Journal of Wound, Ostomy and Continence Nursing*, 35(5), 485–492.
<http://dx.doi.org/10.1097/01.WON.0000335960.68113.82>

Aronovitch, S. A. (1999). Intraoperatively acquired pressure ulcer prevalence: A national study. *Journal of Wound, Ostomy and Continence Nursing*, 26(3), 130–136.

Aronovitch, S. A. (2007). Intraoperately acquired pressure ulcers: Are there common risk factors? *Ostomy Wound Management*, 53(2), 57–69.

Atiyeh, B. S., & Hayek, S. N. (2005). Pressure sores with associated spasticity: A clinical challenge. *International Wound Journal*, 2(1), 77–80.

Attinger, C., & Wolcott, R. (2012). Clinically addressing biofilm in chronic wounds. *Advances in Wound Care*, 1(2), 127–132. <http://dx.doi.org/10.1089/wound.2011.0333>

Australian Wound Management Association. (2012). Pan Pacific clinical practice guideline for the prevention and management of pressure injury. Abridged version. Osborne Park, WA: Cambridge Publishing. Retrieved March 8, 2016, from <http://www.awma.com.au/publications/>

Ayello, E. A., & Braden, B. (2002). How and why to do pressure ulcer risk assessment.

Advances in Skin & Wound Care, 15(3), 125–131.

Aziz, Z., & Bell-Syer, S. E. (2015). Electromagnetic therapy for treating pressure ulcers. *Cochrane Database of Systematic Reviews*, Issue 9. Art. No.: CD002930.
<http://dx.doi.org/10.1002/14651858.CD002930.pub6>

Aziz, Z., & Flemming, K. (2012). Electromagnetic therapy for treating pressure ulcers. *Cochrane Database of Systematic Reviews*, Issue 12. Art. No.: CD002930.
<http://dx.doi.org/10.1002/14651858.CD002930.pub5>

Bååth, C., Engström, M., Gunningberg, L., & Athlin, A. M. (2016). Prevention of heel pressure ulcers among older patients - from ambulance care to hospital discharge: A multi-centre randomized controlled trial. *Applied Nursing Research*, 30, 170–175.
<http://dx.doi.org/10.1016/j.apnr.2015.10.003>

Baba-Akbari, S. A., Flemming, K., Cullum, N. A., & Wollina, U. (2006). Therapeutic ultrasound for pressure ulcers. *Cochrane Database of Systematic Reviews*, Issue 3. Art. No.: CD001275.
<http://dx.doi.org/10.1002/14651858.CD001275.pub2>

Baharestani, M. M. (2007). Use of negative pressure wound therapy in the treatment of neonatal and pediatric wounds: A retrospective examination of clinical outcomes. *Ostomy Wound Management*, 53(6), 75–85.

Baharestani, M. M., & Ratliff, C. R. (2007). Pressure ulcers in neonates and children: An NPUAP white paper. *Advances in Skin & Wound Care*, 20(4), 208–220.
<http://dx.doi.org/10.1097/01.ASW.0000266646.43159.99>

Balzer, K., Kremer, L., Junghans, A., Halfens, R. J., Dassen, T., & Kottner, J. (2014). What patient characteristics guide nurses' clinical judgement on pressure ulcer risk? A mixed methods study. *International Journal of Nursing Studies*, 51(5), 703–716.
<http://dx.doi.org/10.1016/j.ijnurstu.2013.09.005>

Bates-Jensen, B. M. (2016). Assessment of the patient with a wound. In D. B. Doughty & L. L. McNichol (Eds.), *Wound, Ostomy and Continence Nurses Society core curriculum: Wound management* (pp. 38–68). Philadelphia, PA: Wolters Kluwer.

Bates-Jensen, B. M., Guihan, M., Garber, S. L., Chin, A. S., & Burns, S. P. (2009). Characteristics of recurrent pressure ulcers in veterans with spinal cord injury. *Journal of Spinal Cord Medicine*, 32(1), 34–42. Retrieved from
<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2647498/pdf/i1079-0268-32-1-34.pdf>

Bates-Jensen, B. M., McCreathe, H. E., Kono, A., Apeles, N. C., & Alessi, C. (2007). Subepidermal moisture predicts erythema and stage I pressure ulcers in nursing home residents: A pilot study. *Journal of the American Geriatrics Society*, 55(8), 1199–1205.

Bauman, W., Spungen, A., Collins, J., Raisch, D., Ho, C., Dietrick, G.,...Tincher, C. (2013). The

- effect of oxandrolone on the healing of chronic pressure ulcers in persons with spinal cord injury. *Annals of Internal Medicine*, 158(10), 718–726.
- Beam, J. W. (2009). Topical silver for infected wounds. *Journal of Athletic Training*, 44(5), 531–533.
- Beeckman, D., Schoonhoven, L., Verhaeghe, S., Heyneman A., & Defloor, T. (2009). Prevention and treatment of incontinence-associated dermatitis: Literature review. *Journal of Advanced Nursing*, 65(6), 1141–1154.
- Beeckman, D., Van Lancker, A., Van Hecke, A., & Verhaeghe, S. (2014). A systematic review and meta-analysis of incontinence-associated dermatitis, incontinence, and moisture as risk factors for pressure ulcer development. *Research in Nursing & Health*, 37(3), 204–218.
- Bell, J. (2005). The role of pressure-redistributing equipment in the prevention and management of pressure ulcers. *Journal of Wound Care*, 14(4), 185–188.
- Berg, J., Mössner, B., Skov, M., Lauridsen, J., Gottrup, F., & Kolmos, H. (2006). Antibacterial properties of EMLA® and lidocaine in wound tissue biopsies for culturing. *Wound Repair and Regeneration*, 14(5), 581–585.
- Bergstrom, N., Allman, R. M., Alvarez, O., Bennett, M. A., Carlson, C. E., Frantz, R. A.,...Yarkony, G. M. (1994). *Treatment of pressure ulcers. Clinical practice guideline*, Number 15. Agency for Health Care Policy and Research. AHCPR Publication No. 95-0652. Rockville, MD: U.S. Department of Health and Human Services.
- Bergstrom, N., Allman, R. M., Carlson, C. E., Eaglstein, W., Frantz, R. A., Garber, S. L.,...Xakellis, G. C. (1992). *Pressure ulcers in adults: Prediction and prevention. Clinical practice guideline*, Number 3. Agency for Health Care Policy and Research. AHCPR Publication No. 92-0047. Rockville, MD: U.S. Department of Health and Human Services.
- Bergstrom, N., & Braden, B. (1992). A prospective study of pressure sore risk among institutionalized elderly. *Journal of the American Geriatric Society*, 40(8), 747–758.
- Bergstrom, N., Braden, B., Kemp, M., Champagne, M., & Ruby, E. (1996). Multisite study of incidence of pressure ulcers and the relationship between risk level, demographic characteristics, diagnoses, and prescription of preventive interventions. *Journal of the American Geriatric Society*, 44(1), 22–30.
- Bergstrom, N., Horn, S. D., Rapp, M. P., Stern, A., Barrett, R., & Watkiss, M. (2013). Turning for ulcer reduction: A multisite randomized clinical trial in nursing homes. *Journal of the American Geriatrics Society*, 61(10), 1705–1713.
- Bergstrom, N., Horn, S. D., Smout, R. J., Bender, S. A., Ferguson, M. L., Taler, G.,...Voss, A. C. (2005). The national pressure ulcer long-term care study: Outcomes of pressure ulcer treatments in long-term care. *Journal of the American Geriatrics Society*, 53(10), 1721–1729.

- Bergstrom, N., Smout, R., Horn, S., Spector, W., Hartz, A., & Limcangco, M. R. (2008). Stage 2 pressure ulcer healing in nursing homes. *Journal of the American Geriatric Society*, 56(7), 1252–1258.
- Bergquist, S. (2003). Pressure ulcer prediction in older adults receiving home health care: Implications for use with the OASIS. *Advances in Skin & Wound Care*, 16(3), 132–139.
- Berlowitz, D. (2012). Prevalence, incidence, and facility-acquired rates. In B. Pieper (Ed.) with the National Pressure Ulcer Advisory Panel (NPUAP), (pp. 19–24). *Pressure ulcers: Prevalence, incidence, and implications for the future*. Washington, DC: NPUAP.
- Berlowitz, D. (2014). Incidence and prevalence of pressure ulcers. In D. Thomas & G. Compton (Eds.), *Pressure ulcers in the aging population: A guide for clinicians* (pp. 19–26). New York: Springer.
- Berlowitz, D. R., Brandeis, G. H., Anderson, J., Du, W., & Brand, H. (1997). Effect of pressure ulcers on the survival of long-term care residents. *The Journals of Gerontology Series A: Biological Sciences and Medical Sciences*, 52A(2), M106–M110.
- Berlowitz, D. R., & Wilking, S. V. (1989). Risk factors for pressure sores: A comparison of cross-sectional and cohort-derived data. *Journal of the American Geriatric Society*, 37(11), 1043–1050.
- Berthe, J. V., Bustillo, A., Mélot, C., & de Fontaine, S. (2007). Does a foamy-block mattress system prevent pressure sores? A prospective randomized clinical trial in 1729 patients. *Acta Chirurgica Belgica*, 107(2), 155–161.
- Biglari, B., Büchler, A., Reitzel, T., Swing, T., Gerner, H. J., Ferbert, T., & Moghaddam, A. (2014). A retrospective study on flap complications after pressure ulcer surgery in spinal cord-injured patients. *Spinal Cord*, 52(1), 80–83. <http://dx.doi.org/10.1038/sc.2013.130>
- Biglari, B., Vd Linden, P. H., Simon, A., Aytac, S., Gerner, H. J., & Moghaddam, A. (2012). Use of medihibit as a non-surgical therapy for chronic pressure ulcers in patients with spinal cord injury. *Spinal Cord*, 50, 165–169. <http://dx.doi.org/10.1038/sc.2011.87>
- Bill, T. J., Ratliff, C. R., Donovan, A. M., Knox, L. K., Morgan, R. F., & Rodeheaver, G. T. (2001). Quantitative swab culture versus tissue biopsy: A comparison in chronic wounds. *Ostomy Wound Management*, 47(1), 34–37.
- Black, J., Baharestani, M., & the National Pressure Ulcer Advisory Panel. (2012). Pressure ulcers with exposed cartilage are Stage IV pressure ulcers. Retrieved March 2, 2016, from <http://www.npuap.org>
- Black, J. M., & Black, S. B. (2012). Reconstructive surgery. In R. A. Bryant & D. P. Nix (Eds.), *Acute & chronic wounds. Current management concepts* (4th ed., pp. 460–468). St. Louis,

MO: Elsevier Mosby.

- Black, J., Berke, C., & Urzendowski, G. (2012). Pressure ulcer incidence and progression in critically ill subjects: Influence of low air loss mattress versus a powered air pressure redistribution mattress. *Journal of Wound, Ostomy and Continence Nursing*, 39(3), 267–273.
- Black, J., Clark, M., Dealey, C., Brindle, C. T., Alves, P., Santamaria, N., & Call, E. (2015). Dressings as an adjunct to pressure ulcer prevention: Consensus panel recommendations. *International Wound Journal*, 12(4), 484–488. <http://dx.doi.org/10.1111/iwj.12197>
- Black, J. M., Gray, M., Bliss, D. Z., Kennedy-Evans, K. L., Logan, S., Baharestani, M. M.,...Ratliff, C. R. (2011). MASD Part 2: Incontinence-associated dermatitis and intertriginous dermatitis: A consensus. *Journal of Wound, Ostomy and Continence Nursing*, 38(4), 359–370. <http://dx.doi.org/10.1097/WON.0b013e31822272d9>
- Bliss, D. Z., Gurvich, O., Savik, K., Eberly, L. E., Harms, S., Mueller, C.,...Virnig, B. (2015). Are there racial-ethnic disparities in time to pressure ulcer development and pressure ulcer treatment in older adults after nursing home admission? *Journal of Aging and Health*, 27(4), 571–593. <http://dx.doi.org/10.1177/0898264314553895>
- Blume-Peytavi, U., Hauser, M., Lünnemann, L., Stamatas, G. N., Kottner, J., & Garcia Bartels, N. (2014). Prevention of diaper dermatitis in infants—A literature review. *Pediatric Dermatology*, 31(4), 413–429. <http://dx.doi.org/10.1111/pde.12348>
- Bodavula, P., Liang, S. Y., Wu, J., VanTassell, P., & Marschall, J. (2015). Pressure ulcer-related pelvic osteomyelitis: A neglected disease? *Open Forum Infectious Diseases*. <http://dx.doi.org/10.1093/ofid/ofv112>
- Bolton, L. (2006). Are silver products safe and effective for chronic wound management? *Journal of Wound, Ostomy and Continence Nursing*, 33(5), 469–477.
- Bolton, L. (2007). Which pressure ulcer risk assessment scales are valid for use in the clinical setting? *Journal of Wound, Ostomy and Continence Nursing*, 34(4), 368–381.
- Bonham, P. (2009). Swab cultures for diagnosing wound infections: A literature review and clinical guideline. *Journal of Wound, Ostomy and Continence Nursing*, 36(4), 389–395.
- Bork, A., & Reis, E. (2006). Pressure ulcers: Statistics analysis of an electronic database. In H. A. Park, P. Murray, & C. Delaney (Eds.), *Consumer-Centered Computer-Supported Care for Healthy People* (pp. 548–551). Amsterdam: IOS Press. Retrieved June 14, 2016, from <http://ebooks-iospress.nl/volume/article/9268>
- Borzdynski, C. J., McGuiness, W., & Miller, C. (2015). Comparing visual and objective skin assessment with pressure injury risk. *International Wound Journal*. <http://dx.doi.org/10.1111/iwj.12468>

- Bouza, C., Saz, Z., Munoz, A., & Amate, J. M. (2005). Efficacy of advanced dressings in the treatment of pressure ulcers: A systematic review. *Journal of Wound Care*, 14(5), 193–199.
- Braga, I. A., Pirett, C. C., Ribas, R. M., Gontijo Filho, P. P., & Diogio Filho, A. (2013). Bacterial colonization of pressure ulcers: Assessment of risk for bloodstream infection and impact on patient outcomes. *Journal of Hospital Infection*, 83(4), 314–320.
<http://dx.doi.org/10.1016/j.jhin.2012.11.008>
- Brandeis, G. H., Berlowitz, D. R., Hossain, M., & Morris, J. N. (1995). Pressure ulcers: The minimum data set and the resident assessment protocol. *Advances in Skin & Wound Care*, 8(6), 18–25.
- Brem, H., Balleux, J., Bloom, T., Kerstein, M. D., & Hollier, L. (2000). Healing of diabetic foot ulcers and pressure ulcers with human skin equivalent: A new paradigm in wound healing. *Archives of Surgery*, 135(6), 627–634. <http://dx.doi.org/10.1001/archsurg.135.6.627>
- Brem, H., Maggi, J., Nierman, D., Rolnitzky, L., Bell, Rennert, R.,...Vladeck, B. (2010). High cost of stage IV pressure ulcers. *American Journal of Surgery*, 200(4), 473–477.
<http://dx.doi.org/10.1016/j.amjsurg.2009.12.021>
- Brienza, D., Antokal, S., Herbe, L., Logan, S., Maguire, J., Van Ranst, J., & Siddiqui, A. (2015). Friction-Induced skin injuries—Are they pressure ulcers? An updated NPUAP white paper. *Journal of Wound, Ostomy and Continence Nursing*, 42(1), 62–64.
<http://dx.doi.org/10.1097/WON.0000000000000102>
- Brienza, D. M., & Geyer, M. J. (2000). Understanding support surface technologies. *Advances in Skin & Wound Care*, 13(5), 237–244.
- Brindle, C. T., & Wegelin, J. A. (2012). Prophylactic dressing application to reduce pressure ulcer formation in cardiac surgery patients. *Journal of Wound, Ostomy and Continence Nursing*, 39(2), 133–142.
- Brindle, C. T., Malhotra, R., O'Rourke, S., Currie, L., Chadwik, D., Falls, P.,...Creehan, S. (2013). Turning and repositioning the critically ill patient with hemodynamic instability. *Journal of Wound, Ostomy and Continence Nursing*, 40(3), 254–267.
<http://dx.doi.org/10.1097/WON.0b013e318290448f>
- Brown-Etris, M., Milne, C., Orsted, H., Gates, J. L., Netsch, D., Punchello, M.,...Freyberg, J. (2008). A prospective randomized multisite clinical evaluation of a transparent absorbent acrylic dressing and a hydrocolloid dressing in the management of stage II and shallow stage III pressure ulcers. *Advances in Skin & Wound Care*, 21(4), 169–174.
- Cadue, J. F., Karolewicz, S., Tardy, C., Barrault, C., Robert, R., & Pourrat, O. (2008). Prevention of heel pressure sores with a foam body-support device. A randomized controlled trial in a medical intensive care unit. *La Presse Medicale*, 37(1), 30–36.

Call, E., Deppisch, M., Gruccio, P., Jordan, R., Logan, S., Sylvia, C., & Thurman, K. (2014). Hand checks: Are they an effective method to monitor support surfaces for bottoming out? A National Pressure Ulcer Advisory White Paper. Retrieved March 2, 2016, from <http://www.npuap.org/wp-content/uploads/2012/01/Bottoming-Out-Whitepaper-Oct-2014.pdf>

Calmak, S. K., Gul, U., Ozer, S., Yigit, Z., & Gonu, M. (2009). Risk factors for pressure ulcers. *Advances in Skin & Wound Care*, 22(9), 412–415.
<http://dx.doi.org/10.1097/01.ASW.0000360256.99980.84>

Cavicchioli, A., & Carella, G. (2007). Clinical effectiveness of a low-tech versus high-tech pressure-redistributing mattress. *Journal of Wound Care*, 16(7), 285–289.

Centers for Medicare & Medicaid Services. (2004). Revisions to Appendix P (Survey Protocols for Long Term Care Facilities) and Appendix PP (Guidance to Surveyors for Long Term Care Facilities). *CMS Manual System. Pub. 100-07 State Operations Provider Certification*. Department of Health & Human Services (DHHS). Retrieved May 2, 2016, from <https://www.cms.gov/Regulations-and-Guidance/Guidance/Transmittals/downloads/r5som.pdf>

Centers for Medicare & Medicaid Services. (2013). Chapter 3, Section M: Skin Conditions. *Centers for Medicaid and Medicare Services Long-Term Hospital Quality Reporting Program Manual* (version 2.0, pp. M-3). Retrieved July 2015, from download section <https://www.cms.gov/Medicare/Quality-Initiatives-Patient-Assessment-Instruments/LTCH-Quality-Reporting/LTCH-Quality-Reporting-Training.html>

Cereda, E., Gini, A., Pedrolli, C., & Vanotti, A. (2009). Disease-specific, versus standard, nutritional support for the treatment of pressure ulcers in institutionalized older adults: A randomized control trial. *Journal of the American Geriatric Society*, 57(8), 1395–1402.
<http://dx.doi.org/10.1111/j.1532-5415.2009.02351.x>

Cereda, E., Klersy, C., Rondanelli, M., & Caccialanza, R. (2011). Energy balance in patients with pressure ulcers: A systematic review and meta-analysis of observational studies. *Journal of the American Dietetic Association*, 111(12), 1868–1876.

Cereda, E., Klersy, C., Serioli, M., Crespi, A., D'Andrea, F., & OligoElement Sore Trial Study Group. (2015). A nutritional formula enriched with arginine, zinc, and antioxidants for the healing of pressure ulcers: A randomized trial. *Annals of Internal Medicine*, 162(3), 167–174.
<http://dx.doi.org/10.7326/M14-0696>

Chaiken, N. (2012). Reduction of sacral pressure ulcers in the intensive care unit using a silicone border foam dressing. *Journal of Wound, Ostomy and Continence Nursing*, 39(2), 143–145.
<http://dx.doi.org/10.1097/WON.0b013e318247cb82>

Chaloner, D., & Stevens, J. (2003). Evaluating selection and efficacy of pressure-relieving equipment. *British Journal of Nursing*, 12(Suppl. 11), S26.

- Charlifue, S., Lammertse, D. P., & Adkins, R. H. (2004). Aging with spinal cord injury: Changes in selected health indices and life satisfaction. *Archives of Physical Medicine and Rehabilitation*, 85(11), 1848–1853.
- Chen, H.-L., Cao, Y.-J., Wang, J., & Huai, B.-S. (2015). A retrospective analysis of pressure ulcer incidence and modified Braden Scale score risk classifications. *Ostomy Wound Management*, 61(9), 26–30.
- Chen, H.-L., Cao, Y.-J., Zhang, W., Wang, J., & Huai, B.-S. (2015). Braden Scale is not suitable for assessing pressure ulcer risk in individuals aged 80 and older. *Journal of the American Geriatrics Society*, 63(3), 599–601. <http://dx.doi.org/10.1111/jgs.13303>
- Chen, C., Hou, W., Chan, E. S., Yeh, M., & Lo, H. (2014). Phototherapy for treating pressure ulcers. *Cochrane Review of Systematic Reviews*, Issue 7. Art. No.: CD009224. <http://dx.doi.org/10.1002/14651858.CD009224.pub2>
- Choo, T., Hayter, M., & Watson, R. (2013). The effectiveness of nutritional intervention(s) and the treatment of pressure ulcers—A systematic literature review. *International Journal of Nursing Practice*, 19(Suppl. 1), 19–27. <http://dx.doi.org/10.1111/ijn.12019>
- Chou, C. L., Lee, W. R., Yeh, C. C., Shih, C. C., Chen, T. L., & Liao, C. C. (2015). Adverse outcomes after major surgery in patients with pressure ulcer: A nationwide population-based retrospective cohort study. *PLoS One*, 10(5), e0127731. <http://dx.doi.org/10.1371/journal.pone.0127731>
- Chou, R., Dana, T., Bougatsos, C., Blazina, I., Starmer, A. J., Reitel, K., & Buckley, D. I. (2013). Pressure ulcer risk assessment and prevention: A systematic comparative effectiveness review. *Annals of Internal Medicine*, 159(1), 28–38. <http://dx.doi.org/10.7326/0003-4819-159-1-201307020-00006>
- Clark, M. (2005). Changing pressure-redistributing mattress stocks: Costs and outcomes. *British Journal of Nursing*, 14(6), S30–S31.
- Clark, M. (2009). Guidelines for seating in pressure ulcer prevention and management. *Nursing Times*, 105(16), 40–41.
- Clark, M., Black, J., Alves, P., Brindle, C. T., Call, E., Dealey, C., & Santamaria, N. (2014). Systematic review of the use of prophylactic dressings in the prevention of pressure ulcers. *International Wound Journal*, 11(5), 460–471. <http://dx.doi.org/10.1111/iwj.12212>
- Clark, M., Schols, J. M., Benati, G., Jackson, P., Engfer, M., Langer, G.,...European Pressure Ulcer Advisory Panel. (2004). Pressure ulcers and nutrition: A new European guideline. *Journal of Wound Care*, 13(7), 267–272.
- Clever, K., Smith, G., Bowser, C., & Monroe, K. (2002). Evaluating the efficacy of a uniquely

delivered skin protectant and its effect on the formation of sacral/buttock pressure ulcers. *Ostomy Wound Management*, 48(12), 60–67.

Coleman, S., Gorecki, C., Nelson, E. A., Closs, S. J., Defloor, T., Halfens, R.,...Nixon, J. (2013). Patient risk factors for pressure ulcer development: Systematic review. *International Journal of Nursing Studies*, 50(7), 974–1003. <http://dx.doi.org/10.1016/j.ijnurstu.2012.11.019>

Cook, D. J., Guyatt, G. H., Laupacis, A., & Sackett, D. L. (1992). Rules of evidence and clinical recommendations on the use of antithrombotic agents. *Chest*, 102(Suppl. 4), 305S–311S.

Cox, J. (2011). Predictors of pressure ulcers in adult critical care patients. *American Journal of Critical Care*, 20(5), 364–375.

Cox, J. (2012). Predictive power of the Braden scale for pressure sore risk in adult critical care patients: A comprehensive review. *Journal of Wound, Ostomy and Continence Nursing*, 39(6), 613–621. <http://dx.doi.org/10.1097/WON.0b013e31826a4d83>

Cubit, K., McNally, B., & Lopez, V. (2013). Taking the pressure off in the emergency department: Evaluation of the prophylactic application of a low shear, soft silicon sacral dressing on high risk medical patients. *International Wound Journal*, 10(5), 579–584. <http://dx.doi.org/10.1111/j.1742-481X.2012.01025.x>

Cuddigan, J. (1997). Pressure ulcer classification: What do we have? What do we need? *Advances in Skin & Wound Care*, 10(5), 13.

Cullum, N., Deeks, J., Sheldon, T., Song, F., & Fletcher, A. W. (1999). Beds, mattresses and cushions for pressure sore prevention and treatment. *Journal of Tissue Viability*, 9(4), 138.

Cullum, N. A., McInnes, E., Bell-Syer, S. E., & Legood, R. (2004). Support surfaces for pressure ulcer prevention. *Cochrane Database of Systematic Reviews*, Issue 3. Art. No.: CD001735. <http://dx.doi.org/10.1002/14651858.CD001735.pub2>

Cullum, N., Nelson, E. A., Flemming, K., & Sheldon, T. (2001). Systematic reviews of wound care management: (5) beds; (6) compression; (7) laser therapy; therapeutic ultrasound; electrotherapy and electromagnetic therapy. *Health Technology Assessment*, 5(9), 1–221.

Cullum, N., & Petherick, E. (2008). Pressure ulcers. *BMJ Clinical Evidence*. Retrieved from <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2907959/>

Curley, M. A., Razmus, I. S., Roberts, K. E., & Wypij, D. (2003). Predicting pressure ulcer risk in pediatric patients. *Nursing Research*, 52(1), 22–33.

Cutting, K. F. (2007). Honey and contemporary wound care: An overview. *Ostomy Wound Management*, 53(11), 49–54.

Cutting, K. F., & White, R. (2004). Defined and refined: Criteria for identifying wound infection

revisited. *British Journal of Community Nursing*, 9(3), S6–S15.

Cutting, K. F., White, R., & Hoekstra, H. (2009). Topical silver-impregnated dressings and the importance of the dressing technology. *International Wound Journal*, 6(5), 396–402.

Dallam, L., Smyth, C., Jackson, B., Krinsky, R., O'Dell, C., Rooney, J.,...Freeman, K. (1995). Pressure ulcer pain: Assessment and quantification. *Journal of Wound, Ostomy and Continence Nursing*, 22(5), 211–218.

Dana, A. N., & Bauman, W. A. (2015). Bacteriology of pressure ulcers in individuals with spinal cord injury: What we know and what we should know. *Journal of Spinal Cord Medicine*, 38(2), 147–160.

Daniali, L. N., Keys, K., Katz, D., & Mathes, D. W. (2011). Effect of preoperative magnetic resonance imaging diagnosis of osteomyelitis on the surgical management and outcomes of pressure ulcers. *Annals of Plastic Surgery*, 67(5), 520–525.
<http://dx.doi.org/10.1097/SAP.0b013e3181fec647>

Defloor, T. (2000). The effect of position and mattress on interface pressure. *Applied Nursing Research*, 13(1), 2–11.

Defloor, T. (2001). Less frequent turning intervals and yet less pressure ulcers. *Tijdschrift voor Gerontologie en Geriatrie*, 32(4), 174–177.

Defloor, T., Schoonhoven, L., Fletcher, J., Furtado, K., Heyman, H., Lubbers, M.,...Withrow, A. (2005). Statement of the European Pressure Ulcer Advisory Panel: Pressure ulcer classification. *Journal of Wound, Ostomy and Continence Nursing*, 32(5), 302–306.

De Keyser, G., Dejaeger, H., De Meyst, H., & Evers, G. (1994). Pressure-reducing effects of heel protectors. *Advances in Skin & Wound Care*, 7(4), 30–32.

De Laat, E. H., Scholte op Reimer, W. J., & van Achterberg, T. (2005). Pressure ulcers: Diagnostics and interventions aimed at wound-related complaints: A review of the literature. *Journal of Clinical Nursing*, 14(4), 464–472.

Demarre, L., Verhaeghe, S., Van Hecke, A., Clays, E., Grypdonck, M., & Beeckman, D. (2015). Factors predicting the development of pressure ulcers in an at-risk population who receive standardized preventive care: Secondary analyses of a multicentre randomised controlled trial. *Journal of Advanced Nursing*, 71(2), 391–403. <http://dx.doi.org/10.1111/jan.12497>

Desneves, K. J., Todorovic, B. E., Cassar, A., & Crowe, T. (2005). Treatment with supplementary arginine, vitamin C and zinc in patients with pressure ulcers: A randomised controlled trial. *Clinical Nutrition*, 24(6), 979–987.
<http://dx.doi.org/10.1016/j.clnu.2005.06.011>

Deva, A. K., Buckland, G. H., Fisher, E., Liew, S. C., Merten, S., McGlynn, M.,...Lendvay, P.

- G. (2000). Topical negative pressure in wound management. *Medical Journal of Australia*, 173(3), 128–131.
- DiVita, M. A., Granger, C. V., Goldstein, R., Niewczyk, P., & Freudenheim, J. L. (2015). Risk factors for development of new or worsened pressure ulcers among patients in inpatient rehabilitation facilities in the United States: Data from the Uniform Data System for Medical Rehabilitation. *American Academy of Physical Medicine and Rehabilitation*, 7(6), 599–612.
- Dixon, M. (2009). When what comes out is way more than what goes in: Perineal skin care. *Practical Gastroenterology*, Series 76, 11–23. Retrieved from <https://med.virginia.edu/ginutrition/wp-content/uploads/sites/199/2014/06/DixonArticle-09.pdf>
- Donnelly, K., Kernohan, G. W., & Witherow, A. (2008). Pressure relieving devices for preventing heel pressure ulcers (Protocol). Retrieved 2007, from *Cochrane Database of Systematic Reviews*, Issue 2. Art. No.: CD0077117.
- Dorner, B., Posthauer, M. E., & Thomas, D. (2009). The role of nutrition in pressure ulcer prevention and treatment: National Pressure Ulcer Advisory Panel white paper. *Advances in Skin & Wound Care*, 22(5), 212–221.
- Doughty, D. (2012). Differential assessment of trunk wounds: Pressure ulceration versus incontinence associated dermatitis versus intertriginous dermatitis. *Ostomy Wound Management*, 58(4), 20–22.
- Doughty, D., Junkin, J., Kurz, P., Selekoft, J., Gray, M., Fader, M.,...Logan, S. (2012). Incontinence-associated dermatitis: Consensus statements, evidence-based guidelines for prevention and treatment, and current challenges. *Journal of Wound, Ostomy and Continence Nursing*, 39(3), 303–315.
- Drake, D. J., Sawnson, M., Baker, G., Pokorny, M., Rose, M. A., Clark-Reed, L.,...Engelke, M. K. (2010). The association of BMI and Braden total score on the occurrence of pressure ulcers. *Journal of Wound, Ostomy and Continence Nursing*, 37(4), 367–371. <http://dx.doi.org/10.1097/WON.0b013e3181e45774>
- Drinka, P., Bonham, P., & Crnich, C. J. (2012). Swab culture of purulent skin infection to detect infection or colonization with antibiotic-resistant bacteria. *Journal of the American Medical Directors Association*, 13(1), 75–79.
- Dumville, J. C., Keogh, S. J., Liu, Z., Stubbs, N., Walker, R. M., & Fortnam, M. (2015). Alginate dressings for treating pressure ulcers. *Cochrane Database of Systematic Reviews*, Issue 5. Art. No.: CD011277. <http://dx.doi.org/10.1002/14651858.CD011277.pub2>
- Dumville, J. C., Stubbs, N., Keogh, S. J., Walker, R. M., & Liu, Z. (2015). Hydrogel dressings for treating pressure ulcers. *Cochrane Database of Systematic Reviews*, Issue 2. Art. No.: CD011226. <http://dx.doi.org/10.1002/14651858.CD011226.pub2>

Dumville, J. C., Webster, J., Evans, D., & Land, L. (2015). Negative pressure wound therapy for treating pressure ulcers. *Cochrane Database of Systematic Reviews*, Issue 5. Art. No.: CD011334. <http://dx.doi.org/10.1002/14651858.CD011334.pub2>

Dunlop, V. (1998). Preliminary results of a randomized controlled study of a pressure ulcer prevention system. *Advances in Skin & Wound Care*, 11(Suppl. 3), 14.

Dutra, R. A., Salomé, G. M., Alves, J. R., Pereira, V. O., Miranda, F. D., Vallim, V. B.,...Ferreira, L. M. (2015). Using transparent polyurethane film and hydrocolloid dressings to prevent pressure ulcers. *Journal of Wound Care*, 24(6), 268–275.

Edsberg, L. E., Wyffels, J. T., Ogrin, R., Craven, B. C., & Houghton, P. (2015). A pilot study evaluating protein abundance in pressure ulcer fluid from people with and without spinal cord injury. *Journal of Spinal Cord Medicine*, 38(4), 456–467.
<http://dx.doi.org/10.1179/2045772314Y.0000000212>

Emmons, K. R., & Dale, B. A. (2016). Palliative wound care. In D. B. Doughty & L. L. McNichol (Eds.), *Wound, Ostomy and Continence Nurses Society core curriculum: Wound management* (pp. 690–703). Philadelphia, PA: Wolters Kluwer.

Ersser, S. J., Getliffe, K., Voegeli, D., & Regan, S. (2004). A critical review of the inter-relationship between skin vulnerability and urinary incontinence and related nursing intervention. *International Journal of Nursing Studies*, 42(7), 823–835.
<http://dx.doi.org/10.1016/j.ijnurstu.2004.12.003>

European Pressure Ulcer Advisory Panel. (1998). *Pressure ulcer treatment guidelines*.

European Wound Management Association. (2006). *Position document: Management of wound infection*. London: MEP Ltd. Retrieved from <http://ewma.org/english/publications/position-documents/all-documents.html#c322>

Evans, J. M., Andrews, L. K., Chutka, D. S., Fleming, K. C., & Garness, S. L. (1995). Pressure ulcers: Prevention and management. *Mayo Clinic Proceedings*, 70(8), 789–799.
<http://dx.doi.org/10.4065/70.8.789>

Fader, M., Clarke-O'Neill, S., Cook, D., Dean, G., Brooks, R., Cottenden, A., & Malone-Lee, J. (2003). Management of night-time urinary incontinence in residential settings for older people: An investigation into the effects of different pad changing regimes on skin health. *Journal of Clinical Nursing*, 12(3), 374–386. <http://dx.doi.org/10.1046/j.1365-2702.2003.00731.x>

Fader, M., Cottenden, A. M., & Getliffe, K. (2008). Absorbent products for moderate-heavy urinary and/or faecal incontinence in women and men. *Cochrane Database of Systematic Reviews*, Issue 4. Art. No.: CD007408. <http://dx.doi.org/10.1002/14651858.CD007408>

- Farage, M. A., Miller, K. W., Berardesca, E., & Maibach, H. I. (2007). Incontinence in the aged: Contact dermatitis and other cutaneous consequences. *Contact Dermatitis*, 57(4), 211–217. <http://dx.doi.org/10.1111/j.1600-0536.2007.01199.x>
- Farid, K. J., Winkelman, C., Rizkala, A., & Jones, K. (2012). Using temperature of pressure-related intact discolored areas of skin to detect deep tissue injury: An observational, retrospective, correlational study. *Ostomy Wound Management*, 58(8), 20–31.
- Farsaei, S., Khalili, H., Farboud, E. S., & Khazaeipour, Z. (2015). Sildenafil in the treatment of pressure ulcer: A randomised clinical trial. *International Wound Journal*, 12(1), 111–117. <http://dx.doi.org/10.1111/iwj.12104>
- Fernandez, R., & Griffiths, R. (2012). Water for wound cleansing. *Cochrane Database of Systematic Reviews*, Issue 2. Art. No.: CD003861. <http://dx.doi.org/10.1002/14651858.CD003861.pub3>
- Fife, C., Otto, G., Capsuto, E., Brandt, K., Lyssy, K., Murphy, K., & Short, C. (2001). Incidence of pressure ulcers in a neurologic intensive care unit. *Critical Care Medicine*, 29(2), 283–290.
- Flemister, B. (1991). A pilot study of interface pressure with heel protectors used for pressure reduction. *Journal of ET Nursing*, 18(5), 158.
- Ford, C. N., Reinhard, E. R., Yeh, D., Syrek, D., de las Morenas, A., Bergman, S. B.,...Hamori, C. A. (2002). Interim analysis of a prospective, randomized trial of vacuum-assisted closure versus the healthpoint system in the management of pressure ulcers. *Annals of Plastic Surgery*, 49(1), 55.
- Fowler, E., Scott-Williams, S., & McGuire, J. B. (2008). Practice recommendations for preventing heel pressure ulcers. *Ostomy Wound Management*, 54(10), 42–48, 50–52, 54–57.
- Franek, A., Kostur, R., Polak, A., Taradaj, J., Szlachta, Z., Blaszcak, E.,...Kucio, C. (2012). Using high-voltage electrical stimulation in the treatment of recalcitrant pressure ulcers: Results of a randomized, controlled clinical study. *Ostomy Wound Management*, 58(3), 30–44.
- Frantz, R. A. (2012). Electrical stimulation. In R. A. Bryant & D. P. Nix (Eds.), *Acute & chronic wounds. Current management concepts* (4th ed., pp. 353–359). St. Louis, MO: Elsevier Mosby.
- Freeman, K., Smyth, C., Dallam, L., & Jackson, B. (2001). Pain measurement scales: A comparison of the Visual Analogue and Faces Rating Scales in measuring pressure ulcer pain. *Journal of Wound, Ostomy and Continence Nursing*, 28(6), 290–296.
- Gage, W. (2015). Preventing pressure ulcers in patients in intensive care. *Nursing Standard*, 29(26), 53–61.

- Gallagher, S. (2005). The challenges of obesity and skin integrity. *Nursing Clinics of North America*, 40(2), 325–335.
- Garber, S. L., Rintala, D. H., Hart, K. A., & Fuhrer, M. J. (2000). Pressure ulcer risk in spinal cord injury: Predictors of ulcer status over 3 years. *Archives of Physical Medicine and Rehabilitation*, 81(4), 465–471.
- Garber, S. L., Rintala, D. H., Rossi, C. D., Hart, K. A., & Fuhrer, M. J. (1996). Reported pressure ulcer prevention and management techniques by persons with spinal cord injury. *Archives of Physical Medicine and Rehabilitation*, 77(8), 744–749.
- García-Fernández, F. P., Pancorbo-Hidalgo, P. L., & Agreda, J. J. (2014). Predictive capacity of risk assessment scales and clinical judgment for pressure ulcers: A meta-analysis. *Journal of Wound, Ostomy and Continence Nursing*, 41(1), 24–34.
<http://dx.doi.org/10.1097/01.WON.0000438014.90734.a2>
- Gardner, S. E., Frantz, R. A., & Doeppeling, B. N. (2001). The validity of the clinical signs and symptoms used to identify localized chronic wound infection. *Wound Repair and Regeneration*, 9(3), 178–186. <http://dx.doi.org/10.1046/j.1524-475X.2001.00178.x>
- Gardner, S., Frantz, R., & Schmidt, F. (1999). Effect of electrical stimulation on chronic wound healing: A meta-analysis. *Wound Repair and Regeneration*, 7(6), 495–503.
- Gaubert-Dahan, M.-L., Castro-Lionard, K., Blanchon, M.-A., & Fromy, B. (2013). Severe sensory neuropathy increases risk of heel pressure ulcer in older adults. *Journal of the American Geriatrics Society*, 61(11), 2050–2052. <http://dx.doi.org/10.1111/jgs.12532>
- Gebhardt, K. S., Bliss, M., Winright, P., & Thomas, J. (1996). Pressure relieving supports in an ICU. *Journal of Wound Care*, 5(3), 116–121.
- Gefen, A., Farid, K. J., & Shaywitz, I. (2013). A review of deep tissue injury development, detection, and prevention: Shear savvy. *Ostomy Wound Management*, 59(2), 26–35.
- Gentzkow, G. (1993). Electrical stimulation to heal dermal wounds. *Journal of Dermatologic Surgery and Oncology*, 19(8), 753–758.
- Georgiou, C. A., Nguyen, P. S., Batchvarova, Z., Philandrianos, C., Bardot, J., & Casanova, D. (2014). Treatment of ischial pressure sores. Our experience of 99 patients with 108 sores. *European Journal of Plastic Surgery*, 37(2), 667–672. <http://dx.doi.org/10.1007/s00238-014-1014-9>
- Geyer, M. J., Brienza, D. M., Karg, P., Trefler, E., & Kelsey, S. (2001). A randomized control trial to evaluate pressure-reducing seat cushions for elderly wheelchair users. *Advances in Skin & Wound Care*, 14(3), 120–129, 131–132.

- Gibbons, W., Shanks, H. T., Kleinhelter, P., & Jones, P. (2006). Eliminating facility-acquired pressure ulcers at ascension health. *The Joint Commission Journal on Quality and Patient Safety*, 32(9), 488–496.
- Gilcreast, D., Warren, J., Yoder, L., Clark, J., Wilson, J., & Mays, M. (2005). Research comparing three heel ulcer-prevention devices *Journal of Wound, Ostomy and Continence Nursing*, 32(2), 112–120
- Gillespie, B. M., Chaboyer, W. P., McInnes, E., Kent, B., Whitty, J. A., & Thalib, L. (2014). Repositioning for pressure ulcer prevention in adults. *Cochrane Database of Systematic Reviews*, Issue 4. Art. No.: CD009958. <http://dx.doi.org/10.1002/14651858.CD009958.pub2>
- Gillespie, B. M., Chaboyer, W., Sykes, M., O'Brien, J., & Brandis, S. (2014). Development and pilot testing of a patient-participatory pressure ulcer prevention care bundle. *Journal of Nursing Care Quality*, 29(1), 74–82.
- Girouard, K., Harrison, M. B., & VanDenKerkof, E. (2008). The symptom of pain with pressure ulcers: A review of the literature. *Ostomy Wound Management*, 54(5), 30–40, 42.
- Goodman, B. L., Schindler, A., Washington, M., Bogie, K. M., & Ho, C. H. (2014). Factors in rehospitalization for severe pressure ulcer care in spinal cord injury/disorders. *Journal of Wound Care*, 23(4), 165–166, 168, 170–172 passim. Retrieved May 2, 2016, from <http://www.ncbi.nlm.nih.gov/pubmed/?term=Goodman+BL%2C+Schindler+A%2C+Washin+gton+M%2C+Bogie+KM%2C+Ho+CH.+Facto>
- Goossens, R. H., & Rithalia, S. V. (2007). Physiological response of the heel tissue on pressure relief between three alternating pressure air mattresses. *Journal of Tissue Viability*, 17(1), 10–14.
- Gorecki, C., Brown, J. M., Cano, S., Lamping, D. L., Briggs, M., Coleman, S.,...Nixon, J. (2013). Development and validation of a new patient-reported outcome measure for patients with pressure ulcers: The PU-QOL instrument. *Health and Quality of Life Outcomes*, 11, 95. <http://dx.doi.org/10.1186/1477-7525-11-95>
- Gorecki, C., Closs, S. J., Nixon, J., & Briggs, M. (2011). Patient-reported pressure ulcer pain: A mixed-methods systematic review. *Journal of Pain and Symptom Management*, 42(3), 443–459. <http://dx.doi.org/10.1016/j.jpainsymman.2010.11.016>
- Gould, L. J., Olney, C. M., Nichols, J. S., Block, A. R., Simon, R. M., & Guihan, M. (2014). Spinal cord injury survey to determine pressure ulcer vulnerability in the outpatient population. *Medical Hypotheses*, 83(5), 552–558. <http://dx.doi.org/10.1016/j.mehy.2014.08.027>
- Gould, C. V., Umscheid, C. A., Agarwal, R. K., Kuntz, G., Pegues, D. A., & Healthcare Infection Control Practices Advisory Committee. (2009). Guideline for prevention of

catheter-associated urinary tract infections 2009. Retrieved from
http://www.cdc.gov/hicpac/cauti/001_cauti.html

Gray, M. (2003). Does oral zinc supplementation promote healing of chronic wounds? *Journal of Wound, Ostomy and Continence Nursing*, 30(6), 295–299.

Gray, M. (2004). Which pressure ulcer risk scales are valid and reliable in a pediatric population? *Journal of Wound, Ostomy and Continence Nursing*, 31(4), 157–160.

Gray, M. (2008). Is larval (maggot) debridement effective for removal of necrotic tissue from chronic wounds? *Journal of Wound, Ostomy and Continence Nursing*, 35(4), 378–384.

Gray, M., & Pierce, B. (2004). Is negative pressure wound therapy effective for the management of chronic wounds? *Journal of Wound, Ostomy and Continence Nursing*, 31(3), 101–105.

Gray, M., & Ratliff, C. R. (2006). Is hyperbaric oxygen therapy effective for the management of chronic wounds? *Journal of Wound, Ostomy and Continence Nursing*, 33(1), 21–25.

Gray, M., & Whitney, J. D. (2003). Does vitamin C supplementation promote pressure ulcer healing? *Journal of Wound, Ostomy and Continence Nursing*, 30(5), 245–249.

Greer, S. E., Longaker, M. T., & Margiotta, M. (2002). Preliminary results from a multicenter randomized controlled study of the use of subatmospheric pressure dressing for pressure ulcer healing. *Wound Repair and Regeneration*, 7(4), A255.

Gregor, S., Maegele, M., Sauerland, S., Krahn, J. F., Peinemann, F., & Lange, S. (2008). Negative pressure wound therapy: A vacuum of evidence? *Archives of Surgery*, 143(2), 189–196.

Groah, S. L., Schladen, M., Pineda, C. G., & Hsieh, C. J. (2015). Prevention of pressure ulcers among people with spinal cord injury: A systematic review. *PM&R*, 7(6), 613–636.
<http://dx.doi.org/10.1016/j.pmrj.2014.11.014>

Guilan, M., Garber, S. L., Bombardier, C. H., Durazo-Arizu, R., Goldstein, B., & Holmes, S. A. (2007). Lessons learned while conducting research on prevention of pressure ulcers in veterans with spinal cord injury. *Archives of Physical Medicine and Rehabilitation*, 88(7), 858–861. <http://dx.doi.org/10.1016/j.apmr.2007.03.014>

Guilan, M., Garber, S. L., Bombardier, C. H., Goldstein, B., Holmes, S. A., & Cao, L. (2008). Predictors of pressure ulcer recurrence in veterans with spinal cord injury. *The Journal of Spinal Cord Medicine*, 31(5), 551–559. Retrieved from
<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2607128/>

Guin, P., Hudson, A., & Gallo, J. (1991). The efficacy of six heel pressure reducing devices. *Decubitus*, 4(3), 15–23.

Günes, U. Y. (2008). A descriptive study of pressure ulcer pain. *Ostomy Wound Management*, 54(2), 56–61.

Gupta, S., Baharestani, M., Baranoski, S., de Leon, J., Engel, S. J., Mendez-Eastman, S.,...Pompeo, M. (2004). Guidelines for managing pressure ulcers with negative pressure wound therapy. *Advances in Skin & Wound Care*, 17(Suppl. 2), 1–16.

Gupta, S., Bates-Jensen, B., Gabriel, A., Holloway, A., Niezgoda, J., & Weir, D. (2007). Differentiating negative pressure wounds therapy devices: An illustrative case series. *Wounds*, 19(Suppl. 1), 1–9.

Haan, J., & Lucich, S. (2007). MIST Therapy® System-Thoughts on therapy: Case series# 2. *ECPN*, 116(2), 39–43.

Hampton, S., & Collins, F. (2005). Reducing pressure ulcer incidence in a long-term care setting. *British Journal of Nursing*, 14(15). S6–S12.

Hanson, D., Langemo, D., Anderson, J., Thompson, P., & Hunter, S. (2009). Can pressure mapping prevent ulcers? *Nursing*, 39(6), 50–51.

Hanson, D., Langemo, D., Olson, B., Hunter, S., Sauvage, T., Burd, C., & Cathcart-Silberberg, T. (1991). The prevalence and incidence of pressure ulcers in the hospice setting: Analysis of two methodologies. *American Journal of Hospice & Palliative Care*, 8(5), 18–22.

Helvig, E. I., & Nichols, L. W. (2012). Use of high-frequency ultrasound to detect heel pressure injury in elders. *Journal of Wound, Ostomy and Continence Nursing*, 39(5), 500–508. <http://dx.doi.org/10.1097/WON.0b013e3182652648>

Hendrichova, I., Castelli, M., Mastroianni, C., Piredda, M., Mirabella, F., Surdo, L.,...Casale, G. (2010). Pressure ulcers in cancer palliative care patients. *Palliative Medicine*, 24(7), 669–673. <http://dx.doi.org/10.1177/0269216310376119>

Heyneman, A., Beele, H., Vanderwee, K., & Defloor, T. (2008). A systematic review of the use of hydrocolloids in the treatment of pressure ulcers. *Journal of Clinical Nursing*, 17(9), 1164–1173. <http://dx.doi.org/10.1111/j.1365-2702.2007.02218.x>

Hirsch, A. T., Haskal, Z. J., Hertzer, N. R., Bakal, C. W., Creager, M. A., Halperin, J. L.,...Riegel, B. (2006). ACC/AHA 2005 Practice guidelines for the management of patients with peripheral arterial disease (lower extremity, renal, mesenteric and abdominal aortic): A collaborative report from the American Association for Vascular Surgery/Society for Vascular Surgery, Society for Cardiovascular Angiography and Interventions, Society for Vascular Medicine and Biology, Society of Interventional Radiology, and the ACC/AHA Task Force on Practice Guidelines (Writing Committee to Develop Guidelines for the Management of Patients With Peripheral Arterial Disease). *Journal of the American College of Cardiology*, 47(6), e1–e192. <http://dx.doi.org/10.1016/j.jacc.2006.02.024>

- Ho, C., Bensitel, T., Wang, X., & Bogie, K. (2012). Pulsatile lavage for the enhancement of pressure ulcer healing: A randomized controlled trial. *Physical Therapy*, 92(1), 38–48.
- Ho, C. H., Johnson, T., Miklacic, J., & Donskey, C. J. (2009). Is the use of low-pressure pulsatile lavage for pressure ulcer management associated with environmental contamination with *Acinetobacter baumannii*? *Archives of Physical Medicine and Rehabilitation*, 90(10), 1723–1726.
- Ho, C., Powell, H., Collins, J., Bauman, W., & Spungen, A. (2010). Poor nutrition is a relative contraindication to negative pressure wound therapy for pressure ulcers: Preliminary observations in patients with spinal cord injury. *Advances in Skin & Wound Care*, 23(11), 508–516.
- Hollisaz, M. T., Khedmat, H., & Yari, F. (2004). A randomized clinical trial comparing hydrocolloid, phenytoin and simple dressings for the treatment of pressure ulcers. *BMC Dermatology*, 4(18), 1–9. <http://dx.doi.org/10.1186/1471-5945-4-18>
- Hommel, A., Bjorklund, K. B., Throngren, K. G., & Ulander, K. (2007). A study of a pathway to reduce pressure ulcers for patients with a hip fracture. *Journal of Orthopaedic Nursing*, 11, 151–159.
- Honaker, J., Forston, M., Davis, E., Wiesner, M., & Morgan, J. (2013). Effects of non-contact low-frequency ultrasound on healing of suspected deep tissue injury: A retrospective analysis. *International Wound Journal*, 10(1), 65–72.
- Hongshik, H., Lewis, V. L., Wiedrisch, T. A., & Patel, P. K. (2002). The value of Joshed Core Needle Bone Biopsy in predicting postoperative osteomyelitis in grade IV pressure ulcer patients. *Plastic and Reconstructive Surgery*, 110(1), 118–122.
- Hopper, M. B., Wilson, W., McLean, J., Crabbe, C., & Van Gilder, C. A. (2006). A home care view of the “Clinitron therapy difference,” *Remington Report*, 3(3), 9–12.
- Horn, S. D., Bender, S. A., Ferguson, M. L., Smout, R. J., Bergstrom, N., Taler, G.,...Voss, A. C. (2004). The national pressure ulcer long-term care study: Pressure ulcer development in long-term care residents. *Journal of American Geriatric Society*, 52(3), 359–367.
- Houghton, P., Campbell, K., Fraser, C., Harris, C., Keast, D., Potter, P.,...Woodbury, M. (2010). Electrical stimulation therapy increases rate of healing of pressure ulcers in community-dwelling people with spinal cord injury. *Archives of Physical Medicine and Rehabilitation*, 91(5), 669–678. <http://dx.doi.org/10.1016/j.apmr.2009.12.026>
- Houwing, R., Arends, J., Dijk, M., Koopman, E., & Haalboom, J. (2007). Is the distinction between superficial pressure ulcers and moisture lesions justifiable? A clinical-pathologic study. *Skinmed*, 6(3), 113–117.
- Houwing, R. H., Rozendaal, M., Wouters-Wesseling, W., Beulens, J. W., Buskens, E., &

- Hallboom, J. R. (2003). A randomized, double-blind assessment of the effect of nutritional supplementation on the prevention of pressure ulcers in hip fracture patients. *Clinical Nutrition*, 22(4), 401–405.
- Huang, C., Choong, M., & Li, T. (2015). Cleansing of wounds by tap water? An evidence-based systemic analysis. *International Wound Journal*, 12(4), 493–494.
<http://dx.doi.org/10.1111/iwj.12113>
- Huang, L., Woo, K. Y., Liu, L. B., Wen, R. J., Hu, A. L., & Shi, C. G. (2015). Dressings for preventing pressure ulcers: A Meta-analysis. *Advances in Skin & Wound Care*, 28(6), 267–273. <http://dx.doi.org/10.1097/01.ASW.0000463905.69998.0d>
- Huber, J., Reddy, R., Pitham, T., & Huber, D. (2008). Increasing heel skin perfusion by elevation. *Advances in Skin & Wound Care*, 21(1), 37–441.
- Hudgell, L., Dalphinis, J., Blunt, C., Zonouzi, M., & Procter, S. (2015). Engaging patients in pressure ulcer prevention. *Nursing Standard*, 29(36), 64–70.
<http://dx.doi.org/10.7748/ns.29.36.64.e9956>
- Hudgens, J., & Langkamp-Henken, B. (2004). The Mini Nutritional Assessment as an assessment tool in elders in long-term care. *Nutrition in Clinical Practice*, 19(5), 463–470.
- Huffines, B., & Logsdon, M. C. (1997). The Neonatal Skin Risk Assessment Scale for predicting skin breakdown in neonates. *Issues in Comprehensive Pediatric Nursing*, 20(2), 103–114.
- Hyun, S., Li, X., Vermillion, B., Newton, C., Fall, M., Kaewprag, P.,...Lenz, E. R. (2014). Body mass index and pressure ulcers: Improved predictability of pressure ulcers in intensive care patients. *American Journal of Critical Care*, 23(6), 494–500.
<http://dx.doi.org/10.4037/ajcc2014535>
- Iglesias, C., Nixon, J., Cranny, G., Nelson, E. A., Hawkins, K., Phillips, A., & PRESSURE Trial Group. (2006). Pressure relieving support surfaces (PRESSURE) trial: Cost effectiveness analysis. *BMJ*, 332(1416). <http://dx.doi.org/10.1136/bmj.38850.711435.7C>
- Iizaka, S., Sanada, H., Matsui, Y., Furue, M., Tachibana, T., Nakayama, T.,...Miyachi, Y. (2012). Predictive validity of weekly monitoring of wound status using DESIGN-R score change for pressure ulcer healing: A multicenter prospective cohort study. *Wound Repair and Regeneration*, 20(4), 473–481. <http://dx.doi.org/10.1111/j.1524-475X.2012.00778.x>
- Inouye, S. K., Studenski, S., Tinetti, M. E., & Kuchel, G. A. (2007). Geriatric syndromes: Clinical, research, and policy implications of a core geriatric concept. *Journal of the American Geriatric Society*, 55(5), 780–791.
- Iordanou, P., Baltopoulos, G., Giannakopoulou, M., Bellou, P., & Ktenas, E. (2002). Effect of polarized light in the healing process of pressure ulcers. *International Journal of Nurse Practitioners*, 8(1), 49–55.

Institute for Clinical Systems Improvement. (2007). Skin safety protocol: Risk assessment and prevention of pressure ulcers. Health care protocol. Bloomington, MN: Institute for Clinical Systems Improvement. Retrieved December 20, 2009, from <http://www.guideline.gov>

Institute for Healthcare Improvement. (2008). Five million lives campaign. Getting started kit: Prevent pressure ulcers how to guide. Retrieved September 14, 2009, from <http://www.ihi.org/HI/Programs/Campaign/PressureUlcers.htm>

Institute for Healthcare Improvement. (2011). How to guide: Prevent pressure ulcers. Retrieved from <http://www.ihi.org/resources/Pages/Tools/HowtoGuidePreventPressureUlcers.aspx>

Jaszarowski, K. A., & Murphree, R. W. (2016). Wound cleansing and dressing selection. In D. B. Doughty & L. L. McNichol (Eds.), *Wound, Ostomy and Continence Nurses Society core curriculum: Wound management* (pp. 131–144). Philadelphia, PA: Wolters Kluwer.

Joanna Briggs Institute. (2003). *Best Practice: Solutions, techniques, and pressure wound cleansing. Best practice*, 7(1).

Jolley, D. J., Wright, R., McGowan, S., Hickey, M. B., Campbell, D. A., Sinclair, R. D., & Montgomery, K. C. (2004). Preventing pressure ulcers with the Australian medical sheepskin: An open-label randomized controlled trial. *Medical Journal of Australia*, 180(7), 324–327.

Jones, J. (2005). Evaluation of pressure ulcer prevention devices: A critical review of the literature. *Journal of Wound Care*, 14(9), 422–425.

Jones, K., Fennie, K., & Lenihan, A. (2007). Chronic wounds: Factors influencing healing within 3 months and nonhealing after 5-6 months of care. *Wounds*, 19(3), 51–63.

Jonsson, A., Lindén, M., Lindgren, M., Malmqvist, L.-Å., & Bäcklund, Y. (2005). Evaluation of antidecubitus mattresses. *Medical and Biological Engineering and Computing*, 43(5), 541–547.

Jugun, K., Richard, J. C., Lipsky, B. A., Kressmann, B., Pittet-Cuenod, B., Suvà, D.,...Uçkay, I. (2015). Factors associated with treatment failure of infected pressure sores. *Annals of Surgery*. Advance online publication. <http://dx.doi.org/10.1097/SLA.0000000000001497>

Jull, A. B., Cullum, N., Dumville, J. C., Westby, M. J., Deshpande, S., & Walker, N. (2015). Honey as a topical treatment for wounds. *Cochrane Database of Systematic Reviews*, Issue 3. Art. No.: CD005083. <http://dx.doi.org/10.1002/14651858.CD005083.pub4>

Junkin, J., & Selekok, J. (2008). Beyond “diaper rash”: Incontinence-associated dermatitis: Does it have you seeing red? *Nursing2009*, 38(Suppl. 11), 56hn1–56hn10. <http://dx.doi.org/10.1097/01.NURSE.0000341725.55531.e2>

Kanazawa, T., Kitamura, A., Nakagami, G., Goto, T., Miyagaki, T., Hayashi, A.,...Sanada, H. (2015). Lower temperature at the wound edge detected by thermography predicts undermining development in pressure ulcers: A pilot study. *International Wound Journal*. <http://dx.doi.org/10.1111/iwj.12454>

Kawasaki, L., Mushahwar, V. K., Ho, C., Dukelow, S. P., Chan, L. L., & Chan, K. M. (2014). The mechanisms and evidence of efficacy of electrical stimulation for healing of pressure ulcer: A systematic review. *Wound Repair and Regeneration*, 22(2), 161–173. <http://dx.doi.org/10.1111/wrr.12134>

Keast, D. H., Parslow, N., Houghton, P. E., Norton, L., & Fraser, C. (2007). Best practice recommendations for the prevention and treatment of pressure ulcers: Update 2006. *Advances in Skin & Wound Care*, 20(8), 447–460.

Keelaghan, E., Margolis, D., Zhan, M., & Baumgarten, M. (2008). Prevalence of pressure ulcers on hospital admission among nursing home residents transferred to the hospital. *Wound Repair and Regeneration*, 16(3), 331–336.

Kennedy, K. L. (1989). The prevalence of pressure ulcers in an intermediate care facility. *Decubitus*, 2(2), 44–45.

Kenneweg, K. A., Welch, M. C., & Welch, P. J. (2015). A 9-year retrospective evaluation of 102 pressure ulcer reconstructions. *Journal of Wound Care*, 24(Suppl. 4a), S12–S21. <http://dx.doi.org/10.12968/jowc.2015.24.Sup4a.S12>

Keys, K. A., Daniali, L. N., Warner, K. J., & Mathes, D. W. (2010). Multivariate predictors of failure after flap coverage of pressure ulcers. *Plastic and Reconstructive Surgery*, 125(6), 1725–1734.

Khurram, M., Khan, A., Ahmad, I., Nanda, M., & Masoodi, A. (2013). Superior gluteal artery perforator flap: A reliable method for sacral pressure ulcer reconstruction. *Journal of Wound Care*, 22(12), 659–795.

Kim, T., & Lang, N. (2006). Predictive modeling for the prevention of hospital-acquired pressure ulcers. *AMIA Annual Symposium Proceedings*, 434–438. <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC1839359/>

Kim, S., Ward, E., Dicianno, B. E., Clayton, G. H., Sawin, K. J., Beierwaltes, P.,...National Spina Bifida Patient Registry. (2015). Factors associated with pressure ulcers in individuals with spina bifida. *Archives of Physical Medicine and Rehabilitation*, 96(8), 1435–1441.e1. <http://dx.doi.org/10.1016/j.apmr.2015.02.029>

Kim, C. M., Yun, I. S., Lee, D. W., Lew, D. H., Rah, D. K., & Lee, W. J. (2014). Treatment of ischial pressure sores with both profunda femoris artery perforator flaps and muscle flaps. *Archives of Plastic Surgery*, 41(4), 387–393. <http://dx.doi.org/10.5999/aps.2014.41.4.387>

- Kloeters, O., Unglaub, F., de Laat, E., van Abeelen, M., & Ulrich, D. (2015). Prospective and randomised evaluation of the protease-modulating effect of oxidised regenerated cellulose/collagen matrix treatment in pressure sore ulcers. *International Wound Journal*. <http://dx.doi.org/10.1111/iwj.12449>
- Kloth, L. C. (2001). 5 questions—and answers—about electrical stimulation. *Advances in Skin & Wound Care*, 14(3), 156, 158.
- Knox, D. M., Anderson, T. M., & Anderson, P. S. (1994). Effects of different turn intervals on skin of healthy older adults. *Advances in Skin & Wound Care*, 7(1), 48–52, 54–56.
- Konya, C., Sanada, H., Sugama, J., Kitayama, Y., Ishikawa, S., Togashi, H., & Tamura, S. (2005). Skin debris and micro-organisms on the periwound skin of pressure ulcers and the influence of periwound cleansing on microbial flora. *Ostomy Wound Management*, 51(1), 50–59.
- Konya, C., Sanada, H., Sugama, J., Okuwa, M., & Kitagawa, A. (2005). Does the use of a cleanser on skin surrounding pressure ulcers in older people promote healing? *Journal of Wound Care*, 14(4), 169–171.
- Kordasiewicz, L. M., & Schultz, R. O. (2003). A paraplegic with stage IV pressure ulcers: Risk factors and wound care. *Journal of Wound, Ostomy and Continence Nursing*, 30(2), 84–89.
- Kottner, J., Balzer, K., Dassen, T., & Heinze, S. (2009). Pressure ulcers: A critical review of definitions and classifications. *Ostomy Wound Management*, 55(9), 22–29.
- Kottner, J., Hauss, A., Schlieter, A. B., & Dassen, T. (2013). Validation and clinical impact of paediatric pressure ulcer risk assessment scales: A systematic review. *International Journal of Nursing Studies*, 50(6), 807–818.
- Kowal-Vem, A., Poulakidas, S., Barnett, B., Conway, D., Culver, D., Ferrari, M., ... Cullum, M. E. (2009). Fecal containment in bedridden patients: Economic impact of 2 commercial bowel catheter systems. *American Journal of Critical Care*, 18(Suppl. 3), S2–S14.
- Kranke, P., Bennett, M. H., Martyn-St James, M., Schnabel, A., Debus, S. E., & Weibel, S. (2015). Hyperbaric oxygen therapy for chronic wounds. *Cochrane Database of Systematic Reviews*, Issue 6. Art. No.: CD004123. <http://dx.doi.org/10.1002/14651858.CD004123.pub4>
- Krapfl, L. A., & Gray, M. (2008). Does regular positioning prevent pressure ulcers? *Journal of Wound, Ostomy and Continence Nursing*, 35(6), 571–577.
- Krasner, D. (1995). The chronic wound pain experience: A conceptual model. *Ostomy Wound Management*, 41(3), 20–27.
- Krasner, D. L., & Stewart, T. P. (2015). SCALE wounds: Unavoidable pressure injury. *Wounds*, 27(4), 92–94.

Krause, J., Broderick, L., & Broyles, J. (2004). Subjective well-being among African-Americans with spinal cord injury: An exploratory study between men and women. *NeuroRehabilitation*, 19(2), 81–89.

Krause, J. S., Vines, C. L., Farley, T. L., Sheizek, J., & Cokers, J. (2001). An exploratory study of pressure ulcers after spinal cord injury: Relationship to protective behaviors and risk factors. *Archives of Physical Medicine and Rehabilitation*, 82(1), 107–113.

Kuwahara, M., Tada, H., Mashiba, K., Yurugi, S., Iioka, H., Niitsuma, K., & Yasuda, Y. (2005). Mortality and recurrence rate after pressure ulcer operation for elderly long-term bedridden patients. *Annals of Plastic Surgery*, 54(6), 629–632.

Lala, D., Spaulding, S. J., Burke, S. M., & Houghton, P. E. (2015). Electrical stimulation therapy for the treatment of pressure ulcers in individuals with spinal cord injury: A systematic review and meta-analysis. *International Wound Journal*. <http://dx.doi.org/10.1111/iwj.12446>

Lamid, S., & El Ghatit, A. (1983). Smoking, spasticity and pressure sores in spinal cord injured patients. *American Journal of Physical Medicine*, 62(6), 300.

Landefeld, C. S., Bowers, B. J., Feld, A. D., Hartmann, K. E., Hoffman, E., Ingber, M. J.,...Trock, B. J. (2008). National Institutes of Health State-of-the-Science conference statement: Prevention of fecal and urinary incontinence in adults. *Annals of Internal Medicine*, 148(6), 449–458.

Landis, J. R., & Koch, G. G. (1977). The measurement of observer agreement for categorical data. *Biometrics*, 33(1), 159–174. <http://dx.doi.org/10.2307/2529310>

Langemo, D. K., & Black, J. (2010). Pressure ulcers in individuals receiving palliative care: A national pressure ulcer advisory panel white paper. *Advances in Skin & Wound Care*, 23(2), 59–72.

Langemo, D., Haesler, E., Naylor, W., Tippett, A., & Young, T. (2015). Evidence-based guidelines for pressure ulcer management at the end of life. *International Journal of Palliative Nursing*, 21(5), 225–232.

Langemo, D. K., Olson, B., Hunter, S., Burd, C., Hansen, D., & Cathcart-Silberberg, T. (1989). Incidence of pressure sores in acute care, rehabilitation, extended care, home health, and hospice in one locale. *Decubitus*, 2(2), 42.

Langer, G., & Fink, A. (2014). Nutritional interventions for preventing and treating pressure ulcers. *Cochrane Database of Systematic Reviews*, Issue 6. Art. No.: CD003216. <http://dx.doi.org/10.1002/14651858.CD003216.pub2>

Leigh, B., Desneves, K., Rafferty, J., Pearce, L., King, S., Woodward, M. C.,...Crowe, T. C. (2012). The effect of different doses of an arginine-containing supplement on the healing of

- pressure ulcers. *Journal of Wound Care*, 21(3), 150–156.
- Levine, N. S., Lindberg, R. B., Mason, A. D., & Pruitt, B. A. (1976). The quantitative swab culture and smear: A quick, simple method for determining the number of viable aerobic bacteria on open wounds. *The Journal of Trauma*, 16(2), 89–94.
- Lim, S., Kim, B. D., Kim, J. Y., & Ver Halen, J. P. (2015). Preoperative albumin alone is not a predictor of 30-day outcomes in pressure ulcer patients. A matched propensity-score analysis of the 2006-2011 NSQIP Datasets. *Annals of Plastic Surgery*, 75(4), 439–447.
<http://dx.doi.org/10.1097/SAP.000000000000124>
- Lindgren, M., Unosson, M., Fredrikson, M., & Ek, A. (2004). Immobility-a major risk factor for development of pressure ulcers among adult hospitalized patients: A prospective study. *Scandinavian Journal of Caring Sciences*, 18(1), 57–64.
- Lindholm, C., Sterner, E., Romanelli, M., Pina, E., Torra y Bou, J., Hietanen, H.,...Dealey, C. (2008). Hip fracture and pressure ulcers - the Pan-European Pressure Ulcer Study - intrinsic and extrinsic risk factors. *International Wound Journal*, 5(2), 315–328.
- Lindquist, L. A., Feinglass, J., & Martin, G. J. (2003). How sedative medication in older people affects patient risk factors for developing pressure ulcers. *Journal of Wound Care*, 12(7), 272–275.
- Liu, L., Moody, J., Traynor, M., Dyson, S., & Gall, A. (2014). A systematic review of electrical stimulation for pressure ulcer prevention and treatment in people with spinal cord injuries. *Journal of Spinal Cord Medicine*, 37(6), 703–718.
<http://dx.doi.org/10.1179/2045772314Y.0000000226>
- Lo, S. F., Change, C. J., Hu, W. Y., Hayter, M., & Change, Y. T. (2009). The effectiveness of silver-releasing dressings in the management of non-healing chronic wounds: A meta-analysis. *Journal of Clinical Nursing*, 18(5), 716–728.
- Lucas, C., van Gemert, M. J., & de Haan, R. J. (2003). Efficacy of low-level laser therapy in the management of stage III decubitus ulcers: A prospective, observer-blinded multicentre randomized clinical trial. *Lasers Medical Science*, 18(2), 72–77.
- Lumbley, J. L., Ali, S. A., & Tchokouani, L. S. (2014). Retrospective review of predisposing factors for intraoperative pressure ulcer development. *Journal of Clinical Anesthesia*, 26(5), 368–374.
- Lund, C. H., & Osborne, J. W. (2004). Validity and reliability of the neonatal skin condition score. *Journal of Obstetric, Gynecologic, & Neonatal Nursing*, 33(3), 320–327.
- Lyder, C. H., & Ayello, E. A. (2008). Pressure ulcers: A patient safety issue. In R. G. Hughes (Ed.), *Patient safety and quality: An evidence-based handbook for nurses*. Retrieved May 7, 2008, from http://www.ahrq.gov/qual/nursesdbk/docs/LyderC_PUPSI.pdf

- Lyder, C., Preston, J., Grady, J., Scinto, J., Allman, R., Bergstrom, N., & Rodeheaver, G. (2001). Quality of care for hospitalized Medicare patients at risk for pressure ulcers. *Archives of Internal Medicine*, 161(12), 1549–1554.
- Mackey, D. (2005). Support surfaces: Beds, mattresses, overlays—oh my! *Nursing Clinics of North America*, 40(2), 251–265.
- Magalhaes, M. G., Gragnani, A., Veiga, D. F., Blanes, L., Galhardo, V., Kallas, H.,...Ferreira, L. M. (2007). Risk factors for pressure ulcers in hospitalized elderly without significant cognitive impairment. *Wounds*, 19(1), 20–24.
- Maida, V., Ennis, M., & Corban, J. (2012). Wound outcomes in patients with advanced illness. *International Wound Journal*, 9(6), 683–692.
- Maida, V., Ennis, M., & Kesthely, C. (2014). Clinical parameters associated with pressure ulcer healing in patients with advanced illness. *Journal of Pain and Symptom Management*, 47(6), 1035–1042.
- Maida, V., Lau, F., Downing, M., & Yang, J. (2008). Correlation between Braden scale and palliative performance scale in advanced illness. *International Wound Journal*, 5(4), 585–590.
- Maklebust, J., & Sieggreen, M. (2001). *Pressure ulcers: Guidelines for prevention and management* (3rd ed.). Springhouse, PA: Springhouse Corporation.
- Manesh, A. O., Flemming, K., Cullum, N. A., & Ravaghi, H. (2006). Electromagnetic therapy for treating pressure ulcers. *Cochrane Database of Systematic Reviews*, Issue 2. Art. No.: CD002930. <http://dx.doi.org/10.1002/14651858.CD002930.pub3>
- Manning, M. J., Gauvreau, K., & Curley, M. A. (2015). Factors associated with occipital pressure ulcers in hospitalized infants and children. *American Journal of Critical Care*, 24(4), 342–348.
- Manzano, F., Colmenero, M., Perez-Perez, A. M., Roldán, D., Jiménez-Quintana, M. D., Manas, M. R.,...Fernandez-Mondejar, E. (2014). Comparison of two repositioning schedules for the prevention of pressure ulcers in patients on mechanical ventilation with alternating pressure air mattresses. *Intensive Care Medicine*, 40(11), 1679–1687.
<http://dx.doi.org/10.1007/s00134-014-3424-3>
- Maragakis, L. L., Cosgrove, S. E., Song, X., Kim, D., Rosenbaum, P., Ciesla, N.,...Perl, T. M. (2004). An outbreak of multidrug-resistant *Acinetobacter baumannii* associated with pulsatile lavage wound treatment. *Journal of the American Medical Association*, 292(24), 3006–3011.
- Marangi, G. F., Pallara, T., Cagli, B., Schena, E., Giurazza, F., Faiella, E.,...Persichetti, P. (2014). Treatment of early-stage pressure ulcers by using autologous adipose tissue grafts.

Plastic Surgery International, 2014. <http://dx.doi.org/10.1155/2014/817283>

Marin, J., Nixon, J., & Gorecki, C. (2013). A systematic review of risk factors for the development and recurrence of pressure ulcers in people with spinal cord injuries. *Spinal Cord*, 51(7), 522–527. <http://dx.doi.org/10.1038/sc.2013.29>

McCord, S., McElvain, V., Sachdeva, R., Schwartz, P., & Jefferson, L. S. (2004). Risk factors associated with pressure ulcers in the pediatric intensive care unit. *Journal of Wound, Ostomy and Continence Nursing*, 31(4), 179–183.

McDonald, A., & Lesage, P. (2006). Palliative management of pressure ulcers and malignant wounds in patients with advanced illness. *Journal of Palliative Medicine*, 9(2), 285–295. <http://dx.doi.org/10.1089/jpm.2006.9.285>

McGinnis, E., & Stubbs, N. (2014). Pressure-relieving devices for treating heel pressure ulcers. *Cochrane Database of Systematic Reviews*, Issue 2. Art. No.: CD005485. <http://dx.doi.org/10.1002/14651858.CD005485.pub3>

McGowan, S., Montgomery, K. C., Jolley, D. J., & Wright, R. (2000). The role of sheepskins in preventing pressure ulcers in elderly orthopaedic patients. *Primary Intention*, 8, 27–134.

McInnes, E., Chaboyer, W., Murray, E., Allen, T., & Jones, P. (2014). The role of patients in pressure injury prevention: A survey of acute care patients. *BMC Nursing*, 13, 41. Retrieved from <http://www.biomedcentral.com/content/pdf/s12912-014-0041-y.pdf>

McInnes, E., Cullum, N. A., Bell-Syer, S. E., Dumville, J. C., & Jammali-Blasi, A. (2008). Support surfaces for pressure ulcer prevention. *Cochrane Database of Systematic Reviews*, Issue 4. Art. No.: CD001735. <http://dx.doi.org/10.1002/14651858.CD001735.pub3>

McInnes, E., Dumville, J. C., Jammali-Blasi, A., & Bell-Syer, S. E. (2011). Support surfaces for treating pressure ulcers. *Cochrane Database of Systematic Reviews*, Issue 12. Art. No.: CD009490. <http://dx.doi.org/10.1002/14651858.CD009490>

McInnes, E., Jammali-Blasi, A., Bell-Syer, S. E., Dumville, J. C., & Cullum, N. (2011). Support surfaces for pressure ulcer prevention. *Cochrane Database of Systematic Reviews*, Issue 4. Art. No.: CD001735. <http://dx.doi.org/10.1002/14651858.CD001735.pub4>

McInnes, E., Jammali-Blasi, A., Bell-Syer, S. E., Dumville, J. C., & Cullum, N. (2012). Preventing pressure ulcers—Are pressure-redistributing support surfaces effective? A Cochrane systematic review and meta-analysis. *International Journal of Nursing Studies*, 49(3), 345–359.

McNichol, L., Watts, C., Mackey, D., Beitz, J., & Gray, M. (2015). Identifying the right surface for the right patients at the right time: Generation and content validation of an algorithm for support surface selection. *Journal of Wound, Ostomy and Continence Nursing*, 41(1), 19–37. <http://dx.doi.org/10.1097/WON.0000000000000103>

- Meehan, M. (2005). Prevalence of wounds among the frail elderly: A look at its value. *Wounds*, 17(4), 80–83.
- Meijers, J. M., Schols, J. M., Jackson, P. A., Langer, G., Clark, M., & Halfens, R. J. (2008). Differences in nutritional care in pressure ulcer patients whether or not using nutritional guidelines. *Nutrition*, 24(2), 127–132.
- Michael, S. M., Porter, D., & Pountney, T. E. (2007). Tilted seat position for non-ambulant individuals with neurological and neuromuscular impairment: A systematic review. *Clinical Rehabilitation*, 21, 1063–1074.
- Miller, C. N., Carville, K., Newall, N., Kapp, S., Lewin, G., Karimi, L., & Santamaria, N. (2011). Assessing bacterial burden in wounds: Comparing clinical observation and wound swabs. *International Wound Journal*, 8(1), 45–55.
- Moody, P., Gonzales, I., & Cureton, V. Y. (2004). The effect of body position and mattress type on interface pressure in quadriplegic adults: A pilot study. *Dermatology Nursing*, 16(6), 507–512.
- Moore, Z. E., & Cowman, S. (2008). A systematic review of wound cleansing for pressure ulcers. *Journal of Clinical Nursing*, 17(15), 1963–1972.
- Moore, Z. E., & Cowman, S. (2009). Repositioning for treating pressure ulcers. *Cochrane Database of Systematic Reviews*, Issue 2. Art. No.: CD006898.
<http://dx.doi.org/10.1002/14651858.CD006898.pub2>
- Moore, Z. E., & Cowman, S. (2013). Wound cleansing for pressure ulcers. *Cochrane Database of Systematic Reviews*, Issue 3. Art. No.: CD004983.
<http://dx.doi.org/10.1002/14651858.CD004983.pub3>
- Moore, Z. E., & Cowman, S. (2014). Risk assessment tools for the prevention of pressure ulcers. *Cochrane Database of Systematic Reviews*, Issue 2. Art. No.: CD006471.
<http://dx.doi.org/10.1002/14651858.CD006471.pub3>
- Moore, Z. E., & Cowman, S. (2015). Repositioning for treating pressure ulcers. *Cochrane Database of Systematic Reviews*, Issue 1. Art. No.: CD006898.
<http://dx.doi.org/10.1002/14651858.CD006898.pub4>
- Moore, Z. E., & Webster, J. (2013). Dressings and topical agents for preventing pressure ulcers. *Cochrane Database of Systematic Reviews*, Issue 8. Art. No.: CD009362.
<http://dx.doi.org/10.1002/14651858.CD009362.pub2>
- Mustoe, T. A., Cutler, N. R., Allman, R. M., Goode, P. S., Deuel, T. F., Prause, J. A.,...Pierce, G. F. (1994). A phase II study to evaluate recombinant platelet-derived growth factor-BB in the treatment of stage 3 and 4 pressure ulcers. *Archives of Surgery*, 129(2), 213–219.

- Nagase, T., Iizaka, S., Kato, H., Nakagami, G., Kaitani, T., Machida, M.,...ASPU Group. (2013). Undermining incision and healing of deep pressure ulcers: A prospective cohort study of pressure ulcers by the Japanese national hospital organization. *Wound Repair and Regeneration*, 21(4), 512–519. <http://dx.doi.org/10.1111/wrr.12057>
- Nagase, T., Koshima, I., Maekawa, T., Kaneko, J., Sugawara, Y., Makuuchi, M.,...Sanada, H. (2007). Heterotrophic ossification in the sacral pressure ulcer treated with basic fibroblast growth factor: Coincidence or side effect? *Journal of Plastic Reconstructive & Aesthetic Surgery*, 60(3), 327–329.
- Nakagami, G., Sanada, H., Konya, C., Kitagawa, A., Tadaka, E., & Tabata, K. (2006). Comparison of two pressure ulcer preventive dressings for reducing shear force on the heel. *Journal of Wound, Ostomy and Continence Nursing*, 33(3), 267–272.
- National Consensus Project for Quality Palliative Care. (2009). *Clinical Practice Guidelines for Quality Palliative Care* (2nd ed.). Retrieved 2009, from <http://www.nationalconsensusproject.org/Guideline.pdf>
- National Institute for Clinical Excellence. (2005). *The management of pressure ulcers in primary and secondary care: A clinical practice guideline*. London: The Royal College of Nursing.
- National Institute for Health and Care Excellence. (2014). *Pressure ulcers: Prevention and management of pressure ulcers*. Retrieved from <http://www.nice.org.uk/guidance/cg179>
- National Pressure Ulcer Advisory Panel. (2016a). NPUAP Pressure injury stages. Retrieved April 28, 2016, from <http://www.npuap.org/resources/educational-and-clinical-resources/npuap-pressure-injury-stages/>
- National Pressure Ulcer Advisory Panel. (2016b). Pressure injury staging illustrations. Retrieved April 28, 2016, from <http://www.npuap.org/resources/educational-and-clinical-resources/pressure-injury-staging-illustrations/>
- National Pressure Ulcer Advisory Panel & European Pressure Ulcer Advisory Panel. (2009). *Prevention and treatment of pressure ulcers: Clinical practice guideline*. Washington, D.C.: National Pressure Ulcer Advisory Panel.
- National Pressure Ulcer Advisory Panel, European Pressure Ulcer Advisory Panel, & Pan Pacific Pressure Injury Alliance. (2014). *Prevention and treatment of pressure ulcers: Clinical practice guideline*. Emily Haesler (Ed.). Cambridge Media: Osborne Park, Western Australia.
- New, P. W., Rawicki, H. B., & Bailey, M. J. (2004). Nontraumatic spinal cord injury rehabilitation: Pressure ulcer patterns, prediction, and impact. *Archives of Physical Medicine and Rehabilitation*, 85(1), 87–93.

- Newman, D. K., Wallace, D. W., & Wallace, J. (2001). Moisture control and incontinence management. In D. L. Krasner, G. T. Rodeheaver, & R. G. Sibbald (Eds.), *Chronic wound care: A clinical source book for healthcare professionals* (3rd ed.). Wayne, PA: HMP Communications.
- Niazi, Z., Salzberg, C. A., Bryne, D., & Viehbeck, M. (1997). Reoccurrence of initial pressure ulcer in persons with spinal cord injuries. *Advances in Skin & Wound Care*, 10(3), 38–42.
- Nicosia, G., Gliatta, A. E., Woodbury, M. G., & Houghton, P. E. (2007). The effect of pressure-relieving surfaces on the prevention of heel ulcers in a variety of settings: A meta-analysis. *International Wound Journal*, 4(3), 197–207.
- Niezgoda, J. A. (2004). Incorporating negative pressure therapy into the management strategy for pressure ulcers. *Ostomy Wound Management*, 50(Suppl. 11A), 26–29.
- Nix, D. (2007). Support surfaces. In R. A. Bryant & D. P. Nix (Eds.), *Acute and chronic wounds: Current management concepts* (3rd ed.). St. Louis, MO: Mosby Elsevier.
- Nixon, J., Cranny, G., Iglesias, C., Nelson, E., Hawkins, K., Phillips, A.,...Cullum, N. (2006). Randomised, controlled trial of alternating pressure mattresses compared with alternating pressure overlays for the prevention of pressure ulcers: PRESSURE (pressure relieving support surfaces) trial. *British Medical Journal*, 332(7555), 1413.
- Nixon, J., McElvenny, D., Mason, S., Brown, J., & Bond, S. (1998). A sequential randomized controlled trial comparing a dry visco-elastic polymer pad and standard operating table mattress in the prevention of post-operative pressure sores. *International Journal of Nursing Studies*, 35(4), 193–203.
- Nixon, J., Nelson, E. A., Cranny, G., Iglesias, C. P., Hawkins, K., Cullum, N. A.,...Mason, S. (2006). Pressure relieving support surfaces: A randomized evaluation. *Health Technology Assessment*, 10(22), 1–163.
- Noonan, C., Quigley, S., & Curley, M. A. (2011). Using the Braden Q scale to predict pressure ulcer risk in pediatric patients. *Journal of Pediatric Nursing*, 26(6), 566–575.
<http://dx.doi.org/10.1016/j.pedn.2010.07.006>
- Norman, D. (2004). Measuring interface pressure: Validity and reliability problems. *Journal of Wound Care*, 13(2), 78–80.
- Norton, C., Whitehead, W. E., Bliss, D. Z., & Lang, J. (2009). Management of fecal incontinence in adults. *Neurourology and Urodynamics*, 29, 199–206.
- Nussbaum, E., Flett, H., Hitzig, S., McGillivray, C., Leber, D., Morris, H., & Jing, F. (2013). Ultraviolet-C irradiation in the management of pressure ulcers in people with spinal cord injury: A randomized, placebo-controlled trial. *Archives of Physical Medicine and Rehabilitation*, 94(4), 650–659. <http://dx.doi.org/10.1016/j.apmr.2012.12.003>

Nussbaum, E. L., Mustard, B., & Biemann, T. (1994). Comparison of ultrasound/ultraviolet-C and laser for treatment of pressure ulcers in patients with spinal cord injury. *Physical Therapy*, 74(9), 812–823.

O'Brien, D. D., Shanks, A. M., Talsma, A., Brenner, P. S., & Ramachandran, S. K. (2014). Intraoperative risk factors associated with postoperative pressure ulcers in critically ill patients: A retrospective observational study. *Critical Care Medicine*, 42(1), 40–47.

O'Meara, S. M., Bland, J. M., Dumville, J. C., & Cullum, N. A. (2012). A systematic review of the performance of instruments designed to measure the dimensions of pressure ulcers. *Wound Repair and Regeneration*, 20(3), 263–276. <http://dx.doi.org/10.1111/j.1524-475X.2012.00783.x>

Ochs, R. F., Horn, S. D., van Rijswijk, L., Pietsch, C., & Smout, R. J. (2005). Comparison of air-fluidized therapy with other support surfaces used to treat pressure ulcers in nursing home residents-Part III. *Ostomy Wound Management*, 51(2), 38–68.

Ohura, T., Nakajo, T., Moriguchi, T., Oka, H., Tachi, M., Ohura, N.,...Murayama, S. (2011). Clinical efficacy of basic fibroblast growth factor on pressure ulcers: Case-control pairing study using a new evaluation method. *Wound Repair and Regeneration*, 19(5), 542–551.

Omolayo, T., Brown, K., Rapp, M. P., Li, J., Barrett, R., Horn, S., & Bergstrom, N. (2013). Construct validity of the moisture subscale of the Braden scale for predicting pressure sore risk. *Advances in Skin & Wound Care*, 26(3), 122–127. <http://dx.doi.org/10.1097/01.ASW.0000427921.74379.c5>

Osman, B., & Kernodle, M. H. (2007). A new look at pressure ulcers. *Provider*, 33(4), 35–37.

Padula, C. A., Osborne, E., & Williams, J. (2008). Prevention and early detection of pressure ulcers in hospitalized patients. *Journal of Wound, Ostomy and Continence Nursing*, 35(1), 65–75.

Palese, A., Saiani, L., Pota, I., Laquintana, D., Stinco, G., Di Giulio, P., & the PARI-ETLD Group. (2015). What is the healing time of stage II pressure ulcers? Findings from a secondary analysis. *Advances in Skin & Wound Care*, 28(2), 69–75. <http://dx.doi.org/10.1097/01.ASW.0000459964.49436.ce>

Palliative Performance Scale (PPSv2). (2001). Retrieved September 2015, from http://www.npcrc.org/files/news/palliative_performance_scale_PPSv2.pdf

Palmieri, B., Benuzzi, G., & Bellini, N. (2005). The anal bag: A modern approach to fecal incontinence management. *Ostomy Wound Management*, 51(12), 44–52.

Pancorbo-Hidalgo, P. L., Garcia-Fernandez, F. P., Lopez-Medina, I. M., & Alvarez-Nieto, C. (2006). Risk assessment scales for pressure ulcer prevention: A systematic review. *Journal of*

Advanced Nursing, 54(1), 94–110. <http://dx.doi.org/10.1111/j.1365-2648.2006.03794.x>

Paralyzed Veterans of America. (2000). Pressure ulcer prevention and treatment following spinal cord injury: A clinical practice guideline for health care professionals. Washington, D.C.: Author. Retrieved 2003, from <http://www.pva.org/>

Paralyzed Veterans of America. (2014). Pressure ulcer prevention and treatment following spinal cord injury: A clinical practice guideline for health-care professionals (2nd ed.). Retrieved December 2015, from [http://www.pva.org/atf/cf/%7Bca2a0ffb-6859-4bc1-bc96-6b57f57f0391%7D/PVA_CPG%20BOOK_REF.PDF?__utma=1.856034101.1453235955.1453235955.1453235955.1&__utmb=1.4.10.1453235955&__utmc=1&__utmx=-&__utmz=1.1453235955.1.1.utmcsr=\(direct\)|utmccn=\(direct\)|utmcmd=\(none\)&__utmv=-&__utmk=30497727](http://www.pva.org/atf/cf/%7Bca2a0ffb-6859-4bc1-bc96-6b57f57f0391%7D/PVA_CPG%20BOOK_REF.PDF?__utma=1.856034101.1453235955.1453235955.1453235955.1&__utmb=1.4.10.1453235955&__utmc=1&__utmx=-&__utmz=1.1453235955.1.1.utmcsr=(direct)|utmccn=(direct)|utmcmd=(none)&__utmv=-&__utmk=30497727)

Park, K. H. (2014a). The effect of a silicone border foam dressing for prevention of pressure ulcers and incontinence-associated dermatitis in intensive care unit patients. *Journal of Wound, Ostomy and Continence Nursing*, 41(5), 424–429. <http://dx.doi.org/10.1097/WON.0000000000000046>

Park, K. H. (2014b). A retrospective study using the Pressure Ulcer Scale for Healing (PUSH) tool to examine factors affecting stage II pressure ulcer healing in a Korean acute care hospital. *Ostomy Wound Management*, 60(9), 40–51.

Payne, W. G., Posnett, J., Alvarez, O., Brown-Etris, M., Jameson, G., Wolcott, R.,...Ochs, D. (2009). A prospective, randomized clinical trial to assess the cost-effectiveness of a modern foam dressing versus traditional saline gauze dressing in the treatment of stage II pressure ulcers. *Ostomy Wound Management*, 55(2), 50–55.

Payne, W. G., Wright, T. E., Ochs, D., Mannari, R. J., & Robson, M. C. (2004). An exploratory study of dermal replacement therapy in the treatment of stage III pressure ulcers. *Journal of Applied Research*, 4(1), 12–23. Retrieved from <http://jrnlappliedresearch.com/articles/Vol4Iss1/index.htm>

Péus, D., Newcomb, N., & Hofer, S. (2013). Appraisal of the Karnofsky Performance Status and proposal of a simple algorithmic system for its evaluation. *BMC Medical Informatics and Decision Making*, 13(72). <http://dx.doi.org/10.1186/1472-6947-13-72>

Pham, C. T., Middleton, P. F., & Maddern, G. J. (2006). The safety and efficacy of topical negative pressure in non-healing wounds: A systematic review. *Journal of Wound Care*, 15(6), 240–250.

Piatkowski, A., Ulrich, D., Seidel, D., Abel, M., Pallua, N., & Andriessen, A. (2012). Randomised, controlled pilot to compare collagen and foam in stagnating pressure ulcers. *Journal of Wound Care*, 21(10), 505–511.

Pieper, B. (2000). Mechanical forces: Pressure, shear, and friction. In R. A. Bryant (Ed.), *Acute*

- and chronic wounds: Nursing management* (2nd ed., pp. 221–264). St. Louis, MO: Mosby.
- Pieper, B. (2007). Mechanical forces: Pressure, shear, and friction. In R. A. Bryant & D. P. Nix (Eds.), *Acute and chronic wounds: Current management concepts* (3rd ed., pp. 205–234). St. Louis, MO: Mosby.
- Pieper, B. (2016). Pressure ulcers: Impact, etiology, and classification. In R. A. Bryant & D. P. Nix (Eds.), *Acute and chronic wounds: Current management concepts* (5th ed., pp. 124–139). St. Louis, MO: Mosby.
- Pieper, B. (Ed.) with the National Pressure Ulcer Advisory Panel. (2012). *Pressure ulcers: Prevalence, incidence, and implications for the future*. Washington, D.C.: NPUAP.
- Pieper, B., Sugrue, M., Weiland, M., Sprague, K., & Heiman, C. (1998). Risk factors, prevention methods, and wound care for patients with pressure ulcers. *Clinical Nurse Specialist*, 12(1), 7.
- Pinzur, M., Schumacher, D., Reddy, N., Osterman, H., Havey, R., & Patwardin, A. (1991). Preventing heel ulcers: A comparison of prophylactic body-support systems. *Archives of Physical Medicine and Rehabilitation*, 72, 508–510.
- Pittman, J., Beeson, T., Kitterman, J., Lancaster, S., & Shelly, A. (2015). Medical device-related hospital-acquired pressure ulcers: Development of an evidence-based position statement. *Journal of Wound, Ostomy and Continence Nursing*, 42(2), 151–154.
<http://dx.doi.org/10.1097/WON.0000000000000113>
- Polak, A., Franek, A., Blaszcak, E., Nawrat-Szoltysik, A., Taradaj, J., Wiercigroch, L.,...Juras, G. (2014). A prospective, randomized, controlled, clinical study to evaluate the efficacy of high-frequency ultrasound in the treatment of stage II and stage III pressure ulcers in geriatric patients. *Ostomy Wound Management*, 60(8), 16–28.
- Posthauer, M., Banks, M., Dorner, B., & Scholls, J. (2015). The role of nutrition for pressure ulcer management: National Pressure Ulcer Advisory Panel, European Pressure Ulcer Advisory Panel, and Pan Pacific Pressure Injury alliance white paper. *Advances in Skin & Wound Care*, 28(4), 175–188. <http://dx.doi.org/10.1097/ASW.0000461911.31139.62>
- Quigley, S. M., & Curley, M. A. (1996). Skin integrity in the pediatric population: Preventing and managing pressure ulcers. *Journal of the Society of Pediatric Nurses*, 1(1), 7.
- Quintavalle, P. R., Lyder, C. H., Mertz, P. J., Phillips-Jones, C., & Dyson, M. (2006). Use of high-resolution, high-frequency diagnostic ultrasound to investigate the pathogenesis of pressure ulcer development. *Advances in Skin & Wound Care*, 19(9), 498–505.
- Raju, D., Su, X., Patrician, P. A., Loan, L. A., & McCarthy, M. S. (2015). Exploring factors associated with pressure ulcers: A data mining approach. *International Journal of Nursing Studies*, 52(1), 102–111. <http://dx.doi.org/10.1016/j.ijnurstu.2014.08.002>

- Ramos-Torrecillas, J., García-Martínez, O., De Luna-Bertos, E., Ocaña-Peinado, F. M., & Ruiz, C. (2015). Effectiveness of platelet-rich plasma and hyaluronic acid for the treatment and care of pressure ulcers. *Biological Research for Nursing*, 17(2), 152–158.
- Ramundo, J., & Gray, M. (2008). Is ultrasonic mist therapy effective for debriding chronic wounds? *Journal of Wound, Ostomy and Continence Nursing*, 35(6), 579–583.
- Ramundo, J., & Gray, M. (2009). Collagenase for enzymatic debridement: A systematic review. *Journal of Wound, Ostomy and Continence Nursing*, 36(Suppl. 6), S4–S11.
- Ratliff, C. R., Getchell-White, S. I., & Rodeheaver, G. T. (2008). Quantitation of bacteria in clean, nonhealing, chronic wounds. *Wounds*, 20(10), 279–283.
- Ratliff, C. R., & Rodeheaver, G. T. (1999). Pressure ulcer assessment and management. *Lippincott's Primary Care Practice*, 3(2), 242–258.
- Ratliff, C. R., & Rodeheaver, G. T. (2002). Correlation of semi-quantitative swab cultures to quantitative swab cultures from chronic wounds. *Wounds*, 14(9), 329–333.
- Rastinehad, D. (2006). Pressure ulcer pain. *Journal of Wound, Ostomy and Continence Nursing*, 33(3), 252–257.
- Reddy, M., Gill, S. S., Kalkar, S. R., Wu, W., Anderson, P., & Rochon, P. (2008). Treatment of pressure ulcers: A systematic review. *Journal of the American Medical Association*, 300(22), 2647–2662.
- Reddy, M., Gill, S. S., & Rocheon, P. A. (2006). Preventing pressure ulcers: A systematic review. *Journal of the American Medical Association*, 296(8), 974–984.
- Regan, M., Teasell, R., Wolfe, D., Keast, D., Mortenson, W., & Aubut, J. (2009). A systematic review of therapeutic interventions for pressure ulcers after spinal cord injury. *Archives of Physical Medicine and Rehabilitation*, 90(2), 213–231.
- Registered Nurses Association of Ontario. (2005). *Risk assessment and prevention of pressure ulcers*. Toronto, ON: Author.
- Registered Nurses Association of Ontario. (2011). *Risk assessment and prevention of pressure ulcers. Nursing best practice guideline*. Retrieved December 2015, from http://rnao.ca/sites/rnao-ca/files/Risk_Assessment_and_Prevention_of_Pressure_Ulcers.pdf
- Relander, M., & Palmer, B. (1988). Recurrence of surgically treated pressure sores. *Scandinavian Journal of Plastic and Reconstructive Surgery*, 22, 89–92.
- Rhodes, R. S., Heyneman, C. A., Culbertson, V. L., Wilson, S. E., & Phatak, H. M. (2001). Topical phenytoin treatment of stage II decubitus ulcers in the elderly. *Annals of*

Pharmacology, 35(6), 675–681.

Rithalia, S. (2005a). A guide to evaluating different wheelchair seat cushions. *International Journal of Therapy and Rehabilitation*, 12(5), 226–229.
<http://dx.doi.org/10.12968/ijtr.2005.12.5.18271>

Rithalia, S. (2005b). Assessment of patient support surfaces: Principle, practice and limitations. *Journal of Medical Engineering & Technology*, 29(4), 163–169.
<http://dx.doi.org/10.1080/03091900410001731191>

Roberts, S., Desbrow, B., & Chaboyer, W. (2014). Patient perceptions of the role of nutrition for pressure ulcer prevention in hospital: An interpretive study. *Journal of Wound, Ostomy and Continence Nursing*, 41(6), 528–534.

Robson, M. C., Hill, D. P., Smith, P. D., Wang, X., Meyer-Siegler, K., Ko, F.,...Robson, L. E. (2000). Sequential cytokine therapy for pressure ulcers: Clinical and mechanistic response. *Annals of Surgery*, 231(4), 600–611.

Robson, M. C., Phillips, L. G., Lawrence, W. T., Bishop, J. B., Youngerman, J. S., Hayward, P. G.,...Heggers, J. P. (1992). The safety and effect of topically applied recombinant basic fibroblast growth factor on the healing of chronic pressure sores. *Annals of Surgery*, 216(4), 401–406, discussion 406–408.

Rodeheaver, G. T. (2001). Wound cleansing, wound irrigation, wound disinfection. In D. L. Krasner, G. T. Rodeheaver, & R. G. Sibbald (Eds.), *Chronic wound care: A clinical source book for healthcare professionals* (3rd ed.). Wayne, PA: HMP Communications.

Rodeheaver, G. T., & Ratliff, C. R. (2007). Wound cleansing, wound irrigation, wound disinfection. In D. L. Krasner, G. T. Rodeheaver, & R. G. Sibbald (Eds.), *Chronic wound care: A clinical source book for healthcare professionals* (4th ed.). Wayne, PA: HMP Communications.

Rodeheaver, G. T., Smith, S. L., Thacker, J. G., Edgerton, M. T., & Edlich, R. F. (1975). Mechanical cleansing of contaminated wounds with a surfactant. *American Journal of Surgery*, 129(3), 241–245.

Rondinelli, J. (2014). Establishing risk for patients with medical device related hospital acquired pressure ulcers in intensive care: A multi-site study. Azusa Pacific University. Retrieved from ProQuest Dissertations, UMI, 3619292. Retrieved 2015, from <http://www.proquest.com/products-services/dissertations/>

Russell, J. A., & Lichtenstein, S. L. (2000). Randomized controlled trial to determine the safety and efficacy of a multi-cell pulsating dynamic mattress system in the prevention of pressure ulcers in patients undergoing cardiovascular surgery. *Ostomy Wound Management*, 46(2), 46–55.

- Russell, T., & Logsdon, A. (2003). Pressure ulcers and lateral rotation beds: A case study. *Journal of Wound, Ostomy and Continence Nursing*, 30(3), 143.
- Russell, L. J., Reynolds, T. M., Park, C., Rithalia, S., Gonsalkorale, M., Birch, J.,...Iglesias, C. (2003). Randomized clinical trial comparing 2 support surfaces: Results of the prevention of pressure ulcers study. *Advances in Skin & Wound Care*, 16(6), 317–327.
- Russell, L., Reynolds, T. M., Towns, A., Worth, W., Greenman, A., & Turner, R. (2003). Randomized comparison trial of the RIK and the Nimbus 3 mattresses. *British Journal of Nursing*, 12(4), 254–259.
- Russo, C., Steiner, C., & Spector, W. (2008). Hospitalizations related to pressure ulcers among adults 18 years and older, 2006. *Healthcare Cost Utilization Project*. Retrieved April 23, 2010, from <http://www.hcup-us.ahrq.gov/reports/statbriefs/sb64.pdf>
- Sackett, D. L. (1989). Rules of evidence and clinical recommendations on the use of antithrombotic agents. *Chest*, 95(Suppl. 2), 2S–4S.
- Sae-Sia, W., Wipke-Tewis, D. D., & Williams, D. A. (2007). The effect of clinically relevant pressure duration on sacral skin blood flow and temperature in patients after acute spinal cord injury. *Archives of Physical Medicine and Rehabilitation*, 88(12), 1673–1680.
- Sakae, K., & Yanagisawa, H. (2014). Oral treatment of pressure ulcers with polaprezinc (zinc L-carnosine complex): 8-week open-label trial. *Biological Trace Element Research*, 158(3), 280–288. <http://dx.doi.org/10.1007/s12011-014-9943-5>
- Salzberg, C. A., Byrne, D. W., Kabir, R., van Niewerburg, P., & Cayten, C. G. (1999). Predicting pressure ulcers during initial hospitalization for acute spinal cord injury. *Wounds*, 11(2), 45–57.
- Sankaran, B. M., Chakraborty, S., Patil, V. M., Raghavan, S. N., Thomas, S., & Sen, S. (2015). Burden and outcomes of pressure ulcers in cancer patients receiving the kerala model of home based palliative care in India: Results from a prospective observational study. *Indian Journal of Palliative Care*, 21(2), 152–157. <http://dx.doi.org/10.4103/0973-1075.156469>
- Santamaria, N., Gerdzt, M., Sage, S., McCann, J., Freeman, A., Vassiliou, T.,...Knott, J. (2013). A randomised controlled trial of the effectiveness of soft silicone multi-layered foam dressings in the prevention of sacral and heel pressure ulcers in trauma and critically ill patients: The border trial. *International Wound Journal*, 12(3), 302–308. <http://dx.doi.org/10.1111/iwj.12101>
- Schindler, C. A., Mikhailov, T. A., Kuhn, E. M., Christopher, J., Conway, P., Ridling, D.,...Simpson, V. S. (2011). Protecting fragile skin: Nursing interventions to decrease development of pressure ulcers in pediatric intensive care. *American Journal of Critical Care*, 20(1), 26–34; quiz 35.

- Schlüer, A. B., Schols, J. M., & Halfens, R. J. (2014). Risk and associated factors of pressure ulcers in hospitalized children over 1 year of age. *Journal for Specialists in Pediatric Nursing*, 19(1), 80–89.
- Schryvers, O. I., Stranc, M. F., & Nance, P. W. (2000). Surgical treatment of pressure ulcers: 20-year experience. *Archives of Physical Medicine and Rehabilitation*, 81(12), 1556–1562.
- Schubert, V. (2001). Effects of phototherapy on pressure ulcer healing in elderly patients after a falling trauma. A prospective randomized controlled study. *Photodermatology, Photoimmunology & Photomedicine*, 17(1), 32–38.
- Sebba Tosta de Souza, D. M., Veiga, D. F., Santos, I. D., Abla, L. E., Juliano, Y., & Ferreira, L. M. (2015). Health-Related quality of life in elderly patients with pressure ulcers in different care settings. *Journal of Wound, Ostomy and Continence Nursing*, 42(4), 352–359. <http://dx.doi.org/10.1097/WON.00000000000000142>
- Senturán, L., Karabacak, U., Ozdilek, S., Alpar, S. E., Bayrak, S., Yüceer, S., & Yıldız, N. (2009). The relationship among pressure ulcers, oxygenation, and perfusion in mechanically ventilated patients in an intensive care unit. *Journal of Wound, Ostomy and Continence Nursing*, 36(5), 503–508. <http://dx.doi.org/10.1097/WON.0b013e3181b35e83>
- Serpa, L. F., & Santos, V. L. (2014). Validity of the Braden nutrition subscale in predicting pressure ulcer development. *Journal of Wound, Ostomy and Continence Nursing*, 41(5), 436–443. <http://dx.doi.org/10.1097/WON.0000000000000059>
- Serra, R., Caroleo, S., Buffone, G., Lugarà, M., Molinari, V., Tropea, F., & deFranciscis, S. (2014). Low serum albumin level as an independent risk factor for the onset of pressure ulcers in intensive care unit patients. *International Wound Journal*, 11(5), 550–553. <http://dx.doi.org/10.1111/iwj.12004>
- Sewchuk, D., Padula, C., & Osborne, E. (2006). Prevention and early detection of pressure ulcers in patients undergoing cardiac surgery. *AORN Journal*, 84(1), 75–96.
- Shea, J. D. (1975). Pressure sores: Classification and management. *Clinical Orthopaedics & Related Research*, 112, 89–100.
- Shelton, F., & Lott, J. W. (2003). Conducting and interpreting interface pressure evaluations of clinical support surfaces. *Geriatric Nursing*, 24(4), 222–227.
- Shenkin, A. (2006). Serum prealbumin: Is it a marker of nutritional status or of risk of malnutrition? *Clinical Chemistry*, 52(12), 2177–2179.
- Sibbald, R. G., & Cameron, J. (2001). Dermatological aspects of wound care. In D. Krasner, G. Rodeheaver, & R. G. Sibbald (Eds.), *Chronic wound care: A clinical source book for healthcare professionals* (pp. 273–285). Wayne, PA: WHMP Communications.

- Sibbald, R. G., Krasner, D. L., Lutz, J. B., Sylvia, C., Alvarez, O., Ayello, E.,...Weir, D. (2009). The SCALE expert panel: Skin changes at life's end. *Wounds*, 21(12), 329–336. Retrieved from http://www.woundsresearch.com/files/wounds/pdfs/Consensus_Dec09.pdf
- Sibbald, R. G., & Mahoney, J. (2003). A consensus report on the use of vacuum-assisted closure in chronic, difficult-to-heal wounds. *Ostomy Wound Management*, 49(11), 52–66.
- Silverwood, B. (2004). Prevention of sore heels: Evidence and outcomes. *Paediatric Nursing*, 16(4), 14.
- Simonis, G., Flemming, K., Ziegs, E., Haacke, K., Rauwolf, T., & Strasser, R. (2007). Kinetic therapy reduces complications and shortens hospital stay in patients with cardiogenic shock: A retrospective analysis. *European Journal of Cardiovascular Nursing*, 6(1), 40–45.
- Singh, D., Bartlett, S., Low, D., & Kirschner, R. (2002). Surgical reconstruction of pediatric pressure sores: Long-term outcome. *Plastic Reconstructive Surgery*, 109(1), 265–269.
- Smith, A., McNichol, L. L., Amos, M. A., Mueller, G., Griffin, T., Davis, J.,...Montgomery, T. G. (2013). A retrospective, nonrandomized, before and after study of the effect of linens constructed of synthetic silk-like fabric on pressure ulcer incidence. *Ostomy Wound Management*, 59(4), 28–30, 32–34.
- Smith, D. M., Snow, D. E., Rees, E., Zischkau, A. M., Hanson, J. D., Wolcott, R. D.,...Dowd, S. (2010). Evaluation of the bacterial diversity of pressure ulcers using the bTEFAP pyrosequencing. *BMC Medical Genomics*, 3(1), 41. <http://dx.doi.org/10.1186/1755-8794-3-41>
- Smith, M. E., Totten, A., Hickam, D. H., Fu, R., Wasson, N., Rahman, B.,...Saha, S. (2013). Pressure ulcer treatment strategies: A systematic comparative effectiveness review. *Annals of Internal Medicine*, 159(1), 39–50. <http://dx.doi.org/10.7326/0003-4819-159-1-201307020-00007>
- Sorensen, J. L., Jorgensen, B., & Gottrup, F. (2004). Surgical treatment of pressure ulcers. *American Journal of Surgery*, 188(Suppl. 1A), 42–51.
- Soriano, L. F., Vazquez, M. A., Maristany, C. P., Graupera, J. M., Wouters-Wesselling, W., & Wagenaar, L. (2004). The effectiveness of oral nutritional supplementation in the healing of pressure ulcers. *Journal of Wound Care*, 13(8), 319–322.
- Stechmiller, J. K., Cowan, L. J., & Oomens, C. W. (2016). Bottom-up (pressure shear) injuries. In D. B. Doughty & L. L. McNichol (Eds.), *Wound, Ostomy and Continence Nurses Society core curriculum: Wound management* (pp. 313–332). Philadelphia, PA: Wolters Kluwer.
- Stechmiller, J. K., Cowan, L., Whitney, J. D., Phillips, L., Aslam, R., Barbul, A.,...Stotts, N. (2008). Guidelines for the prevention of pressure ulcers. *Wound Repair and Regeneration*, 16, 151–168.

Sterken, D. J., Mooney, J., Ropele, D., Kett, A., & Vander Laan, K. J. (2015). Become the PPUPET Master: Mastering pressure ulcer risk assessment with the pediatric Pressure Ulcer Prediction and Evaluation Tool (PPUPET). *Journal of Pediatric Nursing*, 30(4), 598–610. <http://dx.doi.org/10.1016/j.pedn.2014.10.004>

Stevens, J., Nicholson, E., Linehan, W. M., Thompson, N., Liewehr, D., Venzon, D., & Walther, M. M. (2004). Risk factors for skin breakdown after renal and adrenal surgery. *Urology*, 64(2), 246–249.

Still, J. M., Wilson, J., Rinker, C., Law, E., & Craft-Coffman, B. (2003). A retrospective study to determine the incidence of pressure ulcers in burn patients using an alternating pressure mattress. *Burns*, 29, 505–507.

Stinson, M. D., Porter-Armstrong, A., & Eakin, P. (2003). Seat-interface pressure: A pilot study on the relationship to gender, body mass index, and seating position. *Archives of Physical Medicine and Rehabilitation*, 84(3), 405–409.

Stotts, N. A., Rodeheaver, G. T., Thomas, D. R., Frantz, R. A., Bartolucci, A. A., Sussman, C.,...Maklebust, J. (2001). An instrument to measure healing in pressure ulcers: Development and validation of the Pressure Ulcer Scale for Healing (PUSH). *Journal of Gerontology: Medical Sciences*, 56A(12), M795–M799. Retrieved from <http://biomedgerontology.oxfordjournals.org/content/56/12/M795.full.pdf+html>

Stratton, R. J., Eke, A. C., Engfer, M., Moore, Z., Rigby, P., Wofle, R., & Elia, M. (2005). Enteral nutritional support in prevention and treatment of pressure ulcers: A systematic review and meta-analysis. *Ageing Research Reviews*, 4(3), 422–450.

Subbanna, P. K., Margaret Shanti, F. X., George, J., Tharion, G., Neelakantan, N., Durai, S.,...Suresh, R. (2007). Topical phenytoin solution for treating pressure ulcers: A prospective, randomized, double-blind clinical trial. *Spinal Cord*, 45(11), 739–743. <http://dx.doi.org/10.1038/sj.sc.3102029>

Suddaby, E. C., Barnett, S., & Facteau, L. (2005). Skin breakdown in acute care pediatrics. *Pediatric Nursing*, 31(2), 132–138, 148.

Sugino, H., Hashimoto, I., Tanaka, Y., Ishida, S., Abe, Y., & Nakanishi, H. (2014). Relation between the serum albumin level and nutrition supply in patients with pressure ulcers: Retrospective study in an acute care setting. *The Journal of Medical Investigation*, 6(1.2), 15–21. <http://dx.doi.org/10.2152/jmi.61.15>

Suleman, L., & Percival, S. L. (2015). Biofilm-infected pressure ulcers: Current knowledge and emerging treatment strategies. In G. Donnelly (Ed.). *Biofilm-based healthcare associated infections. Volume II. Advances in Experimental Medicine and Biology* 831 (pp. 29–43). Switzerland: Springer International Publishing. http://dx.doi.org/10.1007/978-3-319-09782-4_3

Taly, A. B., Nair, K. P., Murali, T., & John, A. (2004). Efficacy of multiwavelength light therapy in the treatment of pressure ulcers in subjects with disorders of the spinal cord: A randomized double-blind controlled trial. *Archives of Physical Medicine and Rehabilitation*, 85(10), 1657–1661. <http://dx.doi.org/10.1016/j.apmr.2004.03.028>

Tayyib, N., Coyer, F., & Lewis, P. (2015a). Saudi Arabian adult intensive care unit pressure ulcer incidence and risk factors: A prospective cohort study. *International Wound Journal*. <http://dx.doi.org/10.1111/iwj.12406>

Tayyib, N., Coyer, F., & Lewis, P. A. (2015b). A two-arm cluster randomized control trial to determine the effectiveness of a pressure ulcer prevention bundle for critically ill patients. *Journal of Nursing Scholarship*, 47(3), 237–247.

ter Reit, G., Kessels, A., & Knipschild, P. (1996). A randomized clinical trial of ultrasound in the treatment of pressure ulcers. *Physical Therapy*, 76(12), 1301–1311.

Tescher, A. N., Branda, M. E., Byrne, T. J., & Naessens, J. M. (2012). All at-risk patients are not created equal: Analysis of Braden pressure ulcer risk scores to identify specific risks. *Journal of Wound, Ostomy and Continence Nursing*, 39(3), 282–291. <http://dx.doi.org/10.1097/WON.0b013e3182435715>

Theaker, C., Kuper, M., & Soni, N. (2005). Pressure ulcer prevention in intensive care: A randomized control trial of two pressure-relieving devices. *Anaesthesia*, 60, 395–399.

Theilla, M., Singer, P., Cohen, J., & DeKeyser, F. (2007). A diet enriched in eicosapentanoic acid, gamma-linolenic acid and antioxidants in the prevention of new pressure ulcer formation in critically ill patients with acute lung injury: A randomized, prospective, controlled study. *Clinical Nutrition*, 26, 752–757. <http://dx.doi.org/10.1016/j.clnu.2007.06.015>

Thomas, D. R. (2006). The new F-tag 314: Prevention and management of pressure ulcers. *Journal of the American Medical Association*, 295(7), 523–531.

Thomas, D. R. (2007). Prevention and management of pressure ulcers. *Missouri Medicine*, 104(1), 52–57.

Thomason, S. S., Graves, B. A., & Madaris, L. (2014). A pilot study to evaluate the role of the Spinal Cord Impairment Pressure Ulcer Monitoring Tool (SCI-PUMT) in clinical decisions for pressure ulcer treatment. *Ostomy Wound Management*, 60(12), 28–36.

Thomason, S., Luther, S., Powell-Cope, G., Harrow, J., & Palacios, P. (2014). Validity and reliability of a pressure ulcer monitoring tool for persons with spinal cord impairment. *The Journal of Spinal Cord Medicine*, 37(3), 317–327. <http://dx.doi.org/10.1179/2045772313Y.0000000163>

Thompson, C., & Fuhrman, M. P. (2005). Nutrients and wound healing: Still searching for the magic bullet. *Nutrition in Clinical Practice*, 20(3), 331–347.

Trombley, K., Brennan, M. R., Thomas, L., & Kline, M. (2012). Prelude to death or practice failure? Trombley-Brennan terminal tissue injuries. *American Journal of Hospice and Palliative Medicine*, 29(7), 541–545.

Tsaousi, G., Stavrou, G., Ioannidis, A., Salonikidis, S., & Kotzampassi, K. (2015). Pressure ulcers and malnutrition: Results from a snapshot sampling in a university hospital. *Medical Principles and Practice*, 24(1), 11–16. <http://dx.doi.org/10.1159/000368360>

Turkos, M. A. (2007). MIST therapy system: Thoughts on therapy. *ECPN, September*, 36–42.

Turnage-Carrier, C., McLane, K., & Gregurich, M. A. (2008). Interface pressure comparison of healthy premature infants with various neonatal bed surfaces. *Advances in Neonatal Care*, 8(3), 176–184.

Turpin, P. G., & Pemberton, V. (2006). Prevention of pressure ulcers in patients being managed on CLRT: Is supplemental repositioning needed? *Journal of Wound, Ostomy and Continence Nursing*, 33(4), 381–388.

Twersky, J., Montgomery, T., Sloane, R., Weiner, M., Doyle, S., Mathur, K.,...Schmader, K. (2012). A randomized, controlled study to assess the effect of silk-like textiles and high-absorbency adult incontinence briefs on pressure ulcer prevention. *Ostomy Wound Management*, 58(12), 18–24.

Tymec, A. C., Pieper, B., & Bollman, K. (1997). A comparison of two pressure-relieving devices on the prevention of heel ulcers. *Advances in Skin & Wound Care*, 10(1), 39–44.

Ubbink, D. T., Westerbos, S. J., Evans, D., Land, L., & Vermeulen, H. (2008). Topical negative pressure for treating chronic wounds. *Cochrane Database of Systematic Reviews*, Issue 3. Art. No.: CD001898. <http://dx.doi.org/10.1002/14651858.CD001898.pub2>

Ubbink, D. T., Westerbos, S. J., Nelson E. A., & Vermeulen, H. (2008). A systematic review of topical negative pressure therapy for acute and chronic wounds. *British Journal of Surgery*, 95(6), 685–692. <http://dx.doi.org/10.1002/bjs.6238>

Vanderwee, K., Grypdonck, M. H., & Defloor, T. (2005). Effectiveness of an alternating pressure air mattress for the prevention of pressure ulcers. *Age and Ageing*, 34(3), 261–267.

van Rijswijk, L. (1993). Full-thickness pressure ulcers: Patient and wound healing characteristics. *Decubitus*, 6(1), 16–21.

van Rijswijk, L., & Braden, B. (1999). Pressure ulcer patient and wound assessment: An AHCPR clinical practice guideline update. *Ostomy Wound Management*, 45(Suppl. 1A), 56s–67s.

van Rijswijk, L., & Polansky, M. (1994). Predictors of time to healing deep pressure ulcers. *Ostomy Wound Management*, 40(8), 40–48.

Vélez-Díaz-Pallarés, M., Lozano-Montoya, I., Abraha, I., Cherubini, A., Soiza, R. L., O'Mahony, D.,...Cruz-Jentoft, A. J. (2015). Nonpharmacologic interventions to heal pressure ulcers in older patients: An overview of systematic reviews (The SENATOR-ONTOP Series). *Journal of the American Medical Directors Association*, 16(6), 448–469. <http://dx.doi.org/10.1016/j.jamda.2015.01.083>

Verbelen, J. (2007). Use of polarized light as a method of pressure ulcer prevention in an adult intensive care unit. *Journal of Wound Care*, 16(4), 145–150.

Vermeulen, H., van Hattem, J. M., Storm-Versloot, M. N., & Ubbink, D. T. (2007). Topical silver for treating infected wounds. *Cochrane Database of Systematic Reviews*, Issue 1. Art. No.: CD005486. <http://dx.doi.org/10.1002/14651858.CD005486.pub2>

Visscher, M., & Taylor, T. (2014). Pressure ulcers in the hospitalized neonate: Rates and risk factors. *Scientific Reports*, 4(7429). <http://dx.doi.org/10.1038/srep07429>

Vollman, K. M. (2006). Ventilator-associated pneumonia and pressure ulcer prevention as targets for quality improvement on the ICU. *Critical Care Nursing Clinics of North America*, 18(4), 453–467.

Vollman, K. M. (2012). Hemodynamic instability: Is it really a barrier to turning critically ill patients? *Critical Care Nurse*, 32(1), 70–75. <http://dx.doi.org/10.4037/ccn2012765>

Wagstaff, M. J., Driver, S., Coghlan, P., & Greenwood, J. E. (2014). A randomized, controlled trial of negative pressure wound therapy of pressure ulcers via a novel polyurethane foam. *Wound Repair and Regeneration*, 22(2), 205–211. <http://dx.doi.org/10.1111/wrr.12146>

Walsh, J. S., & Plonczynski, D. J. (2007). Evaluation of a protocol for prevention of facility-acquired heel pressure ulcers. *Journal of Wound, Ostomy and Continence Nursing*, 34(2), 178–183.

Wang, L. H., Chen, H. L., Yan, H. Y., Gao, J. H., Wang, F., Ming, Y.,...Ding, J. J. (2015). Inter-rater reliability of three most commonly used pressure ulcer risk assessment scales in clinical practice. *International Wound Journal*, 12(5), 590–594. <http://dx.doi.org/10.1111/iwj.12376>

Wang, H., Niewczyk, P., Divita, M., Camicia, M., Appelman, J., Mix, J., & Sandel, M. E. (2014). Impact of pressure ulcers on outcomes in inpatient rehabilitation facilities. *American Journal of Physical Medicine & Rehabilitation*, 93(3), 207–216. <http://dx.doi.org/10.1097/PHM.0b013e3182a92b9c>

Wanner, M. B., Schwarz, F., Strub, B., Zaech, G. A., & Pierer, G. (2003). Vacuum-assisted wound closure for cheaper and more comfortable healing of pressure sores: A prospective study. *Scandanavian Journal of Plastic Reconstructive Surgery and Hand Surgery*, 37(1),

28–33.

Waycaster, C., Gilligan, A., & Milne, C. (2014). Pressure ulcer treatment in long-term care setting: Wound bed healing with clostridial collagenase ointment versus hydrogel dressing. *Chronic Wound Care Management and Research*, 2014(1), 49–56.

<http://dx.doi.org/10.2147/CWCMR.S68930>

Webster, J., Lister, C., Corry, J., Holland, M., Coleman, K., & Marquart, L. (2015). Incidence and risk factors for surgically acquired pressure ulcers: A prospective cohort study investigators. *Journal of Wound, Ostomy and Continence Nursing*, 42(2), 138–144.

<http://dx.doi.org/10.1097/WON.0000000000000092>

Weir, D., & Schultz, G. (2016). Assessment and management of wound-related infections. In D. B. Doughty & L. L. McNichol (Eds.), *Wound, Ostomy and Continence Nurses Society core curriculum: Wound management* (pp.156–180). Philadelphia, PA: Wolters Kluwer.

Weng, M. H. (2008). The effect of protective treatment in reducing pressure ulcers for non-invasive ventilation patients. *Intensive Critical Care Nursing*, 24(5), 295–299.

Whitney, J., Phillips, L., Aslam, R., Barbul, A., Gottrup, F., Gould, L.,...Stotts, N. (2006). Guidelines for the treatment of pressure ulcers. *Wound Repair and Regeneration*, 14(6), 663–679.

Whittemore, R. (1998). Pressure reduction support surfaces: A review of the literature. *Journal of Wound, Ostomy and Continence Nursing*, 25(1), 6–25.

Wilchesky, M., & Lungu, O. (2015). Predictive and concurrent validity of the Braden scale in long-term care: A meta-analysis. *Wound Repair and Regeneration*, 23(1), 44–56.

<http://dx.doi.org/10.1111/wrr.12261>

Wild, T., Bruckner, M., Payrich, M., Schwarz, C., Eberlein, T., & Andriessen, A. (2012). Eradication of methicillin-resistant *Staphylococcus aureus* in pressure ulcers comparing a polyhexanide-containing cellulose dressing with polyhexanide swabs in a prospective randomized study. *Advances in Skin & Wound Care*, 25(1), 17–22.

Willock, J., Harris, C., Harrison, J., & Poole, C. (2005). Identifying the characteristics of children with pressure ulcers. *Nursing Times*, 101(11), 40–43.

Willock, J., & Maylor, M. (2004). Pressure ulcers in infants and children. *Nursing Standard*, 24(18), 56–62.

Wishin, J., Gallagher, T. J., & McCann, E. (2008). Emerging options for the management of fecal incontinence in hospitalized patients. *Journal of Wound, Ostomy and Continence Nursing*, 35(1), 104–110.

World Union of Wound Healing Societies. (2008a). *Principles of best practice: Wound infection*

in clinical practice. An international consensus. London, UK: Medical Education Partnership (MEP) Ltd. Retrieved from
http://www.woundsinternational.com/media/issues/71/files/content_31.pdf

World Union of Wound Healing Societies. (2008b). *Principles of best practice: Vacuum assisted closure: Recommendations for use. A consensus document.* London, UK: Medical Education Partnership (MEP) Ltd. Retrieved from
http://www.cslr.cz/download/VAC_English_WEB.pdf

Wound, Ostomy and Continence Nurses Society. (2010). *Guideline for prevention and management of pressure ulcers. WOCN clinical practice guideline series 2.* Mt. Laurel, NJ: Author.

Wound, Ostomy and Continence Nurses Society. (2011). *Incontinence associated dermatitis (IAD): Best practice for clinicians.* Mt. Laurel, NJ: Author.

Wound, Ostomy and Continence Nurses Society. (2013). *A quick reference guide for managing fecal incontinence.* Mt. Laurel, NJ: Author.

Wound, Ostomy and Continence Nurses Society. (2014). *Guideline for management of wounds in patients with lower-extremity arterial disease. WOCN clinical practice guideline series 1.* Mt. Laurel, NJ: Author.

Wound, Ostomy and Continence Nurses Society. (2015). *Methods of wound debridement: Best practice for clinicians.* Mt. Laurel, NJ: Author.

Wu, S. S., Ahn, C., Emmons, K. R., & Salcido, R. S. (2009). Pressure ulcers in pediatric patients with spinal cord injury: A review of assessment, prevention, and topical management. *Advances in Skin & Wound Care*, 22(6), 273–284.
<http://dx.doi.org/10.1097/01.ASW.0000305474.37745.55>

Xakellis, G. C., & Chrischilles, E. A. (1992). Hydrocolloid versus saline-gauze dressings in treating pressure ulcers: A cost-effectiveness analysis. *Archives of Physical Medicine and Rehabilitation*, 73(5), 463–469.

Yapucu Günes, U., & Eser, I. (2007). Effectiveness of a honey dressing for healing pressure ulcers. *Journal of Wound, Ostomy and Continence Nursing*, 34(2), 184–190.

Yoshimura, M., Iizaka, S., Kohno, M., Nagata, O., Yamasaki, T., Mae, T.,...Sanada, H. (2015). Risk factors associated with intraoperatively acquired pressure ulcers in the park-bench position: A retrospective study. *International Wound Journal*.
<http://dx.doi.org/10.1111/iwj.12445>

Young, T. (2004). Guidance on pressure ulcer risk assessment and prevention. *Nursing Times*, 100(14), 52–53.

- Young, J., Nikoletti, S., McCaul, K., Twigg, D., & Morey, P. (2002). Risk factors associated with pressure ulcer development at a major western Australian teaching hospital from 1998 to 2000: Secondary data analysis. *Journal of Wound, Ostomy and Continence Nursing*, 29(5), 234–241.
- Yuen, H. K., & Garrett, D. (2001). Comparison of three wheelchair cushions for effectiveness of pressure relief. *American Journal of Occupational Therapy*, 55(4), 470–475.
- Yusuf, S., Okuwa, M., Shigeta, Y., Dai, M., Iuchi, T., Rahman, S.,...Sanada, H. (2015). Microclimate and development of pressure ulcers and superficial skin changes. *International Wound Journal*, 12(1), 40–46.
- Zardeckiewicz, S., Whitney, J. D., Baker, M. W., & Lowe, J. R. (2015). Defining unstageable pressure ulcers as full-thickness wounds: Are these wounds being misclassified? *Journal of Wound, Ostomy and Continence Nursing*, 42(6), 583–588.
<http://dx.doi.org/10.1097/WON.0000000000000175>
- Zarchi, K., Martinussen, T., & Jemec, G. B. (2015). Wound healing and all-cause mortality in 958 wound patients treated in home care. *Wound Repair and Regeneration*, 23(5), 753–758.
<http://dx.doi.org/10.1111/wrr.12335>
- Zehrer, C. L., Newman, D. K., Grove, G. L., & Lutz, J. B. (2005). Assessment of diaper-clogging potential of petrolatum moisture barriers. *Ostomy Wound Management*, 51(12), 54–58.