

Supplementary Information

References e1-e68

- e1. McKim DB, Weber MD, Niraula A, et al. Microglial recruitment of IL-1 β -producing monocytes to brain endothelium causes stress-induced anxiety. *Mol Psychiatry*. 2018;23(6):1421–1431. doi:10.1038/mp.2017.64.
- e2. Bruttger J, Karram K, Wörtge S, et al. Genetic Cell Ablation Reveals Clusters of Local Self-Renewing Microglia in the Mammalian Central Nervous System. *Immunity*. 2015;43(1):92-106. doi:10.1016/j.immuni.2015.06.012
- e3. Liu X, Nemeth DP, McKim DB, et al. Cell-Type-Specific Interleukin 1 Receptor 1 Signaling in the Brain Regulates Distinct Neuroimmune Activities. *Immunity*. 2019;50(2):317-333.e6. doi:10.1016/j.immuni.2018.12.012
- e4. Nie X, Kitaoka S, Tanaka K, et al. The Innate Immune Receptors TLR2/4 Mediate Repeated Social Defeat Stress-Induced Social Avoidance through Prefrontal Microglial Activation. *Neuron*. 2018;99(3):464-479.e7. doi:10.1016/j.neuron.2018.06.035
- e5. Frank MG, Weber MD, Watkins LR, Maier SF. Stress sounds the alarmin: The role of the danger-associated molecular pattern HMGB1 in stress-induced neuroinflammatory priming. *Brain Behav Immun*. 2015;48:1-7. doi:10.1016/j.bbi.2015.03.010
- e6. Yang H, Wang H, Czura CJ, Tracey KJ. The cytokine activity of HMGB1. *J Leukoc Biol*. 2005;78(1):1-8. doi:10.1189/jlb.1104648
- e7. Weber MD, Frank MG, Tracey KJ, Watkins LR, Maier SF. Stress induces the danger-associated molecular pattern HMGB-1 in the hippocampus of male Sprague Dawley rats: a priming stimulus of microglia and the NLRP3 inflammasome. *J Neurosci*. 2015;35(1):316–324. doi:10.1523/jneurosci.3561-14.2015
- e8. Franklin TC, Wohleb ES, Zhang Y, Fogaça M, Hare B, Duman RS. Persistent Increase in Microglial RAGE Contributes to Chronic Stress-Induced Priming of Depressive-like Behavior. *Biol Psychiatry*. 2018;83(1):50–60. Journal Article. doi:10.1016/j.biopsych.2017.06.034
- e9. Wang B, Huang X, Pan X, et al. Minocycline prevents the depressive-like behavior through inhibiting the release of HMGB1 from microglia and neurons. *Brain Behav Immun*. 2020;88:132-143. doi:10.1016/j.bbi.2020.06.019
- e10. Hinwood M, Morandini J, Day TA, Walker FR. Evidence that Microglia Mediate the Neurobiological Effects of Chronic Psychological Stress on the Medial Prefrontal Cortex. *Cereb Cortex*. 2012;22(6):1442–1454. doi:10.1093/cercor/bhr229
- e11. Kopp BL, Wick D, Herman JP. Differential effects of homotypic vs. heterotypic chronic stress regimens on microglial activation in the prefrontal cortex. *Physiol Behav*. 2013;122:246–252. doi:10.1016/j.physbeh.2013.05.030
- e12. Wohleb ES, Terwilliger R, Duman CH, Duman RS. Stress-Induced Neuronal Colony Stimulating Factor 1 Provokes Microglia-Mediated Neuronal Remodeling and Depressive-like Behavior. *Biol Psychiatry*. 2018;83(1):38–49. Journal Article. doi:10.1016/j.biopsych.2017.05.026
- e13. Wohleb ES, Fenn AM, Pacenta AM, Powell ND, Sheridan JF, Godbout JP. Peripheral innate immune challenge exaggerated microglia activation, increased the number of inflammatory CNS macrophages, and prolonged social withdrawal in socially defeated mice. *Psychoneuroendocrinology*. 2012;37(9):1491–1505. doi:10.1016/j.psyneuen.2012.02.003

- e14. Farooq RK, Isingrini E, Tanti A, et al. Is unpredictable chronic mild stress (UCMS) a reliable model to study depression-induced neuroinflammation? *Behav Brain Res.* 2012;231(1):130-7. doi:10.1016/j.bbr.2012.03.020
- e15. Unanue ER, Turk V, Neeffjes J. Variations in MHC Class II Antigen Processing and Presentation in Health and Disease. *Annual Rev Immunol.* 2016;34:265-97. doi:10.1146/annurev-immunol-041015-055420
- e16. Dyck L, Mills KHG. Immune checkpoints and their inhibition in cancer and infectious diseases. *Eur J Immunol.* 2017;47(5):765-779. doi:10.1002/eji.201646875
- e17. Nair A, Bonneau RH. Stress-induced elevation of glucocorticoids increases microglia proliferation through NMDA receptor activation. *J Neuroimmunol.* 2006;171(1-2):72-85. doi:10.1016/j.jneuroim.2005.09.012
- e18. Lehmann ML, Cooper HA, Maric D, Herkenham M. Social defeat induces depressive-like states and microglial activation without involvement of peripheral macrophages. *J Neuroinflammation.* 2016;13(1):224. doi:10.1186/s12974-016-0672-x
- e19. Kreisel T, Frank MG, Licht T, et al. Dynamic microglial alterations underlie stress-induced depressive-like behavior and suppressed neurogenesis. *Mol Psychiatry.* 2014;19(6):699–709. doi:10.1038/mp.2013.155
- e20. Tong L, Gong Y, Wang P, et al. Microglia Loss Contributes to the Development of Major Depression Induced by Different Types of Chronic Stresses. *Neurochem Res.* 2017;42(10):2698–2711. doi:10.1007/s11064-017-2270-4
- e21. Brachman RA, Lehmann ML, Maric D, Herkenham M. Lymphocytes from chronically stressed mice confer antidepressant-like effects to naive mice. *J Neurosci.* 2015;35(4):1530–1538. doi:10.1523/jneurosci.2278-14.2015
- e22. Weber MD, McKim DB, Niraula A, et al. The Influence of Microglial Elimination and Repopulation on Stress Sensitization Induced by Repeated Social Defeat. *Biol Psychiatry.* 2019;85(8):667–678. doi:10.1016/j.biopsych.2018.10.009
- e23. Sawicki CM, McKim DB, Wohleb ES, et al. Social defeat promotes a reactive endothelium in a brain region-dependent manner with increased expression of key adhesion molecules, selectins and chemokines associated with the recruitment of myeloid cells to the brain. *Neuroscience.* 2015;302:151–164. doi:10.1016/j.neuroscience.2014.10.004
- e24. Frank MG, Thompson BM, Watkins LR, Maier SF. Glucocorticoids mediate stress-induced priming of microglial pro-inflammatory responses. *Brain Behav Immun.* 2012;26(2):337–345. doi:10.1016/j.bbi.2011.10.005
- e25. Elmore MR, Najafi AR, Koike MA, et al. Colony-stimulating factor 1 receptor signaling is necessary for microglia viability, unmasking a microglia progenitor cell in the adult brain. *Neuron.* 2014;82(2):380-97. doi:10.1016/j.neuron.2014.02.040
- e26. Lehmann ML, Weigel TK, Poffenberger CN, Herkenham M. The Behavioral Sequelae of Social Defeat Require Microglia and Are Driven by Oxidative Stress in Mice. *J Neurosci.* 2019;39(28):5594-5605. doi:10.1523/jneurosci.0184-19.2019
- e27. Perry VH, Holmes C. Microglial priming in neurodegenerative disease. *Nature Rev Neurol.* 2014;10(4):217-24. doi:10.1038/nrneurol.2014.38

- e28. Wang Y-L, Han Q-Q, Gong W-Q, et al. Microglial activation mediates chronic mild stress-induced depressive- and anxiety-like behavior in adult rats. *J Neuroinflammation*. 2018;15(1):1–14. doi:10.1186/s12974-018-1054-3
- e29. McKim DB, Niraula A, Tarr AJ, Wohleb ES, Sheridan JF, Godbout JP. Neuroinflammatory Dynamics Underlie Memory Impairments after Repeated Social Defeat. *J Neurosci*. 2016;36(9):2590–2604. doi:10.1523/jneurosci.2394-15.2016
- e30. Goshen I, Yirmiya R. Interleukin-1 (IL-1): a central regulator of stress responses. *Front Neuroendocrinol*. 2009;30(1):30-45. doi:10.1016/j.yfrne.2008.10.001
- e31. Chu HX, Arumugam TV, Gelderblom M, Magnus T, Drummond GR, Sobey CG. Role of CCR2 in inflammatory conditions of the central nervous system. *J Cereb Blood Flow Metab*. 2014;34(9):1425-9. doi:10.1038/jcbfm.2014.120
- e32. Miller AH, Haroon E, Raison CL, Felger JC. Cytokine targets in the brain: impact on neurotransmitters and neurocircuits. *Depress Anxiety*. 2013;30(4):297-306. doi:10.1002/da.22084
- e33. Pickering M, O'Connor JJ. Pro-inflammatory cytokines and their effects in the dentate gyrus. *Prog Brain Res*. 2007;163:339-54. doi:10.1016/s0079-6123(07)63020-9
- e34. Galic MA, Riazi K, Pittman QJ. Cytokines and brain excitability. *Front Neuroendocrinol*. 2012;33(1):116-25. doi:10.1016/j.yfrne.2011.12.002
- e35. Bélanger M, Allaman I, Magistretti PJ. Differential effects of pro- and anti-inflammatory cytokines alone or in combinations on the metabolic profile of astrocytes. *J Neurochem*. 2011;116(4):564-76. doi:10.1111/j.1471-4159.2010.07135.x
- e36. Herx LM, Yong VW. Interleukin-1 beta is required for the early evolution of reactive astrogliosis following CNS lesion. *J Neuropathol Exp Neurol*. 2001;60(10):961-71. doi:10.1093/jnen/60.10.961
- e37. Zhang J, Rong P, Zhang L, et al. IL4-driven microglia modulate stress resilience through BDNF-dependent neurogenesis. *Sci Adv*. 2021;7(12)doi:10.1126/sciadv.abb9888
- e38. Milior G, Lecours C, Samson L, et al. Fractalkine receptor deficiency impairs microglial and neuronal responsiveness to chronic stress. *Brain Behav Immun*. 2016;55:114–125. doi:10.1016/j.bbi.2015.07.024
- e39. Horchar MJ, Wohleb ES. Glucocorticoid receptor antagonism prevents microglia-mediated neuronal remodeling and behavioral despair following chronic unpredictable stress. *Brain Behav Immun*. 2019;81:329–340. Journal Article. doi:10.1016/j.bbi.2019.06.030
- e40. Nishiyori A, Minami M, Ohtani Y, et al. Localization of fractalkine and CX3CR1 mRNAs in rat brain: does fractalkine play a role in signaling from neuron to microglia? *FEBS Lett*. 1998;429(2):167-72. doi:10.1016/s0014-5793(98)00583-3
- e41. Wolf Y, Yona S, Kim KW, Jung S. Microglia, seen from the CX3CR1 angle. *Front Cell Neurosci*. 2013;7:26. doi:10.3389/fncel.2013.00026
- e42. Liu Z, Condello C, Schain A, Harb R, Grutzendler J. CX3CR1 in microglia regulates brain amyloid deposition through selective protofibrillar amyloid- β phagocytosis. *J Neurosci*. 2010;30(50):17091-101. doi:10.1523/jneurosci.4403-10.2010
- e43. Lee S, Varvel NH, Konerth ME, et al. CX3CR1 deficiency alters microglial activation and reduces beta-amyloid deposition in two Alzheimer's disease mouse models. *Am J Pathol*. 2010;177(5):2549-62. doi:10.2353/ajpath.2010.100265

- e44. Cardona AE, Piroo EP, Sasse ME, et al. Control of microglial neurotoxicity by the fractalkine receptor. *Nat Neurosci*. 2006;9(7):917-24. doi:10.1038/nm1715
- e45. Winkler Z, Kuti D, Ferenczi S, Gulyás K, Polyák Á, Kovács KJ. Impaired microglia fractalkine signaling affects stress reaction and coping style in mice. *Behav Brain Res*. 2017;334:119-128. doi:10.1016/j.bbr.2017.07.023
- e46. Rimmerman N, Schottlender N, Reshef R, Dan-Goor N, Yirmiya R. The hippocampal transcriptomic signature of stress resilience in mice with microglial fractalkine receptor (CX3CR1) deficiency. *Brain Behav Immun*. 2017;61:184–196. doi:10.1016/j.bbi.2016.11.023
- e47. Liu Y, Zhang T, Meng D, et al. Involvement of CX3CL1/CX3CR1 in depression and cognitive impairment induced by chronic unpredictable stress and relevant underlying mechanism. *Behav Brain Res*. 2020;381:112371. doi:10.1016/j.bbr.2019.112371
- e48. Jung S, Aliberti J, Graemmel P, et al. Analysis of fractalkine receptor CX(3)CR1 function by targeted deletion and green fluorescent protein reporter gene insertion. *Mol Cell Biol*. 2000;20(11):4106-14. doi:10.1128/mcb.20.11.4106-4114.2000
- e49. Bar-On L, Birnberg T, Lewis KL, et al. CX3CR1+ CD8alpha+ dendritic cells are a steady-state population related to plasmacytoid dendritic cells. *Proc Natl Acad Sci U S A*. 2010;107(33):14745-50. doi:10.1073/pnas.1001562107
- e50. Jha MK, Jo M, Kim JH, Suk K. Microglia-Astrocyte Crosstalk: An Intimate Molecular Conversation. *Neuroscientist*. 2019;25(3):227-240. doi:10.1177/1073858418783959
- e51. Banasr M, Duman RS. Glial loss in the prefrontal cortex is sufficient to induce depressive-like behaviors. *Biol Psychiatry*. 2008;64(10):863–870. doi:10.1016/j.biopsych.2008.06.008
- e52. Virmani G, D'Almeida P, Nandi A, Marathe S. Subfield-specific effects of chronic mild unpredictable stress on hippocampal astrocytes. *Eur J Neurosci*. 2021;54(5):5730-5746. doi:10.1111/ejn.15234
- e53. Codeluppi SA, Chatterjee D, Prevot TD, et al. Chronic Stress Alters Astrocyte Morphology in Mouse Prefrontal Cortex. *Int J Neuropsychopharmacol*. 2021;24(10):842-853. doi:10.1093/ijnp/pyab052
- e54. Cao X, Li LP, Wang Q, et al. Astrocyte-derived ATP modulates depressive-like behaviors. *Nat Med*. 2013;19(6):773-7. doi:10.1038/nm.3162
- e55. Iwata M, Ota KT, Li X-Y, et al. Psychological Stress Activates the Inflammasome via Release of Adenosine Triphosphate and Stimulation of the Purinergic Type 2X7 Receptor. *Biol Psychiatry*. 2016;80(1):12–22. doi:10.1016/j.biopsych.2015.11.026
- e56. Liu Y, Shao J, Gao D, Zhang L, Yang F. Astrocytes in the Ventromedial Hypothalamus Involve Chronic Stress-Induced Anxiety and Bone Loss in Mice. *Neural Plast*. 2021;2021:7806370. doi:10.1155/2021/7806370
- e57. Lehmann ML, Weigel TK, Cooper HA, Elkahloun AG, Kigar SL, Herkenham M. Decoding microglia responses to psychosocial stress reveals blood-brain barrier breakdown that may drive stress susceptibility. *Sci Rep*. 2018;8(1):11240. doi:10.1038/s41598-018-28737-8
- e58. Masuda T, Sankowski R, Staszewski O, et al. Spatial and temporal heterogeneity of mouse and human microglia at single-cell resolution. *Nature*. 2019;566(7744):388-392. doi:10.1038/s41586-019-0924-x

- e59. Li Q, Cheng Z, Zhou L, et al. Developmental Heterogeneity of Microglia and Brain Myeloid Cells Revealed by Deep Single-Cell RNA Sequencing. *Neuron*. 2019;101(2):207-223.e10. doi:10.1016/j.neuron.2018.12.006
- e60. Hammond TR, Dufort C, Dissing-Olesen L, et al. Single-Cell RNA Sequencing of Microglia throughout the Mouse Lifespan and in the Injured Brain Reveals Complex Cell-State Changes. *Immunity*. 2019;50(1):253-271.e6. doi:10.1016/j.immuni.2018.11.004
- e61. Keren-Shaul H, Spinrad A, Weiner A, et al. A Unique Microglia Type Associated with Restricting Development of Alzheimer's Disease. *Cell*. 2017;169(7):1276-1290.e17. doi:10.1016/j.cell.2017.05.018
- e62. Masuda T, Sankowski R, Staszewski O, Prinz M. Microglia Heterogeneity in the Single-Cell Era. *Cell Rep*. 2020;30(5):1271-1281. doi:10.1016/j.celrep.2020.01.010
- e63. Nestler EJ, Hyman SE. Animal models of neuropsychiatric disorders. *Nat Neurosci*. 2010;13(10):1161-9. doi:10.1038/nn.2647
- e64. Son H, Yang JH, Kim HJ, Lee DK. A Chronic Immobilization Stress Protocol for Inducing Depression-Like Behavior in Mice. *J Vis Exp*. 2019;(147)doi:10.3791/59546
- e65. Golden SA, Covington HE, Berton O, Russo SJ. A standardized protocol for repeated social defeat stress in mice. *Nat Protoc*. 2011;6(8):1183–1191. doi:10.1038/nprot.2011.361.
- e66. Avitsur R, Stark JL, Sheridan JF. Social stress induces glucocorticoid resistance in subordinate animals. *Horm Behav*. 2001;39(4):247-57. doi:10.1006/hbeh.2001.1653
- e67. Burstein O, Doron R. The Unpredictable Chronic Mild Stress Protocol for Inducing Anhedonia in Mice. *J Vis Exp*. 2018;(140)doi:10.3791/58184
- e68. Dantzer R, Cohen S, Russo SJ, Dinan TG. Resilience and immunity. *Brain Behav Immun*. 2018;74:28–42. doi:10.1016/j.bbi.2018.08.010