

APPENDIX

Stereovision Survey

1. Year you were born: _____

2. _____ male _____ female

Part 1. Answer as you experienced BEFORE gaining stereovision:

1. Before any surgeries, were your two eyes misaligned?

_____ cross-eyed (esotropia)

_____ wall-eyed (exotropia)

_____ my eyes were aligned

2. Could you look through one eye or the other at will, without closing an eye?

_____ yes _____ no

3. Did you have 'lazy eye' (amblyopia) with suppressed vision in that eye?

_____ yes _____ no

4. Did you reduce glare by closing one eye?

_____ yes _____ no

5. Were there any non-surgical efforts to improve your stereovision as a child?

_____ Vision therapy with an optometrist

_____ Orthoptic training with an orthoptist

_____ Watching a 3D film

_____ Other _____

5B. If you gained stereovision from watching a 3D movie, which movie?

6. How long were you stereo deficient?

_____ As long as I can remember

_____ Lost stereo as a child

_____ Lost stereo as an adult

7. Did you have any surgery to correct misaligned eyes?

(If yes to question 7, answer question 8. If no, move on to Part 2.)

_____ yes _____ no

8A. First operation

Age in years at time of operation _____

_____ corrected _____ undercorrected _____ overcorrected

8B. Second operation

Age in years at time of operation _____

_____ corrected _____ undercorrected _____ overcorrected

8C. Third operation

Age in years at time of operation _____

_____ corrected _____ undercorrected _____ overcorrected

Optional: Additional comments regarding questions in Part 1.

Part 2. Answer as you experience AFTER gaining stereovision:

1. Are your two eyes misaligned?

_____ cross-eyed (esotropia)
_____ wall-eyed (exotropia)
_____ my eyes are aligned

2. Can you look through one eye or the other at will, without closing an eye?

_____ yes _____ no

3. Do you have 'lazy eye' (amblyopia) with suppressed vision in that eye?

_____ yes _____ no

4. Do you reduce glare by closing one eye?

_____ yes _____ no

5. How did you improve your stereovision as an adult?

_____ Vision therapy with an optometrist
_____ Orthoptic training with an orthoptist
_____ Watching a 3D film
(If you clicked this option, please answer 5B.)
_____ Other _____

5B. If you gained stereovision from watching a 3D movie, which movie?

6. Would you say that your current stereo vision is

- _____ As good as normal
- _____ Nearly as good as normal
- _____ Better, but not near normal

7. Stereo acuity as tested by a professional (if known). Answer in arc seconds:

_____ arc sec.

Optional: Additional comments regarding questions in Part 2: