

Appendix Table A2. The frequency of unhealthy days in the population that has severe vision impairment (VI) vs. the population without severe vision impairment separated by age categories in each state. The number of physically unhealthy days was higher in the visually impaired cohort compared to the non-visually impaired cohort in each of the three age categories ($P < .001$ for each age category). The mean ratio of physically unhealthy days in those with severe vision impairment vs those without severe vision impairment was 2.91 the 18-39 year old cohort, 2.87 in the 40-64 year old cohort, and 2.16 in the 65+ year old cohort. “+” for mean unhealthy days in the severe visually impaired 18-39 year old cohort in Alaska indicates insufficient sample size to determine confidence intervals.

State	Age Group	Visually Impaired % (95% CI)	Mean Unhealthy Days (95% CI)	Mean Unhealthy Days VI (95% CI)	Mean Unhealthy Days no VI (95% CI)	Ratio of Physically Unhealthy Days in VI vs. no VI
All	18-39 yrs	2.79 (2.59, 3.01)	2.53 (2.46, 2.61)	7.01 (6.25, 7.77)	2.41 (2.34, 2.47)	2.91
	40-64 yrs	5.54 (5.30, 5.78)	4.74 (4.65, 4.83)	12.34 (11.82, 12.86)	4.29 (4.20, 4.38)	2.87
	65+ yrs	6.60 (6.28, 6.93)	5.31 (5.19, 5.44)	10.64 (10.00, 11.29)	4.94 (4.81, 5.06)	2.16
Alabama	18-39 yrs	4.58 (3.28, 6.38)	2.80 (2.32, 3.28)	6.74 (4.01, 9.47)	2.62 (2.13, 3.10)	2.58
	40-64 yrs	8.50 (7.29, 9.88)	6.38 (5.86, 6.89)	14.71 (12.69, 16.74)	5.60 (5.09, 6.12)	2.63
	65+ yrs	8.16 (6.85, 9.71)	6.78 (6.22, 7.34)	13.71 (11.35, 16.07)	6.17 (5.60, 6.73)	2.22
Alaska	18-39 yrs	0.67 (0.13, 3.40)	2.40 (1.87, 2.93)	0.75*	2.41 (1.88, 2.95)	0.31
	40-64 yrs	3.35 (2.18, 5.11)	4.71 (3.82, 5.60)	10.83 (5.94, 15.72)	4.50 (3.59, 5.40)	2.41
	65+ yrs	3.89 (2.30, 6.50)	5.48 (4.46, 6.50)	8.14 (2.59, 13.69)	5.37 (4.33, 6.41)	1.51
Arizona	18-39 yrs	3.25 (2.55, 4.13)	2.86 (2.56, 3.15)	7.58 (4.88, 10.29)	2.70 (2.41, 2.98)	2.81
	40-64 yrs	5.37 (4.69, 6.14)	4.94 (4.64, 5.24)	12.42 (10.69, 14.15)	4.52 (4.22, 4.82)	2.75
	65+ yrs	5.94 (5.19, 6.79)	5.36 (5.03, 5.69)	10.87 (9.07, 12.67)	5.01 (4.69, 5.34)	2.17
Arkansas	18-39 yrs	5.50 (3.41, 8.75)	3.77 (2.91, 4.64)	13.53 (6.30, 20.76)	3.20 (2.47, 3.94)	4.22
	40-64 yrs	9.24 (7.32, 11.60)	6.12 (5.38, 6.86)	12.64 (9.62, 15.66)	5.45 (4.72, 6.19)	2.32
	65+ yrs	10.12 (8.17, 12.48)	6.23 (5.57, 6.89)	10.40 (7.23, 13.57)	5.76 (5.13, 6.39)	1.81
California	18-39 yrs	2.27 (1.66, 3.11)	2.31 (2.07, 2.56)	5.94 (3.13, 8.74)	2.23 (1.99, 2.47)	2.66
	40-64 yrs	5.83 (4.89, 6.93)	4.36 (3.96, 4.76)	10.55 (8.41, 12.69)	3.98 (3.58, 4.37)	2.65
	65+ yrs	6.08 (4.60, 7.99)	5.00 (4.35, 5.65)	7.39 (4.13, 10.66)	4.85 (4.19, 5.50)	1.53
Colorado	18-39 yrs	2.10 (1.51, 2.92)	2.71 (2.41, 3.00)	5.48 (2.70, 8.25)	2.65 (2.35, 2.94)	2.07
	40-64 yrs	3.01 (2.43, 3.71)	3.79 (3.49, 4.10)	10.08 (7.47, 12.69)	3.60 (3.30, 3.90)	2.80
	65+ yrs	3.89 (3.03, 4.97)	4.58 (4.17, 4.99)	10.21 (6.66, 13.76)	4.35 (3.96, 4.75)	2.35

State	Age Group	Visually Impaired % (95% CI)	Mean Unhealthy Days (95% CI)	Mean Unhealthy Days VI (95% CI)	Mean Unhealthy Days no VI (95% CI)	Ratio of Physically Unhealthy Days in VI vs. no VI
Connecticut	18-39 yrs	3.16 (2.18, 4.55)	2.36 (2.00, 2.71)	5.04 (2.13, 7.95)	2.27 (1.91, 2.63)	2.22
	40-64 yrs	3.88 (3.15, 4.77)	3.84 (3.51, 4.17)	10.95 (8.22, 13.67)	3.56 (3.24, 3.88)	3.08
	65+ yrs	5.43 (4.40, 6.67)	4.44 (4.03, 4.84)	11.35 (8.93, 13.77)	4.04 (3.64, 4.44)	2.81
Delaware	18-39 yrs	5.16 (3.29, 8.01)	2.74 (2.14, 3.35)	7.37 (1.85, 12.88)	2.49 (1.94, 3.04)	2.96
	40-64 yrs	6.17 (4.83, 7.86)	4.32 (3.79, 4.86)	12.45 (9.59, 15.31)	3.79 (3.26, 4.32)	3.28
	65+ yrs	7.18 (5.55, 9.26)	5.48 (4.74, 6.23)	8.40 (5.02, 11.77)	5.26 (4.50, 6.02)	1.60
Florida	18-39 yrs	3.96 (2.74, 5.68)	2.39 (2.03, 2.74)	5.49 (3.05, 7.93)	2.26 (1.90, 2.61)	2.43
	40-64 yrs	7.01 (5.81, 8.44)	5.10 (4.66, 5.54)	12.63 (10.47, 14.78)	4.53 (4.09, 4.97)	2.79
	65+ yrs	7.53 (6.23, 9.08)	4.88 (4.39, 5.38)	9.51 (7.02, 11.99)	4.51 (4.02, 5.00)	2.11
Georgia	18-39 yrs	3.05 (2.16, 4.27)	2.15 (1.81, 2.50)	4.92 (2.26, 7.57)	2.07 (1.72, 2.41)	2.38
	40-64 yrs	6.41 (5.29, 7.76)	3.91 (3.49, 4.33)	11.63 (9.20, 14.06)	3.38 (2.98, 3.78)	3.44
	65+ yrs	7.84 (6.44, 9.52)	5.36 (4.81, 5.90)	10.96 (8.50, 13.42)	4.88 (4.33, 5.42)	2.25
Hawaii	18-39 yrs	2.33 (1.67, 3.25)	2.79 (2.39, 3.19)	4.33 (2.40, 6.26)	2.75 (2.34, 3.16)	1.57
	40-64 yrs	3.07 (2.37, 3.95)	3.78 (3.39, 4.18)	9.41 (6.58, 12.23)	3.61 (3.21, 4.00)	2.61
	65+ yrs	5.60 (4.17, 7.49)	4.51 (3.94, 5.09)	10.76 (5.84, 15.68)	4.14 (3.65, 4.64)	2.60
Idaho	18-39 yrs	1.72 (1.01, 2.90)	2.56 (2.14, 2.98)	4.73 (0.80, 8.65)	2.53 (2.10, 2.95)	1.87
	40-64 yrs	4.41 (3.27, 5.91)	4.15 (3.65, 4.64)	11.61 (7.65, 15.57)	3.80 (3.32, 4.28)	3.05
	65+ yrs	5.17 (3.91, 6.82)	5.21 (4.58, 5.84)	11.93 (8.08, 15.79)	4.84 (4.23, 5.46)	2.46
Illinois	18-39 yrs	2.90 (1.68, 4.96)	2.45 (2.08, 2.83)	6.08 (1.25, 10.91)	2.35 (1.99, 2.71)	2.59
	40-64 yrs	5.15 (4.10, 6.46)	4.68 (4.20, 5.15)	11.66 (8.86, 14.45)	4.30 (3.83, 4.76)	2.71
	65+ yrs	6.05 (4.88, 7.48)	5.38 (4.83, 5.92)	11.09 (8.18, 14.00)	5.01 (4.47, 5.55)	2.21
Indiana	18-39 yrs	2.42 (1.79, 3.28)	2.95 (2.61, 3.29)	9.83 (5.81, 13.85)	2.78 (2.45, 3.11)	3.53
	40-64 yrs	6.19 (5.42, 7.06)	5.17 (4.87, 5.47)	13.17 (11.41, 14.92)	4.64 (4.35, 4.93)	2.84
	65+ yrs	6.02 (5.24, 6.91)	5.33 (5.00, 5.66)	10.96 (9.15, 12.77)	4.97 (4.64, 5.30)	2.20

State	Age Group	Visually Impaired % (95% CI)	Mean Unhealthy Days (95% CI)	Mean Unhealthy Days VI (95% CI)	Mean Unhealthy Days no VI (95% CI)	Ratio of Physically Unhealthy Days in VI vs. no VI
Iowa	18-39 yrs	1.35 (0.88, 2.08)	2.43 (2.07, 2.79)	0.57 (0.00, 1.14)	2.45 (2.09, 2.82)	0.23
	40-64 yrs	3.42 (2.75, 4.25)	4.01 (3.66, 4.36)	13.71 (10.64, 16.78)	3.67 (3.33, 4.00)	3.74
	65+ yrs	4.55 (3.67, 5.64)	4.45 (4.01, 4.88)	9.30 (6.64, 11.96)	4.22 (3.78, 4.65)	2.21
Kansas	18-39 yrs	2.83 (2.28, 3.49)	2.51 (2.30, 2.72)	5.44 (3.46, 7.43)	2.42 (2.21, 2.63)	2.25
	40-64 yrs	4.00 (3.53, 4.53)	4.37 (4.13, 4.60)	13.67 (12.05, 15.28)	3.98 (3.74, 4.21)	3.44
	65+ yrs	5.25 (4.64, 5.92)	4.86 (4.56, 5.15)	10.25 (8.63, 11.88)	4.56 (4.26, 4.85)	2.25
Kentucky	18-39 yrs	3.28 (2.16, 4.94)	2.74 (2.26, 3.22)	8.87 (1.78, 15.97)	2.53 (2.13, 2.93)	3.51
	40-64 yrs	8.25 (6.95, 9.78)	6.71 (6.12, 7.30)	14.32 (12.19, 16.46)	6.02 (5.42, 6.63)	2.38
	65+ yrs	8.68 (7.00, 10.72)	7.18 (6.41, 7.95)	10.51 (7.38, 13.65)	6.86 (6.08, 7.65)	1.53
Louisiana	18-39 yrs	4.28 (3.05, 5.97)	3.35 (2.78, 3.93)	8.14 (4.25, 12.03)	3.14 (2.57, 3.71)	2.59
	40-64 yrs	7.86 (6.56, 9.40)	5.89 (5.31, 6.48)	15.18 (12.79, 17.58)	5.10 (4.52, 5.69)	2.98
	65+ yrs	9.99 (7.91, 12.55)	6.80 (6.03, 7.56)	11.86 (8.72, 15.00)	6.24 (5.47, 7.00)	1.90
Maine	18-39 yrs	1.61 (0.96, 2.68)	2.91 (2.42, 3.40)	5.47 (1.67, 9.26)	2.87 (2.37, 3.37)	1.91
	40-64 yrs	2.99 (2.29, 3.91)	4.92 (4.50, 5.35)	12.76 (9.24, 16.28)	4.68 (4.26, 5.10)	2.72
	65+ yrs	3.58 (2.82, 4.54)	4.94 (4.49, 5.39)	8.90 (5.85, 11.95)	4.79 (4.34, 5.24)	1.86
Maryland	18-39 yrs	2.06 (1.31, 3.24)	2.64 (2.23, 3.05)	10.58 (3.50, 17.66)	2.47 (2.09, 2.85)	4.28
	40-64 yrs	4.47 (3.64, 5.49)	3.94 (3.62, 4.27)	13.88 (11.04, 16.73)	3.48 (3.18, 3.77)	3.99
	65+ yrs	4.67 (3.72, 5.85)	4.31 (3.95, 4.67)	10.92 (7.75, 14.09)	3.98 (3.65, 4.32)	2.74
Massachusetts	18-39 yrs	1.75 (1.01, 3.01)	2.75 (2.33, 3.16)	7.22 (3.07, 11.37)	2.67 (2.25, 3.08)	2.71
	40-64 yrs	5.34 (4.18, 6.80)	4.20 (3.72, 4.67)	13.79 (10.48, 17.10)	3.66 (3.21, 4.11)	3.77
	65+ yrs	5.81 (4.14, 8.10)	5.25 (4.55, 5.96)	11.21 (8.54, 13.89)	4.89 (4.18, 5.60)	2.29
Michigan	18-39 yrs	2.78 (2.11, 3.65)	2.83 (2.51, 3.14)	8.00 (4.96, 11.04)	2.68 (2.37, 2.99)	2.99
	40-64 yrs	5.20 (4.40, 6.13)	5.54 (5.17, 5.91)	12.65 (10.45, 14.85)	5.15 (4.79, 5.51)	2.46
	65+ yrs	6.44 (5.41, 7.64)	5.70 (5.27, 6.13)	11.78 (9.51, 14.05)	5.28 (4.85, 5.71)	2.23

State	Age Group	Visually Impaired % (95% CI)	Mean Unhealthy Days (95% CI)	Mean Unhealthy Days VI (95% CI)	Mean Unhealthy Days no VI (95% CI)	Ratio of Physically Unhealthy Days in VI vs. no VI
Minnesota	18-39 yrs	2.05 (1.56, 2.69)	2.17 (1.94, 2.40)	4.28 (2.41, 6.14)	2.12 (1.89, 2.36)	2.01
	40-64 yrs	3.10 (2.65, 3.63)	3.42 (3.20, 3.65)	10.08 (8.19, 11.96)	3.21 (2.99, 3.43)	3.14
	65+ yrs	5.05 (4.29, 5.93)	4.17 (3.86, 4.47)	8.74 (6.73, 10.75)	3.92 (3.62, 4.22)	2.23
Mississippi	18-39 yrs	4.75 (3.27, 6.85)	2.41 (1.92, 2.91)	5.63 (2.90, 8.35)	2.25 (1.76, 2.75)	2.50
	40-64 yrs	9.07 (7.52, 10.91)	6.71 (6.09, 7.33)	14.67 (12.38, 16.96)	5.92 (5.30, 6.54)	2.48
	65+ yrs	9.69 (7.93, 11.79)	6.89 (6.16, 7.61)	11.96 (9.23, 14.69)	6.34 (5.61, 7.07)	1.89
Missouri	18-39 yrs	3.57 (2.54, 5.00)	2.73 (2.29, 3.17)	5.70 (3.04, 8.35)	2.62 (2.17, 3.06)	2.18
	40-64 yrs	5.99 (4.85, 7.38)	5.06 (4.60, 5.52)	14.39 (11.73, 17.06)	4.46 (4.03, 4.90)	3.23
	65+ yrs	6.98 (5.85, 8.31)	6.09 (5.54, 6.65)	10.31 (7.99, 12.63)	5.78 (5.21, 6.34)	1.78
Montana	18-39 yrs	4.14 (2.91, 5.86)	2.36 (1.93, 2.79)	5.10 (1.31, 8.90)	2.24 (1.82, 2.65)	2.28
	40-64 yrs	5.08 (3.98, 6.45)	4.92 (4.39, 5.46)	16.11 (12.89, 19.33)	4.32 (3.81, 4.84)	3.72
	65+ yrs	7.51 (6.00, 9.36)	5.25 (4.62, 5.87)	10.56 (7.41, 13.70)	4.82 (4.20, 5.43)	2.19
Nebraska	18-39 yrs	2.07 (1.53, 2.82)	2.09 (1.83, 2.34)	5.20 (2.53, 7.87)	2.02 (1.77, 2.28)	2.57
	40-64 yrs	4.16 (3.42, 5.05)	3.98 (3.65, 4.31)	15.32 (12.61, 18.03)	3.49 (3.19, 3.79)	4.39
	65+ yrs	5.05 (4.21, 6.03)	4.43 (4.05, 4.80)	8.15 (6.32, 9.99)	4.23 (3.85, 4.61)	1.93
Nevada	18-39 yrs	4.21 (2.80, 6.29)	2.54 (2.00, 3.08)	7.22 (1.51, 12.92)	2.34 (1.84, 2.83)	3.09
	40-64 yrs	6.92 (5.14, 9.25)	4.59 (3.92, 5.25)	10.86 (7.10, 14.62)	4.12 (3.47, 4.78)	2.63
	65+ yrs	9.58 (7.21, 12.64)	6.18 (5.24, 7.13)	12.85 (8.73, 16.97)	5.48 (4.55, 6.40)	2.35
New Hampshire	18-39 yrs	3.05 (1.65, 5.55)	3.50 (2.79, 4.22)	8.29 (2.48, 14.09)	3.35 (2.65, 4.06)	2.47
	40-64 yrs	2.84 (2.18, 3.70)	4.03 (3.60, 4.45)	14.71 (11.02, 18.40)	3.72 (3.30, 4.13)	3.96
	65+ yrs	6.72 (5.45, 8.27)	4.33 (3.86, 4.80)	10.20 (7.31, 13.09)	3.91 (3.47, 4.35)	2.61
New Jersey	18-39 yrs	2.81 (1.97, 3.98)	2.34 (2.00, 2.68)	8.41 (4.36, 12.46)	2.16 (1.84, 2.49)	3.89
	40-64 yrs	5.22 (4.20, 6.48)	4.66 (4.22, 5.10)	12.27 (9.63, 14.92)	4.24 (3.81, 4.67)	2.89
	65+ yrs	7.92 (6.53, 9.58)	5.01 (4.50, 5.52)	9.08 (6.99, 11.18)	4.66 (4.14, 5.18)	1.95

State	Age Group	Visually Impaired % (95% CI)	Mean Unhealthy Days (95% CI)	Mean Unhealthy Days VI (95% CI)	Mean Unhealthy Days no VI (95% CI)	Ratio of Physically Unhealthy Days in VI vs. no VI
New Mexico	18-39 yrs	3.99 (2.74, 5.78)	2.97 (2.48, 3.45)	4.72 (2.10, 7.33)	2.90 (2.40, 3.39)	1.63
	40-64 yrs	7.03 (5.73, 8.60)	5.34 (4.82, 5.87)	10.74 (8.42, 13.06)	4.93 (4.40, 5.47)	2.18
	65+ yrs	7.80 (6.13, 9.87)	6.11 (5.50, 6.72)	12.39 (8.86, 15.92)	5.57 (5.00, 6.15)	2.22
New York	18-39 yrs	2.34 (1.75, 3.12)	2.24 (1.99, 2.49)	6.12 (3.62, 8.62)	2.15 (1.90, 2.40)	2.85
	40-64 yrs	4.97 (4.23, 5.83)	4.25 (3.93, 4.57)	10.40 (8.44, 12.37)	3.93 (3.62, 4.24)	2.65
	65+ yrs	5.72 (4.62, 7.07)	5.03 (4.58, 5.49)	11.50 (8.75, 14.26)	4.64 (4.20, 5.08)	2.48
North Carolina	18-39 yrs	1.97 (1.30, 2.97)	2.39 (1.96, 2.82)	4.54 (1.34, 7.74)	2.35 (1.91, 2.78)	1.93
	40-64 yrs	5.34 (4.20, 6.78)	5.03 (4.45, 5.60)	13.47 (10.36, 16.58)	4.55 (3.98, 5.12)	2.96
	65+ yrs	8.23 (6.27, 10.73)	5.79 (5.06, 6.53)	12.88 (9.25, 16.51)	5.16 (4.45, 5.86)	2.50
North Dakota	18-39 yrs	2.09 (1.25, 3.46)	2.21 (1.82, 2.60)	8.46 (2.33, 14.60)	2.08 (1.70, 2.45)	4.08
	40-64 yrs	3.12 (2.33, 4.15)	3.73 (3.35, 4.11)	12.38 (8.79, 15.97)	3.45 (3.08, 3.82)	3.59
	65+ yrs	4.43 (3.48, 5.61)	4.63 (4.18, 5.08)	10.65 (7.35, 13.95)	4.35 (3.91, 4.80)	2.45
Ohio	18-39 yrs	2.84 (2.07, 3.88)	2.51 (2.17, 2.84)	5.39 (2.17, 8.61)	2.42 (2.09, 2.75)	2.22
	40-64 yrs	5.47 (4.59, 6.50)	4.92 (4.56, 5.29)	12.75 (10.42, 15.07)	4.47 (4.12, 4.82)	2.85
	65+ yrs	6.46 (5.47, 7.60)	5.47 (5.04, 5.90)	10.86 (8.50, 13.22)	5.10 (4.68, 5.52)	2.13
Oklahoma	18-39 yrs	4.33 (3.14, 5.94)	2.81 (2.34, 3.27)	9.58 (5.08, 14.07)	2.50 (2.06, 2.93)	3.83
	40-64 yrs	7.86 (6.60, 9.34)	5.83 (5.33, 6.34)	14.22 (11.83, 16.61)	5.12 (4.63, 5.61)	2.78
	65+ yrs	8.12 (6.91, 9.51)	6.11 (5.62, 6.61)	10.12 (8.04, 12.19)	5.76 (5.25, 6.27)	1.76
Oregon	18-39 yrs	3.51 (2.50, 4.92)	3.34 (2.88, 3.80)	7.74 (3.68, 11.80)	3.18 (2.73, 3.63)	2.44
	40-64 yrs	4.49 (3.39, 5.91)	5.35 (4.85, 5.86)	12.73 (9.96, 15.51)	5.01 (4.51, 5.51)	2.54
	65+ yrs	5.81 (4.56, 7.38)	5.15 (4.58, 5.72)	10.22 (7.17, 13.27)	4.84 (4.27, 5.40)	2.11
Pennsylvania	18-39 yrs	2.05 (1.33, 3.15)	3.06 (2.59, 3.53)	8.80 (2.44, 15.15)	2.94 (2.49, 3.40)	2.99
	40-64 yrs	3.55 (2.79, 4.50)	5.05 (4.59, 5.50)	11.82 (8.94, 14.70)	4.80 (4.34, 5.25)	2.46
	65+ yrs	4.07 (3.14, 5.26)	5.20 (4.60, 5.81)	11.51 (8.53, 14.49)	4.94 (4.32, 5.55)	2.33

State	Age Group	Visually Impaired % (95% CI)	Mean Unhealthy Days (95% CI)	Mean Unhealthy Days VI (95% CI)	Mean Unhealthy Days no VI (95% CI)	Ratio of Physically Unhealthy Days in VI vs. no VI
Rhode Island	18-39 yrs	2.85 (1.77, 4.56)	2.89 (2.36, 3.43)	7.98 (2.45, 13.51)	2.75 (2.22, 3.27)	2.91
	40-64 yrs	5.02 (3.90, 6.43)	4.98 (4.48, 5.48)	11.30 (8.64, 13.95)	4.64 (4.14, 5.15)	2.43
	65+ yrs	6.21 (4.91, 7.84)	4.91 (4.37, 5.46)	9.18 (6.48, 11.88)	4.63 (4.08, 5.19)	1.98
South Carolina	18-39 yrs	2.18 (1.49, 3.20)	2.23 (1.89, 2.57)	10.91 (5.75, 16.07)	2.04 (1.71, 2.36)	5.36
	40-64 yrs	5.99 (5.18, 6.92)	4.91 (4.55, 5.28)	12.77 (10.96, 14.58)	4.41 (4.05, 4.77)	2.89
	65+ yrs	6.32 (5.42, 7.35)	5.88 (5.48, 6.29)	14.80 (12.79, 16.80)	5.28 (4.88, 5.68)	2.80
South Dakota	18-39 yrs	2.17 (1.23, 3.79)	2.30 (1.78, 2.82)	3.26 (0.74, 5.77)	2.28 (1.75, 2.81)	1.43
	40-64 yrs	3.73 (2.49, 5.56)	4.28 (3.71, 4.86)	9.18 (4.27, 14.08)	4.09 (3.52, 4.66)	2.24
	65+ yrs	5.69 (4.20, 7.67)	5.01 (4.33, 5.69)	8.51 (5.04, 11.99)	4.80 (4.10, 5.50)	1.77
Tennessee	18-39 yrs	2.67 (1.77, 3.99)	2.34 (1.96, 2.71)	6.46 (2.90, 10.02)	2.22 (1.85, 2.59)	2.91
	40-64 yrs	7.99 (6.58, 9.67)	5.78 (5.23, 6.32)	12.71 (10.19, 15.23)	5.17 (4.63, 5.72)	2.46
	65+ yrs	7.52 (6.01, 9.36)	5.96 (5.33, 6.59)	12.24 (9.29, 15.19)	5.45 (4.82, 6.08)	2.24
Texas	18-39 yrs	3.03 (2.13, 4.29)	2.24 (1.86, 2.62)	9.36 (5.04, 13.68)	2.02 (1.66, 2.37)	4.64
	40-64 yrs	6.21 (4.89, 7.85)	4.63 (4.09, 5.18)	11.28 (8.53, 14.02)	4.19 (3.65, 4.74)	2.69
	65+ yrs	8.51 (6.54, 10.99)	5.60 (4.81, 6.39)	11.44 (7.82, 15.06)	5.06 (4.28, 5.84)	2.26
Utah	18-39 yrs	1.91 (1.45, 2.51)	2.67 (2.39, 2.95)	6.38 (3.42, 9.34)	2.60 (2.32, 2.88)	2.46
	40-64 yrs	3.33 (2.66, 4.16)	3.87 (3.54, 4.21)	10.50 (7.64, 13.35)	3.65 (3.31, 3.98)	2.88
	65+ yrs	5.40 (4.32, 6.72)	4.91 (4.45, 5.38)	12.20 (9.34, 15.05)	4.50 (4.04, 4.96)	2.71
Vermont	18-39 yrs	2.97 (1.99, 4.41)	2.91 (2.43, 3.38)	8.94 (4.06, 13.81)	2.72 (2.26, 3.18)	3.28
	40-64 yrs	3.70 (2.70, 5.06)	4.18 (3.78, 4.58)	11.79 (8.24, 15.35)	3.88 (3.49, 4.28)	3.04
	65+ yrs	4.48 (3.39, 5.91)	4.41 (3.91, 4.91)	10.39 (6.72, 14.06)	4.13 (3.64, 4.61)	2.52
Virginia	18-39 yrs	2.26 (1.50, 3.41)	2.45 (2.09, 2.82)	5.60 (1.76, 9.44)	2.38 (2.02, 2.74)	2.35
	40-64 yrs	4.38 (3.64, 5.26)	4.06 (3.70, 4.42)	15.52 (13.14, 17.90)	3.54 (3.19, 3.88)	4.39
	65+ yrs	7.01 (5.90, 8.32)	4.88 (4.46, 5.30)	9.61 (7.52, 11.71)	4.52 (4.11, 4.94)	2.13

State	Age Group	Visually Impaired % (95% CI)	Mean Unhealthy Days (95% CI)	Mean Unhealthy Days VI (95% CI)	Mean Unhealthy Days no VI (95% CI)	Ratio of Physically Unhealthy Days in VI vs. no VI
Washington	18-39 yrs	2.58 (1.92, 3.44)	3.08 (2.78, 3.37)	9.02 (5.74, 12.30)	2.92 (2.63, 3.21)	3.09
	40-64 yrs	4.01 (3.37, 4.77)	4.59 (4.29, 4.90)	12.98 (10.83, 15.13)	4.24 (3.95, 4.54)	3.06
	65+ yrs	4.89 (4.09, 5.84)	4.72 (4.36, 5.09)	11.53 (9.37, 13.69)	4.37 (4.01, 4.74)	2.64
West Virginia	18-39 yrs	4.03 (2.82, 5.73)	3.32 (2.81, 3.83)	8.74 (4.67, 12.81)	3.09 (2.59, 3.60)	2.83
	40-64 yrs	10.06 (8.76, 11.52)	7.11 (6.60, 7.62)	15.14 (13.24, 17.04)	6.21 (5.70, 6.72)	2.44
	65+ yrs	11.45 (9.88, 13.22)	6.83 (6.25, 7.41)	12.66 (10.64, 14.68)	6.08 (5.49, 6.67)	2.08
Wisconsin	18-39 yrs	2.53 (1.54, 4.13)	2.71 (2.22, 3.21)	6.37 (0.56, 12.18)	2.62 (2.13, 3.11)	2.43
	40-64 yrs	2.66 (1.89, 3.72)	4.34 (3.85, 4.84)	13.29 (8.77, 17.81)	4.10 (3.61, 4.59)	3.24
	65+ yrs	3.23 (2.24, 4.64)	5.31 (4.67, 5.96)	10.20 (5.75, 14.66)	5.15 (4.50, 5.80)	1.98
Wyoming	18-39 yrs	3.07 (2.05, 4.59)	2.60 (2.10, 3.11)	8.11 (3.28, 12.93)	2.43 (1.94, 2.92)	3.34
	40-64 yrs	4.09 (3.07, 5.42)	4.19 (3.71, 4.67)	11.08 (7.14, 15.03)	3.89 (3.43, 4.35)	2.85
	65+ yrs	7.60 (6.17, 9.33)	4.92 (4.33, 5.50)	8.17 (5.71, 10.64)	4.65 (4.05, 5.25)	1.76

CI = confidence interval